
Subject: Re: LVM support inside a container
Posted by [piavlo](#) on Fri, 22 Aug 2008 00:20:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

I don't think that giving VE access to lvm devices will help. All you can do is import some specific lvm volume or several volumes to VE. And VE will be able to access data on these volumes. Don't know what will happen if the volume is mounted both on HN and VE, possibly data corruption if the fs on the volume is not cluster aware (depends on how openvz handle this).

If you strace a command like pvscan you'll see that it needs to access really a lot of misc devices under /dev. But even if you give VE access to all those devices it still will not work, since VE does not have direct access to HN hardware. Maybe if you will give VE access to /sys on HN with bind mount too, it will be able to do something (in case /dev & /sys access is sufficient for device mapper for lvm manipulation), but i doubt it.

It would be nice to hear from oepnvz devs if it theoretically possible to manipulate lvm volimes from VE.

Anyway if you are using lvm snapshot to backup Mysql you can

- 1) Install mysql client tools in HN and then you don't need to modify your backup scripts and just tweak the backup location.
- 2) If you don't want to have mysql client tools installed in HN, you will need to modify the mysql commands to be prefixed with
vzctl exec VEID mysql ...

Anyway the backup script will run in HN and not in VE
