
Subject: Re: debian+networking
Posted by [KriS83](#) on Sat, 12 Nov 2005 16:49:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

douglas wrote on Fri, 11 November 2005 23:16 I use debootstrap. Located at http://ftp.debian.org/debian/pool/main/d/debootstrap/debootstrap_0.2.45-0.2.tar.gz No problems, just networking needs to be setup (in the .conf) also to fix debian you need to ln -s /etc/mtab to something in /proc I think, I don't remember the dir, if you or sw guys remember can you post it so we have a reference? I try to find out.

It's a "ln -s /proc/mounts /etc/mtab"

Quote:

Currently we are still testing but so far it runs pretty normal with a few minor cosmetic issues.

You should also edit /etc/inittab and comment out or remove the following lines:

```
#1:2345:respawn:/sbin/getty 38400 tty1
#2:23:respawn:/sbin/getty 38400 tty2
#3:23:respawn:/sbin/getty 38400 tty3
#4:23:respawn:/sbin/getty 38400 tty4
#5:23:respawn:/sbin/getty 38400 tty5
#6:23:respawn:/sbin/getty 38400 tty6
```

Quote:

debootstrap install as simple as

debootstrap sarge /vz/private/VEID

Correct, though I used:

debootstrap sarge /vz/private/VEID <http://ftp.debian.de/debian>

Basically, my networking here works fine.
Though simple "telnet localhost 25" do not work
nmap also fails. with the following error:

```
# nmap localhost
```

```
Starting nmap 3.81 ( http://www.insecure.org/nmap/ ) at 2005-12-11 17:44 UTC
sendto in send_ip_packet: sendto(4, packet, 28, 0, 127.0.0.1, 16) => Invalid argument
Sleeping 15 seconds then retrying
```

So long
KriS

P.S: I've had a look at the vzpkgcache script to try to modify it to get it to create a otemplate just like it does with fedora,
but as it is not really created for anyother program other than "rpm" this will not be easy. Maybe when I find some time, I'll give it a go
