

---

Subject: Re: Disabling all limits  
Posted by [maratrus](#) on Fri, 10 Apr 2009 06:50:27 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Quote:

What I do: I have written a small awk-script which monitors the sum of the failcnt-column in /proc/user\_beancounters and if this value is  $\geq 0$

This approach is not correct. You should monitor if failcnt are increasing not if they are just  $>0$ .

Quote:

... and restarting the VE.

after you've adjusted ubc-parameter you don't have to restart VE.

Quote:

This means that this value is just  $\sim 100$  too low; what to I do?

`vzctl set 201 --privvmpages 87536:91632 --save`

and restarting the VE. As you can see, I add 10000 (!) although only 97 are needed. But some time after restarting: same result. I adjusted the limit a few times now but failcnt becomes always nonzero for this specific limit after some time. So, what I am doing wrong?

Sorry, I didn't catch you at all. What are 100 and 10000? What kind of parameters do you measure?

Quote:

And, one other thing. If I stop a VE, the entries in /proc/user\_beancounters are not removed (only after some time)

This might be a valid behavior. Here is a nice article.  
[http://wiki.openvz.org/UBC\\_failcnt\\_reset](http://wiki.openvz.org/UBC_failcnt_reset)