

---

Subject: Re: netdev\_add Operation not permitted  
Posted by [l4ndy74](#) on Sat, 20 Feb 2010 13:47:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

ok. this is the results. thank you for your support.

strace.out.16525

```
execve("/usr/sbin/vzctl", ["vzctl", "set", "120", "--netdev_add", "6to4-120", "--save"], [/ * 18 vars */])
= 0
brk(0) = 0xf18c000
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b1e6d967000
uname({sys="Linux", node="vz", ...}) = 0
access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
open("/etc/ld.so.cache", O_RDONLY) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=36146, ...}) = 0
mmap(NULL, 36146, PROT_READ, MAP_PRIVATE, 3, 0) = 0x2b1e6d968000
close(3) = 0
open("/usr/lib64/libvzctl-0.0.2.so", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\220}@\317;\0\0\0 "..., 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=523498, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b1e6d971000
mmap(0x3bcf400000, 1202600, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3bcf400000
mprotect(0x3bcf424000, 1044480, PROT_NONE) = 0
mmap(0x3bcf523000, 12288, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x23000) = 0x3bcf523000
close(3) = 0
open("/lib64/libdl.so.2", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\20\16\0\317;\0\0\0 "..., 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=23360, ...}) = 0
mmap(0x3bcf000000, 2109696, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3bcf000000
mprotect(0x3bcf002000, 2097152, PROT_NONE) = 0
mmap(0x3bcf202000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2000) = 0x3bcf202000
close(3) = 0
open("/lib64/libutil.so.1", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\200\16\0\322;\0\0\0 "..., 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=18152, ...}) = 0
mmap(0x3bd2000000, 2105616, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3bd2000000
mprotect(0x3bd2002000, 2093056, PROT_NONE) = 0
mmap(0x3bd2201000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x3bd2201000
close(3) = 0
```

```

open("/lib64/libc.so.6", O_RDONLY)    = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\0\0\0>\0\1\0\0\0\220\332\301\316;\0\0\0 "..., 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=1717800, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b1e6d972000
mmap(0x3bcec00000, 3498328, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3bcec00000
mprotect(0x3bced4d000, 2097152, PROT_NONE) = 0
mmap(0x3bcef4d000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x14d000) = 0x3bcef4d000
mmap(0x3bcef52000, 16728, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3bcef52000
close(3)                                = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b1e6d973000
arch_prctl(ARCH_SET_FS, 0x2b1e6d973000) = 0
mprotect(0x3bcf202000, 4096, PROT_READ) = 0
mprotect(0x3bd2201000, 4096, PROT_READ) = 0
mprotect(0x3bcef4d000, 16384, PROT_READ) = 0
mprotect(0x3bcea1b000, 4096, PROT_READ) = 0
munmap(0x2b1e6d968000, 36146)           = 0
brk(0)                                   = 0xf18c000
brk(0xf1ad000)                           = 0xf1ad000
rt_sigaction(SIGPIPE, {0x1, [], SA_RESTORER, 0x3bcec302d0}, NULL, = 0
open("/usr/lib64/vzctl/modules/", O_RDONLY|O_NONBLOCK|O_DIRECTORY) = -1 ENOENT (No
such file or directory)
open("/etc/vz/vz.conf", O_RDONLY)        = 3
stat("/etc/vz/vz.conf", {st_mode=S_IFREG|0644, st_size=1118, ...}) = 0
fstat(3, {st_mode=S_IFREG|0644, st_size=1118, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b1e6d968000
read(3, "## Global parameters\nVIRTUOZZO=y"..., 4096) = 1118
read(3, "", 4096)                        = 0
close(3)                                = 0
munmap(0x2b1e6d968000, 4096)             = 0
open("/var/log/vzctl.log", O_WRONLY|O_CREAT|O_APPEND, 0666) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=17812, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b1e6d968000
fstat(3, {st_mode=S_IFREG|0644, st_size=17812, ...}) = 0
lseek(3, 17812, SEEK_SET)                 = 17812
stat("/etc/vz/conf/120.conf", {st_mode=S_IFREG|0644, st_size=2076, ...}) = 0
open("/etc/vz/conf/120.conf", O_RDONLY) = 4
stat("/etc/vz/conf/120.conf", {st_mode=S_IFREG|0644, st_size=2076, ...}) = 0
fstat(4, {st_mode=S_IFREG|0644, st_size=2076, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b1e6d969000
read(4, "# Copyright (C) 2000-2006 SWsof"..., 4096) = 2076

```

```

read(4, "", 4096)          = 0
close(4)                   = 0
munmap(0x2b1e6d969000, 4096) = 0
fcntl(0, F_GETFL)          = 0x8002 (flags O_RDWR|O_LARGEFILE)
fcntl(1, F_GETFL)          = 0x8002 (flags O_RDWR|O_LARGEFILE)
fcntl(2, F_GETFL)          = 0x8002 (flags O_RDWR|O_LARGEFILE)
open("/dev/vzctl", O_RDWR)  = 4
ioctl(4, 0x400c2e05, 0x7ffe2b57220) = 0
stat("/vz/lock", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
getpid()                   = 16525
open("/vz/lock/120.lcknIZDsM", O_RDWR|O_CREAT|O_EXCL, 0600) = 5
write(5, "16525\n\n", 7)    = 7
close(5)                   = 0
link("/vz/lock/120.lcknIZDsM", "/vz/lock/120.lck") = 0
unlink("/vz/lock/120.lcknIZDsM") = 0
rt_sigaction(SIGINT, {0x1, [], SA_RESTORER, 0x3bcec302d0}, NULL, = 0
ioctl(4, 0x400c2e05, 0x7ffe2b57230) = 0
ioctl(4, 0x400c2e05, 0x7ffe2b570c0) = 0
rt_sigaction(SIGCHLD, {SIG_DFL, [], SA_RESTORER|SA_NOCLDSTOP, 0x3bcec302d0}, NULL, = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2b1e6d973390) = 16526
wait4(16526, [{WIFEXITED(s) && WEXITSTATUS(s) == 104}], 0, NULL) = 16526
--- SIGCHLD (Child exited) @ 0 (0) ---
stat("/etc/vz/conf/120.conf", {st_mode=S_IFREG|0644, st_size=2076, ...}) = 0
open("/etc/vz/conf/120.conf", O_RDONLY) = 5
fstat(5, {st_mode=S_IFREG|0644, st_size=2076, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b1e6d969000
read(5, "# Copyright (C) 2000-2006 SWsof"..., 4096) = 2076
read(5, "", 4096)          = 0
close(5)                   = 0
munmap(0x2b1e6d969000, 4096) = 0
open("/etc/vz/conf/120.conf.tmp", O_WRONLY|O_CREAT|O_TRUNC, 0644) = 5
write(5, "# Copyright (C) 2000-2006 SWsof"..., 56) = 56
write(5, "#\n", 2)            = 2
write(5, "# This program is free software"..., 72) = 72
write(5, "# it under the terms of the GNU"..., 72) = 72
write(5, "# the Free Software Foundation;"..., 69) = 69
write(5, "# (at your option) any later ve"..., 39) = 39
write(5, "#\n", 2)            = 2
write(5, "# This program is distributed i"..., 67) = 67
write(5, "# but WITHOUT ANY WARRANTY; wit"..., 66) = 66
write(5, "# MERCHANTABILITY or FITNESS FO"..., 65) = 65
write(5, "# GNU General Public License fo"..., 48) = 48
write(5, "#\n", 2)            = 2
write(5, "# You should have received a co"..., 69) = 69
write(5, "# along with this program; if n"..., 63) = 63

```

```

write(5, "# Foundation, Inc., 59 Temple P"... , 77) = 77
write(5, "#\n", 2) = 2
write(5, "\n", 1) = 1
write(5, "ONBOOT=\\"yes\\"\\n", 13) = 13
write(5, "\n", 1) = 1
write(5, "# UBC parameters (in form of bar"... , 44) = 44
write(5, "# Primary parameters\\n", 21) = 21
write(5, "AVNUMPROC=\\"40:40\\"\\n", 18) = 18
write(5, "NUMPROC=\\"999999:999999\\"\\n", 24) = 24
write(5, "NUMTCPSOCK=\\"7999992:7999992\\"\\n", 29) = 29
write(5, "NUMOTHERSOCK=\\"7999992:7999992\\"\\n", 31) = 31
write(5, "VMGUARPAGES=\\"128000:2147483647\\"\\n", 32) = 32
write(5, "# Secondary parameters\\n", 23) = 23
write(5, "KMEMSIZE=\\"2147483646:2147483646\\""... , 33) = 33
write(5, "TCPSNDBUF=\\"104857600:286883840\\"\\n", 32) = 32
write(5, "TCPRCVBUF=\\"104857600:286883840\\"\\n", 32) = 32
write(5, "OTHERSOCKBUF=\\"104857600:28688384"... , 35) = 35
write(5, "DGRAMRCVBUF=\\"104857600:286883840"... , 34) = 34
write(5, "OOMGUARPAGES=\\"128000:2147483647\\""... , 33) = 33
write(5, "# Auxiliary parameters\\n", 23) = 23
write(5, "LOCKEDPAGES=\\"999999:999999\\"\\n", 28) = 28
write(5, "SHMPAGES=\\"128000:128000\\"\\n", 25) = 25
write(5, "PRIVVMPAGES=\\"255999744:255999744"... , 34) = 34
write(5, "NUMFILE=\\"23999976:23999976\\"\\n", 28) = 28
write(5, "NUMFLOCK=\\"999999:999999\\"\\n", 25) = 25
write(5, "NUMPTY=\\"500000:500000\\"\\n", 23) = 23
write(5, "NUMSIGINFO=\\"999999:999999\\"\\n", 27) = 27
write(5, "DCACHESIZE=\\"2147483646:214748364"... , 35) = 35
write(5, "\n", 1) = 1
write(5, "PHYSPAGES=\\"0:2147483647\\"\\n", 25) = 25
write(5, "NUMIPTENT=\\"999999:999999\\"\\n", 26) = 26
write(5, "\n", 1) = 1
write(5, "# Disk quota parameters (in form"... , 57) = 57
write(5, "DISKSPACE=\\"102398976:102398976\\"\\n", 32) = 32
write(5, "DISKINODES=\\"51199488:51199488\\"\\n", 31) = 31
write(5, "QUOTATIME=\\"0\\"\\n", 14) = 14
write(5, "\n", 1) = 1
write(5, "# CPU fair sheduler parameter\\n", 30) = 30
write(5, "CPUUNITS=\\"1000\\"\\n", 16) = 16
write(5, "VE_ROOT=\\"/vz/root/$VEID\\"\\n", 25) = 25
write(5, "VE_PRIVATE=\\"/vz/private/120\\"\\n", 29) = 29
write(5, "OSTEMPLATE=\\"centos-5-x86\\"\\n", 26) = 26
write(5, "ORIGIN_SAMPLE=\\"vps.basic\\"\\n", 26) = 26
write(5, "IP_ADDRESS=\\"IP"... , 83) = 83
write(5, "QUOTAUGIDLIMIT=\\"10000\\"\\n", 23) = 23
write(5, "HOSTNAME=\\"hostname\\"\\n", 29) = 29
write(5, "NAMESERVER=\\"nameserver"... , 39) = 39
write(5, "CPULIMIT=\\"400\\"\\n", 15) = 15

```

[illegible]

strace.out.16526

```

syscall_501(0x78, 0, 0x3bcef541a8, 0, 0xffffffffffffd0, 0x7ffe2b57130, 0xf18cd80, 0xf18cd80,
0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80,
0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80,
0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80, 0xf18cd80) = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2b1e6d973390) = 16527
wait4(16527, [{WIFEXITED(s) && WEXITSTATUS(s) == 104}], 0, NULL) = 16527
--- SIGCHLD (Child exited) @ 0 (0) ---
exit_group(104)
= ?

```

strace.out.16527

```
ioctl(4, 0x40102e0b, 0x7fffe2b570c0) = -1 EPERM (Operation not permitted)
write(2, "Unable to add netdev 6to4-120", 29) = 29
write(2, ": Operation not permitted", 25) = 25
```

