
Subject: Re: Re: [RFC] vzctl 'make install' target

Posted by [ldv](#) on Fri, 30 Jun 2006 22:50:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Thu, Jun 29, 2006 at 01:00:28PM +0200, Christian Heim wrote:

> On Thursday 29 June 2006 11:03, Kir Kolyshkin wrote:

> > We want to fix it in next vzctl release. There are several solutions

> > possible:

> >

> > (1) rename 'install' target to install-redhat, and add generic 'install'

> > target which will not install initscript and

> > /etc/sysconfig/network-scripts/*venet0* stuff

> >

> > (2) leave install target as is and add 'install-generic' target which

> > will do the same as 'install' from (1)

> >

> > (3) try to determine distro during runtime, from Makefile itself, and

> > act appropriately

> >

> > (4) Pass some params to Makefile in environment, like SKIP_NETSCRIPTS or

> > SKIP_INITSCRIPT

> >

> > (5) a variation of (1) -- add install-generic and install-redhat target,

> > do nothing but print a list of possible install-* target on invocation

> > of 'make install'.

> >

> > I prefer #5. What do people think? I am especially interested in hearing

> > from Debian and Gentoo maintainers.

>

> Well, we don't prefer any specific, so #1, #2 or #5 would be fine with us.

Likewise. My advice is to avoid #3.

> It's after all `_your_` package ;)

It sounds like "do whatever you want, we'll patch our package anyway" :)

--

ldv
