
Subject: Re: [RFC] vzctl 'make install' target
Posted by [Christian Heim](#) on Sat, 01 Jul 2006 17:30:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Saturday 01 July 2006 00:50, Dmitry V. Levin wrote:

>On Thu, Jun 29, 2006 at 01:00:28PM +0200, Christian Heim wrote:

>> On Thursday 29 June 2006 11:03, Kir Kolyshkin wrote:

>> >We want to fix it in next vzctl release. There are several solutions

>> >possible:

>> >

>> >(1) rename 'install' target to install-redhat, and add generic 'install'

>> >target which will not install initscript and

>> >/etc/sysconfig/network-scripts/*venet0* stuff

>> >

>> >(2) leave install target as is and add 'install-generic' target which

>> >will do the same as 'install' from (1)

>> >

>> >(3) try to determine distro during runtime, from Makefile itself, and

>> >act appropriately

>> >

>> >(4) Pass some params to Makefile in environment, like SKIP_NETSCRIPTS or

>> >SKIP_INITSCRIPT

>> >

>> >(5) a variation of (1) -- add install-generic and install-redhat target,

>> >do nothing but print a list of possible install-* target on invocation

>> >of 'make install'.

>> >

>> >I prefer #5. What do people think? I am especially interested in hearing

>> >from Debian and Gentoo maintainers.

>>

>> Well, we don't prefer any specific, so #1, #2 or #5 would be fine with us.

>

>Likewise. My advice is to avoid #3.

Well even if it sounds nice, #3 would be a real pain in the ass (not for me).

>> It's after all `_your_` package ;)

>

>It sounds like "do whatever you want, we'll patch our package anyway" :)

Nah, we'll use whatever you guys come up with :P (at least regarding #1, #2 and #5).

--

Christian Heim <phreak@gentoo.org>

Gentoo Linux Developer - vserver/openvz
