Subject: [PATCH RFC] SUNPRC: remove marking service temporary sockets with XPT_CHNGBUF
Posted by Stanislav Kinsbursky on Fri, 20 Jan 2012 12:55:39 GMT
View Forum Message <> Reply to Message

This is a cleanup patch.
Service temporary sockets can be TCP or RDMA only. But XPT_CHNGBUF service
socket flag is checked only for UDP sockets on receive.
Thus (if I don't miss something non-obvious) this bit raising for temporary
sockets can be removed.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

---
net/sunrpc/svcsock.c | 2 --
1 files changed, 0 insertions(+), 2 deletions(-)

```
diff --git a/net/sunrpc/svcsock.c b/net/sunrpc/svcsock.c
index e8af0c9..2867249 100644
--- a/net/sunrpc/svcsock.c
+++ b/net/sunrpc/svcsock.c
@@ -1381,8 +1381,6 @@ void svc_sock_update_bufs(struct svc_serv *serv)
  spin_lock_bh(&serv->sv_lock);
  list_for_each_entry(svsk, &serv->sv_permsocks, sk_xprt.xpt_list)
   set_bit(XPT_CHNGBUF, &svsk->sk_xprt.xpt_flags);
- list_for_each_entry(svsk, &serv->sv_tempsocks, sk_xprt.xpt_list)
-  set_bit(XPT_CHNGBUF, &svsk->sk_xprt.xpt_flags);
  spin_unlock_bh(&serv->sv_lock);
 }
 EXPORT_SYMBOL_GPL(svc_sock_update_bufs);
```