
Subject: [OpenVZ 7] Container Templates

Posted by [63DYxLP1](#) on Sun, 22 Sep 2019 22:13:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Everyone,

How do I access all of the container templates listed here?

Link: <https://src.openvz.org/projects/OVZT>

Most of the templates do appear to be available, however there are several that aren't available via vzpkg.

```
[root@ ~]# vzpkg list
debian-10.0-x86_64
debian-10.0-x86_64 jsdk
debian-10.0-x86_64 jre
debian-10.0-x86_64 php
debian-10.0-x86_64 proftpd
debian-10.0-x86_64 wordpress
debian-10.0-x86_64 cyrus-imap
debian-10.0-x86_64 mod_perl
debian-10.0-x86_64 spamassassin
debian-10.0-x86_64 mysql
debian-10.0-x86_64 devel
debian-10.0-x86_64 webalizer
debian-10.0-x86_64 phppgadmin
debian-10.0-x86_64 mailman
debian-10.0-x86_64 imp
debian-10.0-x86_64 postgresql
debian-10.0-x86_64 tomcat
debian-8.0-x86_64
debian-8.0-x86_64-minimal
debian-8.0-x86_64 jsdk
debian-8.0-x86_64 phpmyadmin
debian-8.0-x86_64 jre
debian-8.0-x86_64 php
debian-8.0-x86_64 proftpd
debian-8.0-x86_64 wordpress
debian-8.0-x86_64 cyrus-imap
debian-8.0-x86_64 squirrelmail
debian-8.0-x86_64 mod_perl
debian-8.0-x86_64 spamassassin
debian-8.0-x86_64 mysql
debian-8.0-x86_64 devel
debian-8.0-x86_64 webalizer
debian-8.0-x86_64 phppgadmin
debian-8.0-x86_64 mailman
```

debian-8.0-x86_64	imp
debian-8.0-x86_64	postgresql
debian-8.0-x86_64	tomcat
debian-9.0-x86_64	
debian-9.0-x86_64-minimal	
debian-9.0-x86_64	jsdk
debian-9.0-x86_64	phpmyadmin
debian-9.0-x86_64	jre
debian-9.0-x86_64	php
debian-9.0-x86_64	proftpd
debian-9.0-x86_64	wordpress
debian-9.0-x86_64	cyrus-imap
debian-9.0-x86_64	mod_perl
debian-9.0-x86_64	spamassassin
debian-9.0-x86_64	mysql
debian-9.0-x86_64	devel
debian-9.0-x86_64	webalizer
debian-9.0-x86_64	phppgadmin
debian-9.0-x86_64	mailman
debian-9.0-x86_64	imp
debian-9.0-x86_64	postgresql
debian-9.0-x86_64	tomcat
debian-7.0-x86_64	
debian-7.0-x86_64	jsdk
debian-7.0-x86_64	phpmyadmin
debian-7.0-x86_64	jre
debian-7.0-x86_64	php
debian-7.0-x86_64	proftpd
debian-7.0-x86_64	wordpress
debian-7.0-x86_64	cyrus-imap
debian-7.0-x86_64	squirrelmail
debian-7.0-x86_64	mod_perl
debian-7.0-x86_64	spamassassin
debian-7.0-x86_64	mysql
debian-7.0-x86_64	devel
debian-7.0-x86_64	webalizer
debian-7.0-x86_64	phppgadmin
debian-7.0-x86_64	mailman
debian-7.0-x86_64	postgresql
debian-7.0-x86_64	tomcat
suse-42.2-x86_64	
suse-42.2-x86_64	jsdk
suse-42.2-x86_64	jre
suse-42.2-x86_64	php
suse-42.2-x86_64	cyrus-imap
suse-42.2-x86_64	mod_perl
suse-42.2-x86_64	spamassassin
suse-42.2-x86_64	mysql

suse-42.2-x86_64	devel
suse-42.2-x86_64	webalizer
suse-42.2-x86_64	phppgadmin
suse-42.2-x86_64	mailman
suse-42.2-x86_64	vsftpd
suse-42.2-x86_64	postgresql
suse-42.2-x86_64	tomcat
suse-42.1-x86_64	
suse-42.1-x86_64	jsdk
suse-42.1-x86_64	jre
suse-42.1-x86_64	php
suse-42.1-x86_64	cyrus-imap
suse-42.1-x86_64	mod_perl
suse-42.1-x86_64	spamassassin
suse-42.1-x86_64	mysql
suse-42.1-x86_64	devel
suse-42.1-x86_64	webalizer
suse-42.1-x86_64	phppgadmin
suse-42.1-x86_64	mailman
suse-42.1-x86_64	vsftpd
suse-42.1-x86_64	postgresql
suse-42.1-x86_64	tomcat
suse-42.3-x86_64	2019-09-12 22:31:33
suse-42.3-x86_64	jsdk
suse-42.3-x86_64	jre
suse-42.3-x86_64	php
suse-42.3-x86_64	cyrus-imap
suse-42.3-x86_64	mod_perl
suse-42.3-x86_64	spamassassin
suse-42.3-x86_64	mysql
suse-42.3-x86_64	devel
suse-42.3-x86_64	webalizer
suse-42.3-x86_64	phppgadmin
suse-42.3-x86_64	mailman
suse-42.3-x86_64	vsftpd
suse-42.3-x86_64	postgresql
suse-42.3-x86_64	tomcat
ubuntu-14.04-x86_64	
ubuntu-14.04-x86_64	jsdk
ubuntu-14.04-x86_64	phpmyadmin
ubuntu-14.04-x86_64	jre
ubuntu-14.04-x86_64	php
ubuntu-14.04-x86_64	proftpd
ubuntu-14.04-x86_64	wordpress
ubuntu-14.04-x86_64	cyrus-imap
ubuntu-14.04-x86_64	squirrelmail
ubuntu-14.04-x86_64	mod_perl
ubuntu-14.04-x86_64	spamassassin

ubuntu-14.04-x86_64 mysql
ubuntu-14.04-x86_64 devel
ubuntu-14.04-x86_64 webalizer
ubuntu-14.04-x86_64 phppgadmin
ubuntu-14.04-x86_64 mailman
ubuntu-14.04-x86_64 imp
ubuntu-14.04-x86_64 postgresql
ubuntu-14.04-x86_64 tomcat
ubuntu-18.04-x86_64
ubuntu-18.04-x86_64 jsdk
ubuntu-18.04-x86_64 phpmyadmin
ubuntu-18.04-x86_64 jre
ubuntu-18.04-x86_64 php
ubuntu-18.04-x86_64 proftpd
ubuntu-18.04-x86_64 mariadb
ubuntu-18.04-x86_64 wordpress
ubuntu-18.04-x86_64 cyrus-imap
ubuntu-18.04-x86_64 mod_perl
ubuntu-18.04-x86_64 spamassassin
ubuntu-18.04-x86_64 mysql
ubuntu-18.04-x86_64 devel
ubuntu-18.04-x86_64 webalizer
ubuntu-18.04-x86_64 phppgadmin
ubuntu-18.04-x86_64 mailman
ubuntu-18.04-x86_64 imp
ubuntu-18.04-x86_64 postgresql
ubuntu-18.04-x86_64 tomcat
ubuntu-16.04-x86_64
ubuntu-16.04-x86_64 jsdk
ubuntu-16.04-x86_64 phpmyadmin
ubuntu-16.04-x86_64 jre
ubuntu-16.04-x86_64 php
ubuntu-16.04-x86_64 proftpd
ubuntu-16.04-x86_64 mariadb
ubuntu-16.04-x86_64 wordpress
ubuntu-16.04-x86_64 cyrus-imap
ubuntu-16.04-x86_64 squirrelmail
ubuntu-16.04-x86_64 mod_perl
ubuntu-16.04-x86_64 spamassassin
ubuntu-16.04-x86_64 devel
ubuntu-16.04-x86_64 webalizer
ubuntu-16.04-x86_64 phppgadmin
ubuntu-16.04-x86_64 mailman
ubuntu-16.04-x86_64 imp
ubuntu-16.04-x86_64 postgresql
ubuntu-16.04-x86_64 tomcat
ubuntu-17.10-x86_64
ubuntu-17.10-x86_64-minimal

```

ubuntu-17.10-x86_64 jsdk
ubuntu-17.10-x86_64 phpmyadmin
ubuntu-17.10-x86_64 jre
ubuntu-17.10-x86_64 php
ubuntu-17.10-x86_64 proftpd
ubuntu-17.10-x86_64 mariadb
ubuntu-17.10-x86_64 wordpress
ubuntu-17.10-x86_64 cyrus-imap
ubuntu-17.10-x86_64 mod_perl
ubuntu-17.10-x86_64 spamassassin
ubuntu-17.10-x86_64 mysql
ubuntu-17.10-x86_64 devel
ubuntu-17.10-x86_64 webalizer
ubuntu-17.10-x86_64 phppgadmin
ubuntu-17.10-x86_64 mailman
ubuntu-17.10-x86_64 imp
ubuntu-17.10-x86_64 postgresql
ubuntu-17.10-x86_64 tomcat
centos-7-x86_64          2019-09-12 21:49:31
centos-7-x86_64 jsdk
centos-7-x86_64 jre
centos-7-x86_64 php
centos-7-x86_64 cyrus-imap
centos-7-x86_64 spamassassin
centos-7-x86_64 mysql
centos-7-x86_64 devel
centos-7-x86_64 mailman
centos-7-x86_64 vsftpd
centos-7-x86_64 postgresql
centos-7-x86_64 tomcat
centos-7-x86_64 mod_ssl
centos-6-x86_64          2019-09-12 21:02:52
centos-6-x86_64 jsdk
centos-6-x86_64 jre
centos-6-x86_64 php
centos-6-x86_64 cyrus-imap
centos-6-x86_64 vzftpd
centos-6-x86_64 mod_perl
centos-6-x86_64 spamassassin
centos-6-x86_64 mysql
centos-6-x86_64 devel
centos-6-x86_64 webalizer
centos-6-x86_64 mailman
centos-6-x86_64 postgresql
centos-6-x86_64 tomcat
centos-6-x86_64 mod_ssl
sles-15-x86_64
sles-15-x86_64 jsdk

```

sles-15-x86_64	jre
sles-15-x86_64	mariadb
sles-15-x86_64	spamassassin
sles-15-x86_64	devel
sles-15-x86_64	vsftpd
sles-15-x86_64	postgresql
sles-15-x86_64	tomcat
sles-11-x86_64	
sles-11-x86_64	jsdk
sles-11-x86_64	jre
sles-11-x86_64	mod_perl
sles-11-x86_64	spamassassin
sles-11-x86_64	mysql
sles-11-x86_64	devel
sles-11-x86_64	webalizer
sles-11-x86_64	mailman
sles-11-x86_64	vsftpd
sles-11-x86_64	postgresql
sles-11-x86_64	tomcat
sles-12-x86_64	
sles-12-x86_64	jsdk
sles-12-x86_64	jre
sles-12-x86_64	mariadb
sles-12-x86_64	mod_perl
sles-12-x86_64	spamassassin
sles-12-x86_64	devel
sles-12-x86_64	webalizer
sles-12-x86_64	mailman
sles-12-x86_64	vsftpd
sles-12-x86_64	postgresql
sles-12-x86_64	tomcat
vzlinux-7-x86_64	
vzlinux-7-x86_64	jsdk
vzlinux-7-x86_64	jre
vzlinux-7-x86_64	php
vzlinux-7-x86_64	cyrus-imap
vzlinux-7-x86_64	spamassassin
vzlinux-7-x86_64	mysql
vzlinux-7-x86_64	devel
vzlinux-7-x86_64	mailman
vzlinux-7-x86_64	vsftpd
vzlinux-7-x86_64	postgresql
vzlinux-7-x86_64	tomcat
vzlinux-7-x86_64	mod_ssl
vzlinux-6-x86_64	
vzlinux-6-x86_64	jsdk
vzlinux-6-x86_64	jre
vzlinux-6-x86_64	php

```

vzlinux-6-x86_64    cyrus-imap
vzlinux-6-x86_64    vzftpd
vzlinux-6-x86_64    mod_perl
vzlinux-6-x86_64    spamassassin
vzlinux-6-x86_64    mysql
vzlinux-6-x86_64    devel
vzlinux-6-x86_64    webalizer
vzlinux-6-x86_64    mailman
vzlinux-6-x86_64    postgresql
vzlinux-6-x86_64    tomcat
vzlinux-6-x86_64    mod_ssl
fedora-23-x86_64    2019-09-13 00:55:10
fedora-23-x86_64    jsdk
fedora-23-x86_64    phpmyadmin
fedora-23-x86_64    jre
fedora-23-x86_64    php
fedora-23-x86_64    proftpd
fedora-23-x86_64    wordpress
fedora-23-x86_64    cyrus-imap
fedora-23-x86_64    squirrelmail
fedora-23-x86_64    mod_perl
fedora-23-x86_64    spamassassin
fedora-23-x86_64    mysql
fedora-23-x86_64    devel
fedora-23-x86_64    webalizer
fedora-23-x86_64    phppgadmin
fedora-23-x86_64    mailman
fedora-23-x86_64    postgresql
fedora-23-x86_64    tomcat
fedora-23-x86_64    mod_ssl

```

```

[root@ ~]# yum install *-ez.noarch
Loaded plugins: fastestmirror, langpacks, openvz, priorities, vzlinux
Loading mirror speeds from cached hostfile
* openvz-os: mirrors.evowise.com
* openvz-updates: mirrors.evowise.com
102 packages excluded due to repository priority protections
Package ubuntu-16.04-x86_64-ez-7.0.0-14.vz7.noarch already installed and latest version
Package centos-6-x86_64-ez-7.0.0-4.vz7.noarch already installed and latest version
Package sles-15-x86_64-ez-7.0.0-2.vz7.noarch already installed and latest version
Package sles-12-x86_64-ez-7.0.0-5.vz7.noarch already installed and latest version
Package debian-7.0-x86_64-ez-7.0.0-2.vz7.noarch already installed and latest version
Package centos-7-x86_64-ez-7.0.0-25.vz7.noarch already installed and latest version
Package ubuntu-17.10-x86_64-ez-7.0.0-4.vz7.noarch already installed and latest version
Package vzlinux-7-x86_64-ez-7.0.0-14.vz7.noarch already installed and latest version
Package suse-42.1-x86_64-ez-7.0.0-5.vz7.noarch already installed and latest version
Package sles-11-x86_64-ez-7.0.0-10.vz7.noarch already installed and latest version
Package vzlinux-6-x86_64-ez-7.0.0-5.vz7.noarch already installed and latest version

```

Package debian-8.0-x86_64-ez-7.0.0-9.vz7.noarch already installed and latest version
Package ubuntu-18.04-x86_64-ez-7.0.0-17.vz7.noarch already installed and latest version
Package debian-10.0-x86_64-ez-7.0.0-8.vz7.noarch already installed and latest version
Package suse-42.3-x86_64-ez-7.0.0-2.vz7.noarch already installed and latest version
Package fedora-23-x86_64-ez-7.0.0-10.vz7.noarch already installed and latest version
Package ubuntu-14.04-x86_64-ez-7.0.0-4.vz7.noarch already installed and latest version
Package suse-42.2-x86_64-ez-7.0.0-6.vz7.noarch already installed and latest version
Package debian-9.0-x86_64-ez-7.0.0-10.vz7.noarch already installed and latest version
Nothing to do

As an example, what would be the proper method to access the Fedora 30 template?

Thank you all in advance!
