

---

Subject: Re: vzyum error

Posted by [youp](#) on Wed, 06 Sep 2006 08:09:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
#
# Automatically generated make config: don't edit
#
CONFIG_X86=y
CONFIG_MMU=y
CONFIG_UID16=y
CONFIG_GENERIC_ISA_DMA=y
CONFIG_GENERIC_IOMAP=y

#
# Code maturity level options
#
CONFIG_EXPERIMENTAL=y
CONFIG_CLEAN_COMPILE=y
CONFIG_BROKEN_ON_SMP=y

#
# General setup
#
CONFIG_SWAP=y
CONFIG_SYSVIPC=y
# CONFIG_POSIX_MQUEUE is not set
# CONFIG_BSD_PROCESS_ACCT is not set
CONFIG_SYSCTL=y
# CONFIG_AUDIT is not set
CONFIG_LOG_BUF_SHIFT=17
CONFIG_HOTPLUG=y
# CONFIG_IKCONFIG is not set
# CONFIG_EMBEDDED is not set
CONFIG_KALLSYMS=y
# CONFIG_KALLSYMS_ALL is not set
# CONFIG_KALLSYMS_EXTRA_PASS is not set
CONFIG_FUTEX=y
CONFIG_EPOLL=y
CONFIG_IOSCHED_NOOP=y
CONFIG_IOSCHED_AS=y
CONFIG_IOSCHED_DEADLINE=y
CONFIG_IOSCHED_CFQ=y
# CONFIG_CC_OPTIMIZE_FOR_SIZE is not set

#
# Loadable module support
#
CONFIG_MODULES=y
```

```
CONFIG_MODULE_UNLOAD=y
# CONFIG_MODULE_FORCE_UNLOAD is not set
CONFIG_OBSOLETE_MODPARM=y
# CONFIG_MODVERSIONS is not set
CONFIG_KMOD=y

#
# Processor type and features
#
CONFIG_X86_PC=y
# CONFIG_X86_ELAN is not set
# CONFIG_X86_VOYAGER is not set
# CONFIG_X86_NUMAQ is not set
# CONFIG_X86_SUMMIT is not set
# CONFIG_X86_BIGSMP is not set
# CONFIG_X86_VISWS is not set
# CONFIG_X86_GENERICARCH is not set
# CONFIG_X86_ES7000 is not set
# CONFIG_M386 is not set
# CONFIG_M486 is not set
# CONFIG_M586 is not set
# CONFIG_M586TSC is not set
# CONFIG_M586MMX is not set
CONFIG_M686=y
# CONFIG_MPENTIUMII is not set
# CONFIG_MPENTIUMIII is not set
# CONFIG_MPENTIUMM is not set
# CONFIG_MPENTIUM4 is not set
# CONFIG_MK6 is not set
# CONFIG_MK7 is not set
# CONFIG_MK8 is not set
# CONFIG_MCRUSOE is not set
# CONFIG_MWINCHIPC6 is not set
# CONFIG_MWINCHIP2 is not set
# CONFIG_MWINCHIP3D is not set
# CONFIG_MCYRIXIII is not set
# CONFIG_MVIAC3_2 is not set
# CONFIG_X86_GENERIC is not set
CONFIG_X86_CMPXCHG=y
CONFIG_X86_XADD=y
CONFIG_X86_L1_CACHE_SHIFT=5
CONFIG_RWSEM_XCHGADD_ALGORITHM=y
CONFIG_X86_PPRO_FENCE=y
CONFIG_X86_WP_WORKS_OK=y
CONFIG_X86_INVLPG=y
CONFIG_X86_BSWAP=y
CONFIG_X86_POPAD_OK=y
CONFIG_X86_GOOD_APIC=y
```

```
CONFIG_X86_USE_PPRO_CHECKSUM=y
# CONFIG_X86_4G is not set
# CONFIG_X86_SWITCH_PAGETABLES is not set
# CONFIG_X86_4G_VM_LAYOUT is not set
# CONFIG_X86_UACCESS_INDIRECT is not set
# CONFIG_X86_HIGH_ENTRY is not set
CONFIG_HPET_TIMER=y
CONFIG_HPET_EMULATE_RTC=y
# CONFIG_SMP is not set
CONFIG_FAIRSCHED=y
CONFIG_SCHED_VCPU=y
# CONFIG_PREEMPT is not set
CONFIG_X86_UP_APIC=y
CONFIG_X86_UP_IOAPIC=y
CONFIG_X86_LOCAL_APIC=y
CONFIG_X86_IO_APIC=y
CONFIG_X86_TSC=y
CONFIG_X86_MCE=y
# CONFIG_X86_MCE_NONFATAL is not set
CONFIG_X86_MCE_P4THERMAL=y
# CONFIG_TOSHIBA is not set
# CONFIG_I8K is not set
CONFIG_MICROCODE=m
CONFIG_X86_MSR=y
# CONFIG_X86_CPUID is not set

#
# Firmware Drivers
#
# CONFIG_EDD is not set
CONFIG_DELL_RBU=m
CONFIG_DCDBAS=m
# CONFIG_NOHIGHMEM is not set
CONFIG_HIGHMEM4G=y
# CONFIG_HIGHMEM64G is not set
CONFIG_HIGHMEM=y
CONFIG_HIGHPT=y
# CONFIG_MATH_EMULATION is not set
CONFIG_MTRR=y
# CONFIG_EFI is not set
# CONFIG_REGPARM is not set

#
# Power management options (ACPI, APM)
#
CONFIG_PM=y
CONFIG_SOFTWARE_SUSPEND=y
# CONFIG_PM_DISK is not set
```

```
#
# ACPI (Advanced Configuration and Power Interface) Support
#
CONFIG_ACPI=y
CONFIG_ACPI_BOOT=y
CONFIG_ACPI_INTERPRETER=y
CONFIG_ACPI_SLEEP=y
CONFIG_ACPI_SLEEP_PROC_FS=y
CONFIG_ACPI_AC=m
CONFIG_ACPI_BATTERY=m
CONFIG_ACPI_BUTTON=m
CONFIG_ACPI_FAN=m
CONFIG_ACPI_PROCESSOR=m
CONFIG_ACPI_THERMAL=m
CONFIG_ACPI_ASUS=m
CONFIG_ACPI_TOSHIBA=m
# CONFIG_ACPI_DEBUG is not set
CONFIG_ACPI_BUS=y
CONFIG_ACPI_EC=y
CONFIG_ACPI_POWER=y
CONFIG_ACPI_PCI=y
CONFIG_ACPI_SYSTEM=y
# CONFIG_X86_PM_TIMER is not set

#
# APM (Advanced Power Management) BIOS Support
#
# CONFIG_APM is not set

#
# CPU Frequency scaling
#
# CONFIG_CPU_FREQ is not set

#
# Bus options (PCI, PCMCIA, EISA, MCA, ISA)
#
CONFIG_PCI=y
# CONFIG_PCI_GOBIOS is not set
# CONFIG_PCI_GOMMCONFIG is not set
# CONFIG_PCI_GODIRECT is not set
CONFIG_PCI_GOANY=y
CONFIG_PCI_BIOS=y
CONFIG_PCI_DIRECT=y
CONFIG_PCI_MMCONFIG=y
# CONFIG_PCI_MSI is not set
# CONFIG_PCI_LEGACY_PROC is not set
```

```
CONFIG_PCI_NAMES=y
CONFIG_ISA=y
# CONFIG_EISA is not set
# CONFIG_MCA is not set
# CONFIG_SCx200 is not set

#
# PCMCIA/CardBus support
#
# CONFIG_PCMCIA is not set
CONFIG_PCMCIA_PROBE=y

#
# PCI Hotplug Support
#
CONFIG_HOTPLUG_PCI=y
# CONFIG_HOTPLUG_PCI_FAKE is not set
CONFIG_HOTPLUG_PCI_COMPAQ=m
# CONFIG_HOTPLUG_PCI_COMPAQ_NVRAM is not set
CONFIG_HOTPLUG_PCI_IBM=m
CONFIG_HOTPLUG_PCI_ACPI=m
# CONFIG_HOTPLUG_PCI_CPCI is not set
CONFIG_HOTPLUG_PCI_PCIE=m
# CONFIG_HOTPLUG_PCI_PCIE_POLL_EVENT_MODE is not set
CONFIG_HOTPLUG_PCI_SHPC=m
# CONFIG_HOTPLUG_PCI_SHPC_POLL_EVENT_MODE is not set

#
# Executable file formats
#
CONFIG_BINFMT_ELF=y
CONFIG_BINFMT_AOUT=m
# CONFIG_BINFMT_MISC is not set

#
# Device Drivers
#

#
# Generic Driver Options
#
CONFIG_STANDALONE=y
CONFIG_PREVENT_FIRMWARE_BUILD=y
CONFIG_FW_LOADER=y
# CONFIG_DEBUG_DRIVER is not set

#
# Memory Technology Devices (MTD)
```

```
#
# CONFIG_MTD is not set

#
# Parallel port support
#
# CONFIG_PARPORT is not set

#
# Plug and Play support
#
# CONFIG_PNP is not set

#
# Block devices
#
# CONFIG_BLK_DEV_FD is not set
# CONFIG_BLK_DEV_XD is not set
CONFIG_BLK_CPQ_DA=y
CONFIG_BLK_CPQ_CISS_DA=y
# CONFIG_BLK_DEV_DAC960 is not set
# CONFIG_BLK_DEV_UMEM is not set
CONFIG_BLK_DEV_LOOP=m
# CONFIG_BLK_DEV_CRYPTOLOOP is not set
# CONFIG_BLK_DEV_NBD is not set
# CONFIG_BLK_DEV_SX8 is not set
CONFIG_BLK_DEV_RAM=y
CONFIG_BLK_DEV_RAM_SIZE=16384
CONFIG_BLK_DEV_INITRD=y
CONFIG_LBD=y
CONFIG_ATA_OVER_ETH=m
CONFIG_BLK_DEV_DRBD=m

#
# ATA/ATAPI/MFM/RLL support
#
CONFIG_IDE=y
CONFIG_BLK_DEV_IDE=y

#
# Please see Documentation/ide.txt for help/info on IDE drives
#
# CONFIG_BLK_DEV_IDE_SATA is not set
# CONFIG_BLK_DEV_HD_IDE is not set
CONFIG_BLK_DEV_IDEDISK=y
# CONFIG_IDEDISK_MULTI_MODE is not set
CONFIG_BLK_DEV_IDECD=m
# CONFIG_BLK_DEV_IDETAPE is not set
```

```
CONFIG_BLK_DEV_IDEFLOPPY=m
# CONFIG_IDE_TASK_IOCTL is not set
# CONFIG_IDE_TASKFILE_IO is not set

#
# IDE chipset support/bugfixes
#
CONFIG_IDE_GENERIC=y
CONFIG_BLK_DEV_CMD640=y
# CONFIG_BLK_DEV_CMD640_ENHANCED is not set
CONFIG_BLK_DEV_IDEPCI=y
CONFIG_IDEPCI_SHARE_IRQ=y
# CONFIG_BLK_DEV_OFFBOARD is not set
CONFIG_BLK_DEV_GENERIC=y
# CONFIG_BLK_DEV_OPTI621 is not set
CONFIG_BLK_DEV_RZ1000=y
CONFIG_BLK_DEV_IDEDMA_PCI=y
# CONFIG_BLK_DEV_IDEDMA_FORCED is not set
CONFIG_IDEDMA_PCI_AUTO=y
# CONFIG_IDEDMA_ONLYDISK is not set
CONFIG_BLK_DEV_ADMA=y
# CONFIG_BLK_DEV_AEC62XX is not set
# CONFIG_BLK_DEV_ALI15X3 is not set
CONFIG_BLK_DEV_AMD74XX=y
# CONFIG_BLK_DEV_ATIIXP is not set
CONFIG_BLK_DEV_CMD64X=y
# CONFIG_BLK_DEV_TRIFLEX is not set
# CONFIG_BLK_DEV_CY82C693 is not set
# CONFIG_BLK_DEV_CS5520 is not set
# CONFIG_BLK_DEV_CS5530 is not set
CONFIG_BLK_DEV_HPT34X=y
# CONFIG_HPT34X_AUTODMA is not set
CONFIG_BLK_DEV_HPT366=y
# CONFIG_BLK_DEV_SC1200 is not set
CONFIG_BLK_DEV_PIIX=y
# CONFIG_BLK_DEV_NS87415 is not set
CONFIG_BLK_DEV_PDC202XX_OLD=y
CONFIG_PDC202XX_BURST=y
CONFIG_BLK_DEV_PDC202XX_NEW=y
CONFIG_PDC202XX_FORCE=y
CONFIG_BLK_DEV_SVWKS=y
CONFIG_BLK_DEV_SIIMAGE=y
CONFIG_BLK_DEV_SIS5513=y
# CONFIG_BLK_DEV_SLC90E66 is not set
# CONFIG_BLK_DEV_TRM290 is not set
CONFIG_BLK_DEV_VIA82CXXX=y
# CONFIG_IDE_ARM is not set
# CONFIG_IDE_CHIPSETS is not set
```

```
CONFIG_BLK_DEV_IDEDMA=y
# CONFIG_IDEDMA_IVB is not set
CONFIG_IDEDMA_AUTO=y
# CONFIG_BLK_DEV_HD is not set

#
# SCSI device support
#
# CONFIG_SCSI is not set

#
# Old CD-ROM drivers (not SCSI, not IDE)
#
# CONFIG_CD_NO_IDESCSI is not set

#
# Multi-device support (RAID and LVM)
#
CONFIG_MD=y
CONFIG_BLK_DEV_MD=y
CONFIG_MD_LINEAR=y
CONFIG_MD_RAID0=y
CONFIG_MD_RAID1=y
CONFIG_MD_RAID10=y
CONFIG_MD_RAID5=y
# CONFIG_MD_RAID6 is not set
CONFIG_MD_MULTIPATH=y
CONFIG_BLK_DEV_DM=y
CONFIG_DM_CRYPT=y
CONFIG_DM_SNAPSHOT=y
CONFIG_DM_MIRROR=y
CONFIG_DM_ZERO=y
CONFIG_DM_MULTIPATH=y
CONFIG_DM_MULTIPATH_EMCM=y

#
# Fusion MPT device support
#

#
# IEEE 1394 (FireWire) support
#
# CONFIG_IEEE1394 is not set

#
# I2O device support
#
# CONFIG_I2O is not set
```



```
#
# Networking support
#
CONFIG_NET=y

#
# Networking options
#
CONFIG_PACKET=m
CONFIG_PACKET_MMAP=y
# CONFIG_NETLINK_DEV is not set
CONFIG_UNIX=y
# CONFIG_NET_KEY is not set
CONFIG_INET=y
# CONFIG_IP_MULTICAST is not set
CONFIG_IP_ADVANCED_ROUTER=y
CONFIG_IP_MULTIPLE_TABLES=y
CONFIG_IP_ROUTE_FWMARK=y
# CONFIG_IP_ROUTE_NAT is not set
CONFIG_IP_ROUTE_MULTIPATH=y
CONFIG_IP_ROUTE_TOS=y
CONFIG_IP_ROUTE_VERBOSE=y
# CONFIG_IP_PNP is not set
CONFIG_NET_IPIP=m
CONFIG_NET_IPGRE=m
# CONFIG_ARPD is not set
CONFIG_SYN_COOKIES=y
# CONFIG_INET_AH is not set
# CONFIG_INET_ESP is not set
# CONFIG_INET_IPCOMP is not set

#
# IP: Virtual Server Configuration
#
# CONFIG_IP_VS is not set
# CONFIG_IPV6 is not set
CONFIG_NETFILTER=y
# CONFIG_NETFILTER_DEBUG is not set

#
# IP: Netfilter Configuration
#
CONFIG_IP_NF_CONNTRACK=m
CONFIG_IP_NF_FTP=m
CONFIG_IP_NF_IRC=m
CONFIG_IP_NF_TFTP=m
CONFIG_IP_NF_AMANDA=m
```

```
# CONFIG_IP_NF_QUEUE is not set
CONFIG_IP_NF_IPTABLES=m
CONFIG_IP_NF_MATCH_LIMIT=m
CONFIG_IP_NF_MATCH_IPRANGE=m
CONFIG_IP_NF_MATCH_MAC=m
# CONFIG_IP_NF_MATCH_PKTTYPE is not set
CONFIG_IP_NF_MATCH_MARK=m
CONFIG_IP_NF_MATCH_MULTIPORT=m
CONFIG_IP_NF_MATCH_TOS=m
CONFIG_IP_NF_MATCH_RECENT=m
# CONFIG_IP_NF_MATCH_ECN is not set
# CONFIG_IP_NF_MATCH_DSCP is not set
# CONFIG_IP_NF_MATCH_AH_ESP is not set
CONFIG_IP_NF_MATCH_LENGTH=m
CONFIG_IP_NF_MATCH_TTL=m
CONFIG_IP_NF_MATCH_TCPMSS=m
CONFIG_IP_NF_MATCH_HELPER=m
CONFIG_IP_NF_MATCH_STATE=m
CONFIG_IP_NF_MATCH_CONNTRACK=m
# CONFIG_IP_NF_MATCH_OWNER is not set
CONFIG_IP_NF_FILTER=m
CONFIG_IP_NF_TARGET_REJECT=m
CONFIG_IP_NF_NAT=m
CONFIG_IP_NF_NAT_NEEDED=y
CONFIG_IP_NF_TARGET_MASQUERADE=m
CONFIG_IP_NF_TARGET_REDIRECT=m
CONFIG_IP_NF_TARGET_NETMAP=m
CONFIG_IP_NF_TARGET_SAME=m
CONFIG_IP_NF_NAT_LOCAL=y
# CONFIG_IP_NF_NAT_SNMP_BASIC is not set
CONFIG_IP_NF_NAT_IRC=m
CONFIG_IP_NF_NAT_FTP=m
CONFIG_IP_NF_NAT_TFTP=m
CONFIG_IP_NF_NAT_AMANDA=m
CONFIG_IP_NF_MANGLE=m
CONFIG_IP_NF_TARGET_TOS=m
# CONFIG_IP_NF_TARGET_ECN is not set
# CONFIG_IP_NF_TARGET_DSCP is not set
CONFIG_IP_NF_TARGET_MARK=m
CONFIG_IP_NF_TARGET_CLASSIFY=m
CONFIG_IP_NF_TARGET_LOG=m
# CONFIG_IP_NF_TARGET_ULOG is not set
CONFIG_IP_NF_TARGET_TCPMSS=m
# CONFIG_IP_NF_ARPTABLES is not set
# CONFIG_IP_NF_COMPAT_IPCHAINS is not set
# CONFIG_IP_NF_COMPAT_IPFWADM is not set
# CONFIG_IP_NF_RAW is not set
# CONFIG_IP_NF_MATCH_ADDRTYPE is not set
```

```
# CONFIG_IP_NF_MATCH_REALM is not set
CONFIG_XFRM=y
# CONFIG_XFRM_USER is not set

#
# SCTP Configuration (EXPERIMENTAL)
#
# CONFIG_IP_SCTP is not set
# CONFIG_ATM is not set
# CONFIG_BRIDGE is not set
CONFIG_VLAN_8021Q=m
# CONFIG_DECNET is not set
# CONFIG_LLC2 is not set
# CONFIG_IPX is not set
# CONFIG_ATALK is not set
# CONFIG_X25 is not set
# CONFIG_LAPB is not set
# CONFIG_NET_DIVERT is not set
# CONFIG_ECONET is not set
# CONFIG_WAN_ROUTER is not set
# CONFIG_NET_HW_FLOWCONTROL is not set

#
# QoS and/or fair queueing
#
CONFIG_NET_SCHED=y
CONFIG_NET_SCH_CLK_JIFFIES=y
# CONFIG_NET_SCH_CLK_GETTIMEOFDAY is not set
# CONFIG_NET_SCH_CLK_CPU is not set
CONFIG_NET_SCH_CBQ=m
CONFIG_NET_SCH_HTB=m
# CONFIG_NET_SCH_HFSC is not set
CONFIG_NET_SCH_PRIO=m
CONFIG_NET_SCH_RED=m
CONFIG_NET_SCH_SFQ=m
CONFIG_NET_SCH_TEQL=m
CONFIG_NET_SCH_TBF=m
CONFIG_NET_SCH_GRED=m
CONFIG_NET_SCH_DSMARK=m
# CONFIG_NET_SCH_NETEM is not set
CONFIG_NET_SCH_INGRESS=m
CONFIG_NET_QOS=y
CONFIG_NET_ESTIMATOR=y
CONFIG_NET_CLS=y
CONFIG_NET_CLS_TCINDEX=m
CONFIG_NET_CLS_ROUTE4=m
CONFIG_NET_CLS_ROUTE=y
CONFIG_NET_CLS_FW=m
```

```
CONFIG_NET_CLS_U32=m
# CONFIG_CLS_U32_PERF is not set
# CONFIG_NET_CLS_IND is not set
# CONFIG_NET_CLS_RSVP is not set
# CONFIG_NET_CLS_RSVP6 is not set
# CONFIG_NET_CLS_ACT is not set
CONFIG_NET_CLS_POLICE=y

#
# Network testing
#
# CONFIG_NET_PKTGEN is not set
# CONFIG_NETPOLL is not set
# CONFIG_NET_POLL_CONTROLLER is not set
# CONFIG_HAMRADIO is not set
# CONFIG_IRDA is not set
# CONFIG_BT is not set
CONFIG_NETDEVICES=y
CONFIG_DUMMY=y
CONFIG_BONDING=y
# CONFIG_EQUALIZER is not set
CONFIG_TUN=y

#
# ARCnet devices
#
# CONFIG_ARCNET is not set

#
# Ethernet (10 or 100Mbit)
#
CONFIG_NET_ETHERNET=y
CONFIG_MII=y
# CONFIG_HAPPYMEAL is not set
# CONFIG_SUNGEM is not set
# CONFIG_NET_VENDOR_3COM is not set
# CONFIG_LANCE is not set
# CONFIG_NET_VENDOR_SMC is not set
# CONFIG_NET_VENDOR_RACAL is not set

#
# Tulip family network device support
#
CONFIG_NET_TULIP=y
# CONFIG_DE2104X is not set
CONFIG_TULIP=m
# CONFIG_TULIP_MWI is not set
# CONFIG_TULIP_MMIO is not set
```

```
# CONFIG_TULIP_NAPI is not set
# CONFIG_DE4X5 is not set
# CONFIG_WINBOND_840 is not set
# CONFIG_DM9102 is not set
# CONFIG_AT1700 is not set
# CONFIG_DEPCA is not set
# CONFIG_HP100 is not set
# CONFIG_NET_ISA is not set
CONFIG_NET_PCI=y
CONFIG_PCNET32=y
# CONFIG_AMD8111_ETH is not set
# CONFIG_ADAPTEC_STARFIRE is not set
# CONFIG_AC3200 is not set
# CONFIG_APRICOT is not set
# CONFIG_B44 is not set
# CONFIG_FORCEDETH is not set
# CONFIG_CS89x0 is not set
# CONFIG_DGRS is not set
CONFIG_EEPRO100=y
# CONFIG_EEPRO100_PIO is not set
CONFIG_E100=y
# CONFIG_E100_NAPI is not set
# CONFIG_FEALNX is not set
CONFIG_NATSEMI=m
CONFIG_NE2K_PCI=y
CONFIG_8139CP=y
CONFIG_8139TOO=y
CONFIG_8139TOO_PIO=y
# CONFIG_8139TOO_TUNE_TWISTER is not set
CONFIG_8139TOO_8129=y
# CONFIG_8139_OLD_RX_RESET is not set
CONFIG_SIS900=y
# CONFIG_EPIC100 is not set
# CONFIG_SUNDANCE is not set
# CONFIG_TLAN is not set
CONFIG_VIA_RHINE=y
# CONFIG_VIA_RHINE_MMIO is not set
# CONFIG_VIA_VELOCITY is not set
# CONFIG_NET_POCKET is not set

#
# Ethernet (1000 Mbit)
#
# CONFIG_ACENIC is not set
# CONFIG_DL2K is not set
CONFIG_E1000=y
# CONFIG_E1000_NAPI is not set
# CONFIG_NS83820 is not set
```

# CONFIG\_HAMACHI is not set  
# CONFIG\_YELLOWFIN is not set  
CONFIG\_R8169=y  
# CONFIG\_SKY2 is not set  
# CONFIG\_SK98LIN is not set  
# CONFIG\_TIGON3 is not set

#  
# Ethernet (10000 Mbit)  
#  
# CONFIG\_IXGB is not set  
# CONFIG\_S2IO is not set

#  
# Token Ring devices  
#  
# CONFIG\_TR is not set

#  
# Wireless LAN (non-hamradio)  
#  
# CONFIG\_NET\_RADIO is not set

#  
# Wan interfaces  
#  
# CONFIG\_WAN is not set  
# CONFIG\_FDDI is not set  
# CONFIG\_HIPPI is not set  
# CONFIG\_PPP is not set  
# CONFIG\_SLIP is not set  
# CONFIG\_SHAPER is not set  
# CONFIG\_NETCONSOLE is not set

#  
# ISDN subsystem  
#  
# CONFIG\_ISDN is not set

#  
# Telephony Support  
#  
# CONFIG\_PHONE is not set

#  
# Input device support  
#  
CONFIG\_INPUT=y

```
#
# Userland interfaces
#
CONFIG_INPUT_MOUSEDEV=y
CONFIG_INPUT_MOUSEDEV_PSAUX=y
CONFIG_INPUT_MOUSEDEV_SCREEN_X=1024
CONFIG_INPUT_MOUSEDEV_SCREEN_Y=768
# CONFIG_INPUT_JOYDEV is not set
# CONFIG_INPUT_TSDEV is not set
# CONFIG_INPUT_EVDEV is not set
# CONFIG_INPUT_EVBUG is not set

#
# Input I/O drivers
#
# CONFIG_GAMEPORT is not set
CONFIG_SOUND_GAMEPORT=y
CONFIG_SERIO=y
CONFIG_SERIO_I8042=y
CONFIG_SERIO_SERPORT=y
# CONFIG_SERIO_CT82C710 is not set
# CONFIG_SERIO_PCIPS2 is not set

#
# Input Device Drivers
#
CONFIG_INPUT_KEYBOARD=y
CONFIG_KEYBOARD_ATKBD=y
# CONFIG_KEYBOARD_SUNKBD is not set
# CONFIG_KEYBOARD_LKKBD is not set
# CONFIG_KEYBOARD_XTKBD is not set
# CONFIG_KEYBOARD_NEWTON is not set
CONFIG_INPUT_MOUSE=y
CONFIG_MOUSE_PS2=y
# CONFIG_MOUSE_SERIAL is not set
# CONFIG_MOUSE_INPORT is not set
# CONFIG_MOUSE_LOGIBM is not set
# CONFIG_MOUSE_PC110PAD is not set
# CONFIG_MOUSE_VSXXXAA is not set
# CONFIG_INPUT_JOYSTICK is not set
# CONFIG_INPUT_TOUCHSCREEN is not set
# CONFIG_INPUT_MISC is not set

#
# Character devices
#
CONFIG_VT=y
```

```
CONFIG_VT_CONSOLE=y
CONFIG_HW_CONSOLE=y
# CONFIG_SERIAL_NONSTANDARD is not set

#
# Serial drivers
#
CONFIG_SERIAL_8250=y
CONFIG_SERIAL_8250_CONSOLE=y
# CONFIG_SERIAL_8250_ACPI is not set
CONFIG_SERIAL_8250_NR_UARTS=16
CONFIG_SERIAL_8250_EXTENDED=y
# CONFIG_SERIAL_8250_MANY_PORTS is not set
CONFIG_SERIAL_8250_SHARE_IRQ=y
# CONFIG_SERIAL_8250_DETECT_IRQ is not set
# CONFIG_SERIAL_8250_MULTIPORT is not set
# CONFIG_SERIAL_8250_RSA is not set

#
# Non-8250 serial port support
#
CONFIG_SERIAL_CORE=y
CONFIG_SERIAL_CORE_CONSOLE=y
CONFIG_UNIX98_PTYS=y
CONFIG_LEGACY_PTYS=y
CONFIG_LEGACY_PTY_COUNT=256
# CONFIG_QIC02_TAPE is not set

#
# IPMI
#
CONFIG_IPMI_HANDLER=m
# CONFIG_IPMI_PANIC_EVENT is not set
CONFIG_IPMI_DEVICE_INTERFACE=m
CONFIG_IPMI_SI=m
CONFIG_IPMI_WATCHDOG=m

#
# Watchdog Cards
#
# CONFIG_WATCHDOG is not set
# CONFIG_HW_RANDOM is not set
# CONFIG_NVRAM is not set
CONFIG_RTC=y
# CONFIG_DTLK is not set
# CONFIG_R3964 is not set
# CONFIG_APPLICOM is not set
# CONFIG_SONYPI is not set
```



```
#  
# Ftape, the floppy tape device driver  
#  
# CONFIG_FTAPE is not set  
# CONFIG_AGP is not set  
# CONFIG_DRM is not set  
# CONFIG_MWAVE is not set  
# CONFIG_RAW_DRIVER is not set  
# CONFIG_HPET is not set  
# CONFIG_HANGCHECK_TIMER is not set
```

```
#  
# I2C support  
#  
CONFIG_I2C=m  
CONFIG_I2C_CHARDEV=m
```

```
#  
# I2C Algorithms  
#  
CONFIG_I2C_ALGOBIT=m  
CONFIG_I2C_ALGOPCF=m
```

```
#  
# I2C Hardware Bus support  
#  
CONFIG_I2C_ALI1535=m  
CONFIG_I2C_ALI1563=m  
CONFIG_I2C_ALI15X3=m  
CONFIG_I2C_AMD756=m  
CONFIG_I2C_AMD8111=m  
# CONFIG_I2C_ELEKTOR is not set  
CONFIG_I2C_I801=m  
CONFIG_I2C_I810=m  
CONFIG_I2C_ISA=m  
CONFIG_I2C_NFORCE2=m  
# CONFIG_I2C_PARPORT_LIGHT is not set  
CONFIG_I2C_PII4=m  
CONFIG_I2C_PROSAVAGE=m  
CONFIG_I2C_SAVAGE4=m  
# CONFIG_SCx200_ACB is not set  
CONFIG_I2C_SIS5595=m  
CONFIG_I2C_SIS630=m  
CONFIG_I2C_SIS96X=m  
CONFIG_I2C_VIA=m  
CONFIG_I2C_VIAPRO=m  
CONFIG_I2C_VOODOO3=m
```

```
#
# Hardware Sensors Chip support
#
CONFIG_I2C_SENSOR=m
CONFIG_SENSORS_ADM1021=m
CONFIG_SENSORS_ADM1025=m
CONFIG_SENSORS_ADM1031=m
CONFIG_SENSORS_ASB100=m
CONFIG_SENSORS_DS1621=m
CONFIG_SENSORS_FSCHER=m
CONFIG_SENSORS_GL518SM=m
CONFIG_SENSORS_IT87=m
CONFIG_SENSORS_LM75=m
CONFIG_SENSORS_LM77=m
CONFIG_SENSORS_LM78=m
CONFIG_SENSORS_LM80=m
CONFIG_SENSORS_LM83=m
CONFIG_SENSORS_LM85=m
CONFIG_SENSORS_LM90=m
CONFIG_SENSORS_MAX1619=m
CONFIG_SENSORS_VIA686A=m
CONFIG_SENSORS_W83781D=m
CONFIG_SENSORS_W83L785TS=m
CONFIG_SENSORS_W83627HF=m

#
# Other I2C Chip support
#
CONFIG_SENSORS_EEPROM=m
CONFIG_SENSORS_PCF8574=m
CONFIG_SENSORS_PCF8591=m
CONFIG_SENSORS_RTC8564=m
# CONFIG_I2C_DEBUG_CORE is not set
# CONFIG_I2C_DEBUG_ALGO is not set
# CONFIG_I2C_DEBUG_BUS is not set
# CONFIG_I2C_DEBUG_CHIP is not set

#
# Dallas's 1-wire bus
#
# CONFIG_W1 is not set

#
# Misc devices
#
# CONFIG_IBM_ASM is not set
```

```
#
# Multimedia devices
#
# CONFIG_VIDEO_DEV is not set

#
# Digital Video Broadcasting Devices
#
# CONFIG_DVB is not set

#
# Graphics support
#
# CONFIG_FB is not set
CONFIG_VIDEO_SELECT=y

#
# Console display driver support
#
CONFIG_VGA_CONSOLE=y
# CONFIG_MDA_CONSOLE is not set
CONFIG_DUMMY_CONSOLE=y

#
# Sound
#
# CONFIG_SOUND is not set

#
# USB support
#
# CONFIG_USB is not set

#
# USB Gadget Support
#
# CONFIG_USB_GADGET is not set

#
# File systems
#
CONFIG_EXT2_FS=y
# CONFIG_EXT2_FS_XATTR is not set
CONFIG_EXT3_FS=y
CONFIG_EXT3_FS_XATTR=y
# CONFIG_EXT3_FS_POSIX_ACL is not set
# CONFIG_EXT3_FS_SECURITY is not set
CONFIG_JBD=y
```

```
CONFIG_JBD_DEBUG=y
CONFIG_FS_MBCACHE=y
CONFIG_REISERFS_FS=y
# CONFIG_REISERFS_CHECK is not set
CONFIG_REISERFS_PROC_INFO=y
# CONFIG_REISERFS_FS_XATTR is not set
# CONFIG_JFS_FS is not set
# CONFIG_XFS_FS is not set
# CONFIG_MINIX_FS is not set
# CONFIG_ROMFS_FS is not set
CONFIG_QUOTA=y
CONFIG_QUOTA_COMPAT=y
# CONFIG_QFMT_V1 is not set
CONFIG_QFMT_V2=y
CONFIG_SIM_FS=m
CONFIG_VZ_QUOTA=m
# CONFIG_VZ_QUOTA_UNLOAD is not set
CONFIG_VZ_QUOTA_UGID=y
CONFIG_QUOTACTL=y
# CONFIG_AUTOFS_FS is not set
# CONFIG_AUTOFS4_FS is not set

#
# CD-ROM/DVD Filesystems
#
CONFIG_ISO9660_FS=m
# CONFIG_JOLIET is not set
# CONFIG_ZISOFS is not set
# CONFIG_UDF_FS is not set

#
# DOS/FAT/NT Filesystems
#
CONFIG_FAT_FS=m
CONFIG_MSDOS_FS=m
CONFIG_VFAT_FS=m
CONFIG_FAT_DEFAULT_CODEPAGE=437
CONFIG_FAT_DEFAULT_IOCHARSET="iso8859-1"
# CONFIG_NTFS_FS is not set

#
# Pseudo filesystems
#
CONFIG_PROC_FS=y
CONFIG_PROC_KCORE=y
CONFIG_SYSFS=y
# CONFIG_DEVFS_FS is not set
# CONFIG_DEVPTS_FS_XATTR is not set
```

```
CONFIG_TMPFS=y
# CONFIG_HUGETLBFS is not set
# CONFIG_HUGETLB_PAGE is not set
CONFIG_RAMFS=y

#
# Miscellaneous filesystems
#
# CONFIG_ADFS_FS is not set
# CONFIG_AFFS_FS is not set
# CONFIG_HFS_FS is not set
# CONFIG_HFSPLUS_FS is not set
# CONFIG_BEFS_FS is not set
# CONFIG_BFS_FS is not set
# CONFIG_EFS_FS is not set
CONFIG_CRAMFS=y
# CONFIG_VXFS_FS is not set
# CONFIG_HPFS_FS is not set
# CONFIG_QNX4FS_FS is not set
# CONFIG_SYSV_FS is not set
# CONFIG_UFS_FS is not set

#
# Network File Systems
#
CONFIG_NFS_FS=m
CONFIG_NFS_V3=y
# CONFIG_NFS_V4 is not set
# CONFIG_NFS_DIRECTIO is not set
# CONFIG_NFSD is not set
CONFIG_LOCKD=m
CONFIG_LOCKD_V4=y
# CONFIG_EXPORTFS is not set
CONFIG_SUNRPC=m
# CONFIG_RPCSEC_GSS_KRB5 is not set
CONFIG_SMB_FS=m
# CONFIG_SMB_NLS_DEFAULT is not set
CONFIG_CIFS=m
# CONFIG_CIFS_STATS is not set
# CONFIG_CIFS_XATTR is not set
# CONFIG_CIFS_POSIX is not set
# CONFIG_NCP_FS is not set
# CONFIG_CODA_FS is not set
# CONFIG_AFS_FS is not set

#
# Partition Types
#
```

```
CONFIG_PARTITION_ADVANCED=y
# CONFIG_ACORN_PARTITION is not set
# CONFIG_OSF_PARTITION is not set
# CONFIG_AMIGA_PARTITION is not set
# CONFIG_ATARI_PARTITION is not set
# CONFIG_MAC_PARTITION is not set
CONFIG_MSDOS_PARTITION=y
# CONFIG_BSD_DISKLABEL is not set
# CONFIG_MINIX_SUBPARTITION is not set
# CONFIG_SOLARIS_X86_PARTITION is not set
# CONFIG_UNIXWARE_DISKLABEL is not set
# CONFIG_LDM_PARTITION is not set
# CONFIG_SGI_PARTITION is not set
# CONFIG_ULTRIX_PARTITION is not set
# CONFIG_SUN_PARTITION is not set
CONFIG_EFI_PARTITION=y
```

```
#
# Native Language Support
#
```

```
CONFIG_NLS=y
CONFIG_NLS_DEFAULT="iso8859-1"
CONFIG_NLS_CODEPAGE_437=m
CONFIG_NLS_CODEPAGE_737=m
CONFIG_NLS_CODEPAGE_775=m
CONFIG_NLS_CODEPAGE_850=m
CONFIG_NLS_CODEPAGE_852=m
CONFIG_NLS_CODEPAGE_855=m
CONFIG_NLS_CODEPAGE_857=m
CONFIG_NLS_CODEPAGE_860=m
CONFIG_NLS_CODEPAGE_861=m
CONFIG_NLS_CODEPAGE_862=m
CONFIG_NLS_CODEPAGE_863=m
CONFIG_NLS_CODEPAGE_864=m
CONFIG_NLS_CODEPAGE_865=m
CONFIG_NLS_CODEPAGE_866=m
CONFIG_NLS_CODEPAGE_869=m
CONFIG_NLS_CODEPAGE_936=m
CONFIG_NLS_CODEPAGE_950=m
CONFIG_NLS_CODEPAGE_932=m
CONFIG_NLS_CODEPAGE_949=m
CONFIG_NLS_CODEPAGE_874=m
CONFIG_NLS_ISO8859_8=m
CONFIG_NLS_CODEPAGE_1250=m
CONFIG_NLS_CODEPAGE_1251=m
CONFIG_NLS_ASCII=m
CONFIG_NLS_ISO8859_1=m
CONFIG_NLS_ISO8859_2=m
```

```
CONFIG_NLS_ISO8859_3=m
CONFIG_NLS_ISO8859_4=m
CONFIG_NLS_ISO8859_5=m
CONFIG_NLS_ISO8859_6=m
CONFIG_NLS_ISO8859_7=m
CONFIG_NLS_ISO8859_9=m
CONFIG_NLS_ISO8859_13=m
CONFIG_NLS_ISO8859_14=m
CONFIG_NLS_ISO8859_15=m
CONFIG_NLS_KOI8_R=m
CONFIG_NLS_KOI8_U=m
CONFIG_NLS_UTF8=m

#
# Profiling support
#
CONFIG_PROFILING=y
CONFIG_OPROFILE=m

#
# Kernel hacking
#
CONFIG_DEBUG_KERNEL=y
CONFIG_EARLY_PRINTK=y
# CONFIG_DEBUG_STACKOVERFLOW is not set
# CONFIG_DEBUG_STACK_USAGE is not set
# CONFIG_DEBUG_SLAB is not set
CONFIG_MAGIC_SYSRQ=y
CONFIG_SYSRQ_DEBUG=y
# CONFIG_DEBUG_SPINLOCK is not set
# CONFIG_DEBUG_PAGEALLOC is not set
# CONFIG_DEBUG_HIGHMEM is not set
# CONFIG_DEBUG_INFO is not set
# CONFIG_DEBUG_SPINLOCK_SLEEP is not set
# CONFIG_FRAME_POINTER is not set
# CONFIG_4KSTACKS is not set
CONFIG_NMI_WATCHDOG=y
CONFIG_X86_FIND_SMP_CONFIG=y
CONFIG_X86_MPPARSE=y

#
# OpenVZ
#
CONFIG_VE=y
CONFIG_VE_CALLS=m
CONFIG_VZ_GENCALLS=y
CONFIG_VE_NETDEV=m
CONFIG_VE_IPTABLES=y
```

CONFIG\_VZ\_WDOG=m

#

# Security options

#

# CONFIG\_SECURITY is not set

#

# Cryptographic options

#

CONFIG\_CRYPT=y

# CONFIG\_CRYPT\_HMAC is not set

# CONFIG\_CRYPT\_NULL is not set

# CONFIG\_CRYPT\_MD4 is not set

CONFIG\_CRYPT\_MD5=m

# CONFIG\_CRYPT\_SHA1 is not set

# CONFIG\_CRYPT\_SHA256 is not set

# CONFIG\_CRYPT\_SHA512 is not set

# CONFIG\_CRYPT\_DES is not set

# CONFIG\_CRYPT\_BLOWFISH is not set

# CONFIG\_CRYPT\_TWOFISH is not set

# CONFIG\_CRYPT\_SERPENT is not set

# CONFIG\_CRYPT\_AES\_586 is not set

# CONFIG\_CRYPT\_CAST5 is not set

# CONFIG\_CRYPT\_CAST6 is not set

# CONFIG\_CRYPT\_TEA is not set

# CONFIG\_CRYPT\_ARC4 is not set

# CONFIG\_CRYPT\_KHAZAD is not set

# CONFIG\_CRYPT\_DEFLATE is not set

# CONFIG\_CRYPT\_MICHAEL\_MIC is not set

CONFIG\_CRYPT\_CRC32C=m

# CONFIG\_CRYPT\_TEST is not set

#

# Library routines

#

CONFIG\_CRC\_CCITT=m

CONFIG\_CRC32=y

CONFIG\_LIBCRC32C=m

CONFIG\_ZLIB\_INFLATE=y

#

# User resources

#

CONFIG\_USER\_RESOURCE=y

CONFIG\_USER\_RSS\_ACCOUNTING=y

CONFIG\_USER\_SWAP\_ACCOUNTING=y

CONFIG\_USER\_RESOURCE\_PROC=y



```
# CONFIG_UBC_DEBUG is not set
CONFIG_X86_BIOS_REBOOT=y
CONFIG_PC=y
```

---