
Subject: Re: yum for VE

Posted by [sspt](#) on Sun, 10 Sep 2006 16:56:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

Check your:

/etc/yum.repos.d/CentOS-Base.repo

You should have something like that:

[code]

```
# CentOS-Base.repo
```

```
#
```

```
# This file uses a new mirrorlist system developed by Lance Davis for CentOS.
```

```
# The mirror system uses the connecting IP address of the client and the
```

```
# update status of each mirror to pick mirrors that are updated to and
```

```
# geographically close to the client. You should use this for CentOS updates
```

```
# unless you are manually picking other mirrors.
```

```
#
```

```
# If the mirrorlist= does not work for you, as a fall back you can try the
```

```
# remarked out baseurl= line instead.
```

```
#
```

```
#
```

```
[base]
```

```
name=CentOS-$releasever - Base
```

```
mirrorlist= http://mirrorlist.centos.org/?release=$releasever&arch=$basearch&repo=os
```

```
#baseurl=http://mirror.centos.org/centos/$releasever/os/$basearch/
```

```
gpgcheck=1
```

```
gpgkey=http://mirror.centos.org/centos/RPM-GPG-KEY-centos4
```

```
#released updates
```

```
[update]
```

```
name=CentOS-$releasever - Updates
```

```
mirrorlist= http://mirrorlist.centos.org/?release=$releasever&arch=$basearch&repo=updates
```

```
#baseurl= http://mirror.centos.org/centos/$releasever/updates/$basearch/
```

```
gpgcheck=1
```

```
gpgkey=http://mirror.centos.org/centos/RPM-GPG-KEY-centos4
```

```
#packages used/produced in the build but not released
```

```
[addons]
```

```
name=CentOS-$releasever - Addons
```

```
mirrorlist= http://mirrorlist.centos.org/?release=$releasever&arch=$basearch&repo=addons
```

```
#baseurl= http://mirror.centos.org/centos/$releasever/addons/$basearch/
```

```
gpgcheck=1
```

```
gpgkey=http://mirror.centos.org/centos/RPM-GPG-KEY-centos4
```

```
#additional packages that may be useful
```

```
[extras]
name=CentOS-$releasever - Extras
mirrorlist= http://mirrorlist.centos.org/?release=$releasever&arch=$ basearch&repo=extras
#baseurl= http://mirror.centos.org/centos/$releasever/extras/$basearch /
gpgcheck=1
gpgkey=http://mirror.centos.org/centos/RPM-GPG-KEY-centos4

#additional packages that extend functionality of existing packages
[centosplus]
name=CentOS-$releasever - Plus
mirrorlist= http://mirrorlist.centos.org/?release=$releasever&arch=$ basearch&repo=centosplus
#baseurl= http://mirror.centos.org/centos/$releasever/centosplus/$base arch/
gpgcheck=1
enabled=0
gpgkey=http://mirror.centos.org/centos/RPM-GPG-KEY-centos4

#contrib - packages by Centos Users
[contrib]
name=CentOS-$releasever - Contrib
mirrorlist= http://mirrorlist.centos.org/?release=$releasever&arch=$ basearch&repo=contrib
#baseurl= http://mirror.centos.org/centos/$releasever/contrib/$basearc h/
gpgcheck=1
enabled=0
gpgkey=http://mirror.centos.org/centos/RPM-GPG-KEY-centos4
[/quote]
```

Use mirrorlist instead baseurl to avoid offline mirrors.

Regards,
