

---

Subject: Re: vps not working

Posted by [molliver](#) on Thu, 05 Oct 2006 12:13:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

No the guest starts but you can not talk to it, as if it is in a semi running state. Bellow is a strace of the start, you can start and stop other virtual servers which are not running CentOS4.4 and access them fine, but i have tried this on a couple of guests and once they are upgrades to CentOS 4.4 you then can not access them after reboot.

I have also included a strace of vzenter at the bottom,

Thanks

Mark,

p.s logs show no errors

```
[root@openvz1~]# strace vzctl start 104
execve("/usr/sbin/vzctl", ["vzctl", "start", "104"], [/ * 19 vars */]) = 0
uname({sys="Linux", node="openvz1.thermeoneurope.com", ...}) = 0
brk(0)                                = 0x8050000
access("/etc/ld.so.preload", R_OK)    = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/i686/sse2/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/tls/i686/sse2", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/i686/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/tls/i686", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/sse2/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/tls/sse2", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/tls", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/i686/sse2/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/i686/sse2", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/i686/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/i686", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/sse2/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/sse2", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/libvzctl.so.0.0.2", O_RDONLY) = 3
read(3, "\177ELF1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0J\365"..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=125460, ...}) = 0
old_mmap(0x4ef50000, 122800, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x4ef50000
```

```

old_mmap(0x4ef6d000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1d000) = 0x4ef6d000
close(3) = 0
open("/usr/lib/vzctl/lib/libvzctl-simfs.so.0.0.2", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\334\271"... , 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=7064, ...}) = 0
old_mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1,
0) = 0x40000000
old_mmap(0x4ef4b000, 8648, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
3, 0) = 0x4ef4b000
old_mmap(0x4ef4d000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x4ef4d000
close(3) = 0
open("/usr/lib/vzctl/lib/libdl.so.2", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/etc/ld.so.cache", O_RDONLY) = 3
fstat64(3, {st_mode=S_IFREG|0644, st_size=51364, ...}) = 0
old_mmap(NULL, 51364, PROT_READ, MAP_PRIVATE, 3, 0) = 0x40001000
close(3) = 0
open("/lib/libdl.so.2", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260\364"... , 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=16800, ...}) = 0
old_mmap(0x4ef45000, 12388, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
3, 0) = 0x4ef45000
old_mmap(0x4ef47000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x4ef47000
close(3) = 0
open("/usr/lib/vzctl/lib/libutil.so.1", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/lib/libutil.so.1", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\220\214"... , 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=15916, ...}) = 0
old_mmap(0x4f578000, 12428, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
3, 0) = 0x4f578000
old_mmap(0x4f57a000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x4f57a000
close(3) = 0
open("/usr/lib/vzctl/lib/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/lib/tls/libc.so.6", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\320\316"... , 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=1525004, ...}) = 0
old_mmap(0x4ee18000, 1223900, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x4ee18000
old_mmap(0x4ef3d000, 16384, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x124000) = 0x4ef3d000
old_mmap(0x4ef41000, 7388, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x4ef41000
close(3) = 0
old_mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1,
0) = 0x4000e000

```

```

mprotect(0x4ef47000, 4096, PROT_READ) = 0
mprotect(0x4f57a000, 4096, PROT_READ) = 0
mprotect(0x4ef3d000, 8192, PROT_READ) = 0
mprotect(0x4ee14000, 4096, PROT_READ) = 0
set_thread_area({entry_number:-1 -> 6, base_addr:0x4000e8e0, limit:1048575, seg_32bit:1,
contents:0, read_exec_only:0, limit_in_pages:1, seg_not_present:0, useable:1}) = 0
munmap(0x40001000, 51364) = 0
brk(0) = 0x8050000
brk(0x8071000) = 0x8071000
rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0
open("/usr/lib/vzctl/modules/", O_RDONLY|O_NONBLOCK|O_LARGEFILE|O_DIRECTORY) = -1
ENOENT (No such file or directory)
open("/etc/vz/vz.conf", O_RDONLY) = 3
stat64("/etc/vz/vz.conf", {st_mode=S_IFREG|0644, st_size=695, ...}) = 0
fstat64(3, {st_mode=S_IFREG|0644, st_size=695, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40001000
read(3, "# Global parameters\nVIRTUOZZO=ye"..., 4096) = 695
read(3, "", 4096) = 0
close(3) = 0
munmap(0x40001000, 4096) = 0
open("/var/log/vzctl.log", O_WRONLY|O_APPEND|O_CREAT, 0666) = 3
fstat64(3, {st_mode=S_IFREG|0644, st_size=8456, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40001000
fstat64(3, {st_mode=S_IFREG|0644, st_size=8456, ...}) = 0
_llseek(3, 8456, [8456], SEEK_SET) = 0
stat64("/etc/vz//conf//104.conf", {st_mode=S_IFREG|0644, st_size=940, ...}) = 0
open("/etc/vz//conf//104.conf", O_RDONLY) = 4
stat64("/etc/vz//conf//104.conf", {st_mode=S_IFREG|0644, st_size=940, ...}) = 0
fstat64(4, {st_mode=S_IFREG|0644, st_size=940, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40002000
read(4, "ONBOOT=\"yes\"\nNUMPROC=\"2666:2666\""... , 4096) = 940
read(4, "", 4096) = 0
close(4) = 0
munmap(0x40002000, 4096) = 0
fcntl64(0, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
fcntl64(1, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
fcntl64(2, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
open("/dev/vzctl", O_RDWR) = 4
ioctl(4, 0x400c2e05, 0xbffff530) = 0
stat64("/vz/lock", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
gettimeofday({1160050134, 122284}, NULL) = 0
getpid() = 14975
open("/vz/lock/104.lckc6eGRN", O_RDWR|O_CREAT|O_EXCL, 0600) = 5
write(5, "14975\n\n", 7) = 7
close(5) = 0

```

[illegible]

```

munmap(0x40002000, 4096)          = 0
open("/proc/mounts", O_RDONLY)    = 5
fstat64(5, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40002000
read(5, "/dev/root / ext3 rw 0 0\nnone /de"... , 1024) = 920
read(5, "", 1024)                  = 0
close(5)                           = 0
munmap(0x40002000, 4096)          = 0
stat64("/var/vz/private/104", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
open("/proc/mounts", O_RDONLY)    = 5
fstat64(5, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40002000
read(5, "/dev/root / ext3 rw 0 0\nnone /de"... , 1024) = 920
read(5, "", 1024)                  = 0
close(5)                           = 0
munmap(0x40002000, 4096)          = 0
stat64("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
stat64("/var/vz", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
stat64("/var/vz/root", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
stat64("/var/vz/root/104", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
mount("/var/vz/private/104", "/var/vz/root/104", "simfs", 0, "/var/vz/private/104") = 0
stat64("/etc/vz/conf/vps.mount", 0xbfffef5c) = -1 ENOENT (No such file or directory)
stat64("/etc/vz/conf/104.mount", 0xbfffef5c) = -1 ENOENT (No such file or directory)
write(2, "VPS is mounted", 14VPS is mounted)      = 14
write(2, "\n", 1
)                                = 1
time(NULL)                       = 1160050134
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
write(3, "2006-10-05T13:08:54+0100 vzctl :"... , 58) = 58
pipe([5, 6])                     = 0
pipe([7, 8])                     = 0
rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0
pipe([9, 10])                    = 0
rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
rt_sigaction(SIGCHLD, {SIG_IGN}, NULL, 8) = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x4000e928) = 14976
close(10)                        = 0
close(5)                         = 0
close(8)                         = 0
read(9, "", 4)                   = 0
close(10)                        = -1 EBADF (Bad file descriptor)
close(9)                         = 0
rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0

```



```

ioctl(4, 0x400c2e05, 0xbffff300)      = 0
write(2, "Adding IP address(es): 192.168.2"..., 37Adding IP address(es): 192.168.240.54) = 37
write(2, "\n", 1
)
      = 1
time(NULL)
      = 1160050134
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
write(3, "2006-10-05T13:08:54+0100 vzctl :\"..., 81) = 81
ioctl(4, 0x40102803, 0xbffff2e0)      = 0
stat64("/usr/lib/vzctl/scripts/vps-net_add", {st_mode=S_IFREG|0755, st_size=1744, ...}) = 0
rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x4000e928) = 14982
waitpid(14982, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0) = 14982
--- SIGCHLD (Child exited) @ 0 (0) ---
rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
stat64("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=5626, ...}) = 0
stat64("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=5626, ...}) = 0
open("/etc/vz/dists/scripts/functions", O_RDONLY) = 5
read(5, "#!/bin/bash\n# Copyright (C) 200"..., 5626) = 5626
close(5)
      = 0
stat64("/etc/vz/dists/scripts/redhat-add_ip.sh", {st_mode=S_IFREG|0755, st_size=4942, ...}) = 0
open("/etc/vz/dists/scripts/redhat-add_ip.sh", O_RDONLY) = 5
read(5, "#!/bin/bash\n# Copyright (C) 200"..., 4942) = 4942
close(5)
      = 0
ioctl(4, 0x400c2e05, 0xbffff090)      = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x4000e928) = 15006
waitpid(15006, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0) = 15006
--- SIGCHLD (Child exited) @ 0 (0) ---
ioctl(4, 0x400c2e05, 0xbffff330)      = 0
write(2, "Setting CPU units: 34712", 24Setting CPU units: 34712) = 24
write(2, "\n", 1
)
      = 1
time(NULL)
      = 1160050136
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
write(3, "2006-10-05T13:08:56+0100 vzctl :\"..., 68) = 68
syscall_502(0x68, 0xe, 0x4ef6d100, 0x4ef59fd9, 0x4ef6d100, 0xbffff3b8, 0xfffffda, 0x7b, 0x7b, 0,
0x33, 0x1f6, 0x4edff7a2, 0x73, 0x286, 0xbffff348, 0x7b, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0) = 0
ioctl(4, 0x400c2e05, 0xbffff340)      = 0
write(2, "Set hostname: mirror.thermeon.eu", 32Set hostname: mirror.thermeon.eu) = 32
write(2, "\n", 1
)
      = 1
time(NULL)
      = 1160050136

```

```

stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
write(3, "2006-10-05T13:08:56+0100 vzctl :\"..., 76) = 76
stat64("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=5626, ...}) = 0
stat64("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=5626, ...}) = 0
open("/etc/vz/dists/scripts/functions", O_RDONLY) = 5
read(5, "#!/bin/bash\n# Copyright (C) 200\"..., 5626) = 5626
close(5) = 0
stat64("/etc/vz/dists/scripts/redhat-set_hostname.sh", {st_mode=S_IFREG|0755, st_size=1815, ...}) = 0
open("/etc/vz/dists/scripts/redhat-set_hostname.sh", O_RDONLY) = 5
read(5, "#!/bin/bash\n# Copyright (C) 200\"..., 1815) = 1815
close(5) = 0
ioctl(4, 0x400c2e05, 0xbfffee0) = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x4000e928) = 15031
waitpid(15031, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0) = 15031
--- SIGCHLD (Child exited) @ 0 (0) ---
stat64("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=5626, ...}) = 0
stat64("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=5626, ...}) = 0
open("/etc/vz/dists/scripts/functions", O_RDONLY) = 5
read(5, "#!/bin/bash\n# Copyright (C) 200\"..., 5626) = 5626
close(5) = 0
stat64("/etc/vz/dists/scripts/set_dns.sh", {st_mode=S_IFREG|0755, st_size=1668, ...}) = 0
open("/etc/vz/dists/scripts/set_dns.sh", O_RDONLY) = 5
read(5, "#!/bin/bash\n# Copyright (C) 200\"..., 1668) = 1668
close(5) = 0
ioctl(4, 0x400c2e05, 0xbffff0e0) = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x4000e928) = 15039
waitpid(15039, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0) = 15039
--- SIGCHLD (Child exited) @ 0 (0) ---
write(2, "File resolv.conf was modified", 29File resolv.conf was modified) = 29
write(2, "\n", 1
) = 1
time(NULL) = 1160050136
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
write(3, "2006-10-05T13:08:56+0100 vzctl :\"..., 73) = 73
stat64("/etc/vz//conf/104.start", 0xbffff30c) = -1 ENOENT (No such file or directory)
close(6) = 0
read(7, "", 4) = 0
write(2, "VPS start in progress...", 24VPS start in progress...) = 24
write(2, "\n", 1
) = 1
time(NULL) = 1160050136

```

```

stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1323, ...}) = 0
write(3, "2006-10-05T13:08:56+0100 vzctl :...", 68) = 68
close(5)                = -1 EBADF (Bad file descriptor)
close(6)                = -1 EBADF (Bad file descriptor)
close(7)                = 0
close(8)                = -1 EBADF (Bad file descriptor)
unlink("/vz/lock/104.lck") = 0
close(4)                = 0
close(3)                = 0
munmap(0x40001000, 4096) = 0
exit_group(0)           = ?
Process 14975 detached

```

```

[[email]root@openvz1[/email] ~]# vzlist
VPSID   NPROC STATUS IP_ADDR   HOSTNAME
104     16 running 192.168.240.54 mirror.thermeon.eu

```

```

[[email]root@openvz1[/email] ~]# vzctl enter 104
enter failed

```

```

[[email]root@openvz1[/email] ~]# strace vzctl enter 104
execve("/usr/sbin/vzctl", ["vzctl", "enter", "104"], [/ * 19 vars */]) = 0
uname({sys="Linux", node="openvz1.thermeoneurope.com", ...}) = 0
brk(0)                = 0x8050000
access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/i686/sse2/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/tls/i686/sse2", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/i686/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/tls/i686", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/sse2/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/tls/sse2", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/tls", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/i686/sse2/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/i686/sse2", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/i686/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/i686", 0xbffff280) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/sse2/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat64("/usr/lib/vzctl/lib/sse2", 0xbffff280) = -1 ENOENT (No such file or directory)

```



```

open("/usr/lib/vzctl/lib/libvzctl.so.0.0.2", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0J\365"..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=125460, ...}) = 0
old_mmap(0x4ef50000, 122800, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x4ef50000
old_mmap(0x4ef6d000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1d000) = 0x4ef6d000
close(3) = 0
open("/usr/lib/vzctl/lib/libvzctl-simfs.so.0.0.2", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0334\271"..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=7064, ...}) = 0
old_mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1,
0) = 0x40000000
old_mmap(0x4ef4b000, 8648, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
3, 0) = 0x4ef4b000
old_mmap(0x4ef4d000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x4ef4d000
close(3) = 0
open("/usr/lib/vzctl/lib/libdl.so.2", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/etc/ld.so.cache", O_RDONLY) = 3
fstat64(3, {st_mode=S_IFREG|0644, st_size=51364, ...}) = 0
old_mmap(NULL, 51364, PROT_READ, MAP_PRIVATE, 3, 0) = 0x40001000
close(3) = 0
open("/lib/libdl.so.2", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0260\1364"..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=16800, ...}) = 0
old_mmap(0x4ef45000, 12388, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
3, 0) = 0x4ef45000
old_mmap(0x4ef47000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x4ef47000
close(3) = 0
open("/usr/lib/vzctl/lib/libutil.so.1", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/lib/libutil.so.1", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0220\214"..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=15916, ...}) = 0
old_mmap(0x4f578000, 12428, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
3, 0) = 0x4f578000
old_mmap(0x4f57a000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x4f57a000
close(3) = 0
open("/usr/lib/vzctl/lib/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/lib/tls/libc.so.6", O_RDONLY) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0320\316"..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=1525004, ...}) = 0
old_mmap(0x4ee18000, 1223900, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x4ee18000
old_mmap(0x4ef3d000, 16384, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x124000) = 0x4ef3d000

```

```

old_mmap(0x4ef41000, 7388, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x4ef41000
close(3) = 0
old_mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1,
0) = 0x4000e000
mprotect(0x4ef47000, 4096, PROT_READ) = 0
mprotect(0x4f57a000, 4096, PROT_READ) = 0
mprotect(0x4ef3d000, 8192, PROT_READ) = 0
mprotect(0x4ee14000, 4096, PROT_READ) = 0
set_thread_area({entry_number:-1 -> 6, base_addr:0x4000e8e0, limit:1048575, seg_32bit:1,
contents:0, read_exec_only:0, limit_in_pages:1, seg_not_present:0, useable:1}) = 0
munmap(0x40001000, 51364) = 0
brk(0) = 0x8050000
brk(0x8071000) = 0x8071000
rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0
open("/etc/vz/vz.conf", O_RDONLY) = 3
stat64("/etc/vz/vz.conf", {st_mode=S_IFREG|0644, st_size=695, ...}) = 0
fstat64(3, {st_mode=S_IFREG|0644, st_size=695, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40001000
read(3, "# Global parameters\nVIRTUOZZO=ye"..., 4096) = 695
read(3, "", 4096) = 0
close(3) = 0
munmap(0x40001000, 4096) = 0
open("/var/log/vzctl.log", O_WRONLY|O_APPEND|O_CREAT, 0666) = 3
fstat64(3, {st_mode=S_IFREG|0644, st_size=8940, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40001000
fstat64(3, {st_mode=S_IFREG|0644, st_size=8940, ...}) = 0
_llseek(3, 8940, [8940], SEEK_SET) = 0
stat64("/etc/vz//conf//104.conf", {st_mode=S_IFREG|0644, st_size=940, ...}) = 0
open("/etc/vz//conf//104.conf", O_RDONLY) = 4
stat64("/etc/vz//conf//104.conf", {st_mode=S_IFREG|0644, st_size=940, ...}) = 0
fstat64(4, {st_mode=S_IFREG|0644, st_size=940, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40002000
read(4, "ONBOOT=\"yes\"\nNUMPROC=\"2666:2666\"...", 4096) = 940
read(4, "", 4096) = 0
close(4) = 0
munmap(0x40002000, 4096) = 0
fcntl64(0, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
fcntl64(1, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
fcntl64(2, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
open("/dev/vzctl", O_RDWR) = 4
ioctl(4, 0x400c2e05, 0xbffff530) = 0
close(3) = 0
munmap(0x40001000, 4096) = 0
ioctl(4, 0x400c2e05, 0xbffff540) = 0

```



```
read(8, "\377\377\377\377", 4)      = 4
fstat64(1, {st_mode=S_IFCHR|0620, st_rdev=makedev(136, 0), ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x40079000
write(1, "enter failed\n", 13)enter failed
)      = 13
waitpid(16864, [{WIFEXITED(s) && WEXITSTATUS(s) == 255}], 0) = 16864
close(5)      = 0
close(6)      = 0
close(4)      = 0
exit_group(0)      = ?
Process 16863 detached
```

Update: [CODE] tag added

---