

---

Subject: Re: [PATCH, try3, 0/3] Separate logfile and console loglevel  
Posted by [kfh](#) on Thu, 07 Dec 2006 11:14:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Thursday den 7. December 2006 11:42, Kristian F. Høgh wrote:  
> On Thursday den 7. December 2006 09:45, Igor Sukhih wrote:

> > Separate logfile and console loglevel  
> > Is standard command line syntax supported --verbose[=]<id> ?  
> No. Will fix.

> > I don't see the reason to change default LOG\_LEVEL, level > 0 usually  
> > used for debug, all  
>  
> I think level 0 is used for "debug" today.

Igor, if I do:

1. --verbose[=<id>]  
   --verbose[ <id>]

2. Move "Setting CPU..", "Configure meminfo" and ""Running VE script:"  
   to level 1

Optional:

LOG\_LEVEL defaults to 1?

Should verbose defaults to LOG\_LEVEL or 0?

Skip:

> > I don't like introducing the VERBOSE parameter.

> > So if we only introduce --verbose <id> command line option is it not  
> > enough for you?

>  
> No, only if "noise" is moved to level 1.  
As above.

> > --  
> > Igor.  
>  
> /Kristian.  
/Kristian.

---