

---

Subject: Re: VPS won't start: Got signal 9  
Posted by [arnaudsj](#) on Wed, 13 Dec 2006 17:19:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Here is the strace output when trying to start the VPS:

```
21359 execve("/usr/sbin/vzctl", ["vzctl", "start", "101"], [/* 23 vars */]) = 0
21359 uname({sys="Linux", node="andromeda", ...}) = 0
21359 brk(0) = 0x508000
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21359 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21359 open("/usr/lib/vzctl/lib/tls/x86_64/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such
file or directory)
21359 stat("/usr/lib/vzctl/lib/tls/x86_64", 0x7fbfffee10) = -1 ENOENT (No such file or directory)
21359 open("/usr/lib/vzctl/lib/tls/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or
directory)
21359 stat("/usr/lib/vzctl/lib/tls", 0x7fbfffee10) = -1 ENOENT (No such file or directory)
21359 open("/usr/lib/vzctl/lib/x86_64/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or
directory)
21359 stat("/usr/lib/vzctl/lib/x86_64", 0x7fbfffee10) = -1 ENOENT (No such file or directory)
21359 open("/usr/lib/vzctl/lib/libvzctl.so.0.0.2", O_RDONLY) = 3
21359 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\340u\0\0"..., 832) = 832
21359 fstat(3, {st_mode=S_IFREG|0755, st_size=482125, ...}) = 0
21359 mmap(NULL, 1191848, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
3, 0) = 0x2a95557000
21359 mprotect(0x2a95578000, 1056680, PROT_NONE) = 0
21359 mmap(0x2a95678000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x21000) = 0x2a95678000
21359 close(3) = 0
21359 open("/usr/lib/vzctl/lib/libdl.so.2", O_RDONLY) = -1 ENOENT (No such file or directory)
21359 open("/etc/ld.so.cache", O_RDONLY) = 3
21359 fstat(3, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21359 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 3, 0) = 0x2a9567a000
21359 close(3) = 0
21359 open("/lib64/libdl.so.2", O_RDONLY) = 3
21359 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\200\17\200"..., 832) = 832
21359 fstat(3, {st_mode=S_IFREG|0755, st_size=17943, ...}) = 0
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95694000
21359 mmap(0x3d9d800000, 1056968, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3d9d800000
21359 mprotect(0x3d9d802000, 1048776, PROT_NONE) = 0
21359 mmap(0x3d9d901000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x3d9d901000
21359 close(3) = 0
21359 open("/usr/lib/vzctl/lib/libutil.so.1", O_RDONLY) = -1 ENOENT (No such file or directory)
```

```

21359 open("/lib64/libutil.so.1", O_RDONLY) = 3
21359 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\03\0>\0\1\0\0\0\200\21\0"..., 832) = 832
21359 fstat(3, {st_mode=S_IFREG|0755, st_size=17367, ...}) = 0
21359 mmap(0x3da200000, 1057048, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3da200000
21359 mprotect(0x3da200200, 1048856, PROT_NONE) = 0
21359 mmap(0x3da2101000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x3da2101000
21359 close(3) = 0
21359 open("/usr/lib/vzctl/lib/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
21359 open("/lib64/tls/libc.so.6", O_RDONLY) = 3
21359 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\03\0>\0\1\0\0\0\240\304"..., 832) = 832
21359 fstat(3, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21359 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3d9d500000
21359 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21359 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x12b000) = 0x3d9d72b000
21359 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21359 close(3) = 0
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95695000
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95696000
21359 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21359 arch_prctl(ARCH_SET_FS, 0x2a95695dc0) = 0
21359 munmap(0x2a9567a000, 103387) = 0
21359 brk(0) = 0x508000
21359 brk(0x529000) = 0x529000
21359 rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0
21359 open("/usr/lib/vzctl/modules/", O_RDONLY|O_NONBLOCK|O_DIRECTORY) = -1 ENOENT
(No such file or directory)
21359 open("/etc/vz/vz.conf", O_RDONLY) = 3
21359 stat("/etc/vz/vz.conf", {st_mode=S_IFREG|0644, st_size=699, ...}) = 0
21359 fstat(3, {st_mode=S_IFREG|0644, st_size=699, ...}) = 0
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a9567a000
21359 read(3, "## Global parameters\nVIRTUOZZO=y"..., 4096) = 699
21359 read(3, "", 4096) = 0
21359 close(3) = 0
21359 munmap(0x2a9567a000, 4096) = 0
21359 open("/var/log/vzctl.log", O_WRONLY|O_APPEND|O_CREAT, 0666) = 3
21359 fstat(3, {st_mode=S_IFREG|0644, st_size=15582, ...}) = 0
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a9567a000
21359 fstat(3, {st_mode=S_IFREG|0644, st_size=15582, ...}) = 0
21359 lseek(3, 15582, SEEK_SET) = 15582

```

```

21359 stat("/etc/vz/conf/101.conf", {st_mode=S_IFREG|0644, st_size=1763, ...}) = 0
21359 open("/etc/vz/conf/101.conf", O_RDONLY) = 4
21359 stat("/etc/vz/conf/101.conf", {st_mode=S_IFREG|0644, st_size=1763, ...}) = 0
21359 fstat(4, {st_mode=S_IFREG|0644, st_size=1763, ...}) = 0
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a9567b000
21359 read(4, "# Copyright (C) 2000-2006 SWsof"..., 4096) = 1763
21359 read(4, "", 4096) = 0
21359 close(4) = 0
21359 munmap(0x2a9567b000, 4096) = 0
21359 fcntl(0, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
21359 fcntl(1, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
21359 fcntl(2, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
21359 open("/dev/vzctl", O_RDWR) = 4
21359 ioctl(4, 0x400c2e05, 0x7fbfffeef0) = 0
21359 stat("/vz/lock", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21359 getpid() = 21359
21359 open("/vz/lock/101.lck4BsesR", O_RDWR|O_CREAT|O_EXCL, 0600) = 5
21359 write(5, "21359\n\n", 7) = 7
21359 close(5) = 0
21359 link("/vz/lock/101.lck4BsesR", "/vz/lock/101.lck") = 0
21359 unlink("/vz/lock/101.lck4BsesR") = 0
21359 rt_sigaction(SIGINT, {SIG_IGN}, NULL, 8) = 0
21359 ioctl(4, 0x400c2e05, 0x7fbfffeef0) = -1 ESRCH (No such process)
21359 ioctl(4, 0x400c2e05, 0x7fbfffed50) = -1 ESRCH (No such process)
21359 stat("/etc/vz/dists/gentoo-20060317-amd64-stage3.conf", 0x7fbfffe7b0) = -1 ENOENT (No
such file or directory)
21359 stat("/etc/vz/dists/gentoo-20060317-amd64.conf", 0x7fbfffe7b0) = -1 ENOENT (No such file
or directory)
21359 stat("/etc/vz/dists/gentoo-20060317.conf", 0x7fbfffe7b0) = -1 ENOENT (No such file or
directory)
21359 stat("/etc/vz/dists/gentoo.conf", {st_mode=S_IFREG|0644, st_size=1054, ...}) = 0
21359 open("/etc/vz/dists/gentoo.conf", O_RDONLY) = 5
21359 fstat(5, {st_mode=S_IFREG|0644, st_size=1054, ...}) = 0
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a9567b000
21359 read(5, "# Copyright (C) 2000-2006 SWsof"..., 4096) = 1054
21359 stat("/etc/vz/dists/scripts/gentoo-add_ip.sh", {st_mode=S_IFREG|0755, st_size=2908, ...})
= 0
21359 stat("/etc/vz/dists/scripts/gentoo-del_ip.sh", {st_mode=S_IFREG|0755, st_size=1605, ...}) =
0
21359 stat("/etc/vz/dists/scripts/gentoo-set_hostname.sh", {st_mode=S_IFREG|0755,
st_size=1805, ...}) = 0
21359 stat("/etc/vz/dists/scripts/set_dns.sh", {st_mode=S_IFREG|0755, st_size=1668, ...}) = 0
21359 stat("/etc/vz/dists/scripts/set_userpass.sh", {st_mode=S_IFREG|0755, st_size=1519, ...}) =
0
21359 stat("/etc/vz/dists/scripts/gentoo-set_ugid_quota.sh", {st_mode=S_IFREG|0755,
st_size=1792, ...}) = 0

```



```

21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a9567c000
21359 read(5, "/dev/root / ext3 rw 0 0\nnone /de"..., 1024) = 602
21359 read(5, "", 1024) = 0
21359 close(5) = 0
21359 munmap(0x2a9567c000, 4096) = 0
21359 stat("/vz", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21359 stat("/vz/root", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21359 stat("/vz/root/101", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21359 stat("/usr/sbin/vzquota", {st_mode=S_IFREG|0755, st_size=57096, ...}) = 0
21359 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 pipe([5, 6]) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21360
21359 wait4(21360, <unfinished ...>
21360 open("/dev/null", O_WRONLY) = 7
21360 dup2(7, 0) = 0
21360 dup2(7, 1) = 1
21360 dup2(7, 2) = 2
21360 execve("/usr/sbin/vzquota", ["/usr/sbin/vzquota", "show", "101"], [/* 3 vars */]) = 0
21360 uname({sys="Linux", node="andromeda", ...}) = 0
21360 brk(0) = 0x50d000
21360 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21360 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21360 open("/etc/ld.so.cache", O_RDONLY) = 8
21360 fstat(8, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21360 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 8, 0) = 0x2a95557000
21360 close(8) = 0
21360 open("/lib64/tls/libc.so.6", O_RDONLY) = 8
21360 read(8, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21360 fstat(8, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21360 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 8, 0) = 0x3d9d500000
21360 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21360 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 8, 0x12b000) = 0x3d9d72b000
21360 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21360 close(8) = 0
21360 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21360 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21360 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21360 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0

```

Page 6 of 165 ---- Generated from [OpenVZ Forum](#)

```

21361 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 8, 0) = 0x2a95557000
21361 close(8) = 0
21361 open("/lib64/tls/libc.so.6", O_RDONLY) = 8
21361 read(8, "\177ELF2\1\1\0\0\0\0\0\0\0\0\0\0\03\0>\0\1\0\0\0\240\304"..., 832) = 832
21361 fstat(8, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21361 mmap(0x3d9d50000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 8, 0) = 0x3d9d50000
21361 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21361 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 8, 0x12b000) = 0x3d9d72b000
21361 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21361 close(8) = 0
21361 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21361 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21361 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21361 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21361 munmap(0x2a95557000, 103387) = 0
21361 open("/var/vzquota/quota.101", O_RDWR) = 8
21361 flock(8, LOCK_EX|LOCK_NB) = 0
21361 pread(8, "\\274\334\376\0\0\0\0", 8, 0) = 8
21361 lseek(8, 0, SEEK_END) = 183
21361 pread(8, "\0|w\213\206eQv", 8, 175) = 8
21361 lseek(8, 0, SEEK_END) = 183
21361 brk(0) = 0x50d000
21361 brk(0x53e000) = 0x53e000
21361 pread(8, "\\274\334\376\0\0\0\0\0\0\0\0\0\0\04\0\0\0\0\0\0\220\320\3\0"..., 175, 0) = 175
21361 brk(0x52e000) = 0x52e000
21361 pread(8, "\\274\334\376\0\0\0\0", 8, 0) = 8
21361 pread(8, "\0\0\0\0\04\0\0\0\0\0\0\220\320\3\0\0\0\0\0\0\0\0\0\0\0\210"..., 80, 8) = 80
21361 pread(8, "\17\0\0\0\0\0\0\0", 8, 88) = 8
21361 pread(8, "/vz/private/101", 15, 96) = 15
21361 pread(8, "\0\0\0\0\0\0\0\0\0000\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"..., 64, 111) = 64
21361 lseek(8, 0, SEEK_END) = 183
21361 pread(8, "\0|w\213\206eQv", 8, 175) = 8
21361 open("/dev/vzctl", O_RDWR) = 9
21361 ioctl(9, 0xc0182b02, 0x7fbfffbaf0) = -1 ENOENT (No such file or directory)
21361 close(9) = 0
21361 open("/dev/vzctl", O_RDWR) = 9
21361 ioctl(9, 0xc0182b02, 0x7fbfffbaf0) = 0
21361 close(9) = 0
21361 open("/dev/vzctl", O_RDWR) = 9
21361 ioctl(9, 0xc0182b03, 0x7fbfffbaf0) = 0
21361 close(9) = 0
21361 open("/dev/vzctl", O_RDWR) = 9
21361 ioctl(9, 0xc0182b02, 0x7fbfffbaf0) = 0

```

```

21361 close(9) = 0
21361 pwrite(8, "\\274\\334\\376\\1\\0\\0", 8, 0) = 8
21361 pwrite(8, "\\0\\220\\1\\0\\4\\0\\0\\0\\0\\220\\221\\320\\3\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0"..., 80, 8) = 80
21361 pwrite(8, "\\17\\0\\0\\0\\0\\0\\0", 8, 88) = 8
21361 pwrite(8, "/vz/private/101", 15, 96) = 15
21361 pwrite(8, "\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0\\0"..., 64, 111) = 64
21361 ftruncate(8, 175) = 0
21361 lseek(8, 0, SEEK_END) = 175
21361 pwrite(8, "\\0\\0\\0\\0\\0\\0\\0\\0", 8, 175) = 8
21361 lseek(8, 0, SEEK_END) = 183
21361 pread(8, "\\274\\334\\376\\1\\0\\0\\0\\0\\220\\1\\0\\4\\0\\0\\0\\0\\220\\221\\320"..., 175, 0) = 175
21361 pwrite(8, "\\224\\w\\213cjQv", 8, 175) = 8
21361 flock(8, LOCK_UN) = 0
21361 close(8) = 0
21361 exit_group(0) = ?
21359 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21361
21359 --- SIGCHLD (Child exited) @ 0 (0) ---
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 mount("/vz/private/101", "/vz/root/101", "simfs", 0, "/vz/private/101") = 0
21359 stat("/etc/vz/conf/vps.mount", 0x7fbfffe980) = -1 ENOENT (No such file or directory)
21359 stat("/etc/vz/conf/101.mount", 0x7fbfffe980) = -1 ENOENT (No such file or directory)
21359 write(1, "VE is mounted\\n", 14) = 14
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 write(3, "2006-12-13T09:11:35-0600 vzctl :\"..., 56) = 56
21359 pipe([7, 8]) = 0
21359 pipe([9, 10]) = 0
21359 rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0
21359 pipe([11, 12]) = 0
21359 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
21359 rt_sigaction(SIGCHLD, {SIG_IGN}, NULL, 8) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21362
21362 dup2(12, 0 <unfinished ...>
21359 close(12) = 0
21359 close(7) = 0
21359 close(10) = 0
21359 read(11, <unfinished ...>
21362 <... dup2 resumed> ) = 0
21362 close(11) = 0
21362 close(12) = 0
21362 fcntl(0, F_SETFD, FD_CLOEXEC) = 0
21362 fcntl(10, F_SETFD, FD_CLOEXEC) = 0
21362 close(9) = 0
21362 fcntl(7, F_SETFD, FD_CLOEXEC) = 0
21362 close(8) = 0

```

```

21362 chdir("/vz/root/101")          = 0
21362 chroot("/vz/root/101")         = 0
21362 setsid()                       = 21362
21362 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21362 rt_sigaction(SIGHUP, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGINT, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGQUIT, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGILL, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGTRAP, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGABRT, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGBUS, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGFPE, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGKILL, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21362 rt_sigaction(SIGUSR1, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGSEGV, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGUSR2, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGPIPE, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGALRM, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGTERM, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGSTKFLT, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGCONT, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGSTOP, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21362 rt_sigaction(SIGTSTP, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGTTIN, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGTTOU, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGURG, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGXCPU, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGXFSZ, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGVTALRM, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGPROF, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGWINCH, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGIO, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGPWR, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGSYS, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_2, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_3, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_4, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_5, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_6, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_7, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_8, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_9, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_10, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_11, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_12, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_13, {SIG_DFL}, NULL, 8) = 0
21362 rt_sigaction(SIGRT_14, {SIG_DFL}, NULL, 8) = 0

```

Page 10 of 165 ---- Generated from [OpenVZ Forum](#)



21363 close(19)	= -1 EBADF (Bad file descriptor)
21363 close(20)	= -1 EBADF (Bad file descriptor)
21363 close(21)	= -1 EBADF (Bad file descriptor)
21363 close(22)	= -1 EBADF (Bad file descriptor)
21363 close(23)	= -1 EBADF (Bad file descriptor)
21363 close(24)	= -1 EBADF (Bad file descriptor)
21363 close(25)	= -1 EBADF (Bad file descriptor)
21363 close(26)	= -1 EBADF (Bad file descriptor)
21363 close(27)	= -1 EBADF (Bad file descriptor)
21363 close(28)	= -1 EBADF (Bad file descriptor)
21363 close(29)	= -1 EBADF (Bad file descriptor)
21363 close(30)	= -1 EBADF (Bad file descriptor)
21363 close(31)	= -1 EBADF (Bad file descriptor)
21363 close(32)	= -1 EBADF (Bad file descriptor)
21363 close(33)	= -1 EBADF (Bad file descriptor)
21363 close(34)	= -1 EBADF (Bad file descriptor)
21363 close(35)	= -1 EBADF (Bad file descriptor)
21363 close(36)	= -1 EBADF (Bad file descriptor)
21363 close(37)	= -1 EBADF (Bad file descriptor)
21363 close(38)	= -1 EBADF (Bad file descriptor)
21363 close(39)	= -1 EBADF (Bad file descriptor)
21363 close(40)	= -1 EBADF (Bad file descriptor)
21363 close(41)	= -1 EBADF (Bad file descriptor)
21363 close(42)	= -1 EBADF (Bad file descriptor)
21363 close(43)	= -1 EBADF (Bad file descriptor)
21363 close(44)	= -1 EBADF (Bad file descriptor)
21363 close(45)	= -1 EBADF (Bad file descriptor)
21363 close(46)	= -1 EBADF (Bad file descriptor)
21363 close(47)	= -1 EBADF (Bad file descriptor)
21363 close(48)	= -1 EBADF (Bad file descriptor)
21363 close(49)	= -1 EBADF (Bad file descriptor)
21363 close(50)	= -1 EBADF (Bad file descriptor)
21363 close(51)	= -1 EBADF (Bad file descriptor)
21363 close(52)	= -1 EBADF (Bad file descriptor)
21363 close(53)	= -1 EBADF (Bad file descriptor)
21363 close(54)	= -1 EBADF (Bad file descriptor)
21363 close(55)	= -1 EBADF (Bad file descriptor)
21363 close(56)	= -1 EBADF (Bad file descriptor)
21363 close(57)	= -1 EBADF (Bad file descriptor)
21363 close(58)	= -1 EBADF (Bad file descriptor)
21363 close(59)	= -1 EBADF (Bad file descriptor)
21363 close(60)	= -1 EBADF (Bad file descriptor)
21363 close(61)	= -1 EBADF (Bad file descriptor)
21363 close(62)	= -1 EBADF (Bad file descriptor)
21363 close(63)	= -1 EBADF (Bad file descriptor)
21363 close(64)	= -1 EBADF (Bad file descriptor)
21363 close(65)	= -1 EBADF (Bad file descriptor)
21363 close(66)	= -1 EBADF (Bad file descriptor)

21363 close(67)	= -1 EBADF (Bad file descriptor)
21363 close(68)	= -1 EBADF (Bad file descriptor)
21363 close(69)	= -1 EBADF (Bad file descriptor)
21363 close(70)	= -1 EBADF (Bad file descriptor)
21363 close(71)	= -1 EBADF (Bad file descriptor)
21363 close(72)	= -1 EBADF (Bad file descriptor)
21363 close(73)	= -1 EBADF (Bad file descriptor)
21363 close(74)	= -1 EBADF (Bad file descriptor)
21363 close(75)	= -1 EBADF (Bad file descriptor)
21363 close(76)	= -1 EBADF (Bad file descriptor)
21363 close(77)	= -1 EBADF (Bad file descriptor)
21363 close(78)	= -1 EBADF (Bad file descriptor)
21363 close(79)	= -1 EBADF (Bad file descriptor)
21363 close(80)	= -1 EBADF (Bad file descriptor)
21363 close(81)	= -1 EBADF (Bad file descriptor)
21363 close(82)	= -1 EBADF (Bad file descriptor)
21363 close(83)	= -1 EBADF (Bad file descriptor)
21363 close(84)	= -1 EBADF (Bad file descriptor)
21363 close(85)	= -1 EBADF (Bad file descriptor)
21363 close(86)	= -1 EBADF (Bad file descriptor)
21363 close(87)	= -1 EBADF (Bad file descriptor)
21363 close(88)	= -1 EBADF (Bad file descriptor)
21363 close(89)	= -1 EBADF (Bad file descriptor)
21363 close(90)	= -1 EBADF (Bad file descriptor)
21363 close(91)	= -1 EBADF (Bad file descriptor)
21363 close(92)	= -1 EBADF (Bad file descriptor)
21363 close(93)	= -1 EBADF (Bad file descriptor)
21363 close(94)	= -1 EBADF (Bad file descriptor)
21363 close(95)	= -1 EBADF (Bad file descriptor)
21363 close(96)	= -1 EBADF (Bad file descriptor)
21363 close(97)	= -1 EBADF (Bad file descriptor)
21363 close(98)	= -1 EBADF (Bad file descriptor)
21363 close(99)	= -1 EBADF (Bad file descriptor)
21363 close(100)	= -1 EBADF (Bad file descriptor)
21363 close(101)	= -1 EBADF (Bad file descriptor)
21363 close(102)	= -1 EBADF (Bad file descriptor)
21363 close(103)	= -1 EBADF (Bad file descriptor)
21363 close(104)	= -1 EBADF (Bad file descriptor)
21363 close(105)	= -1 EBADF (Bad file descriptor)
21363 close(106)	= -1 EBADF (Bad file descriptor)
21363 close(107)	= -1 EBADF (Bad file descriptor)
21363 close(108)	= -1 EBADF (Bad file descriptor)
21363 close(109)	= -1 EBADF (Bad file descriptor)
21363 close(110)	= -1 EBADF (Bad file descriptor)
21363 close(111)	= -1 EBADF (Bad file descriptor)
21363 close(112)	= -1 EBADF (Bad file descriptor)
21363 close(113)	= -1 EBADF (Bad file descriptor)
21363 close(114)	= -1 EBADF (Bad file descriptor)

[illegible]

21363 close(163)	= -1 EBADF (Bad file descriptor)
21363 close(164)	= -1 EBADF (Bad file descriptor)
21363 close(165)	= -1 EBADF (Bad file descriptor)
21363 close(166)	= -1 EBADF (Bad file descriptor)
21363 close(167)	= -1 EBADF (Bad file descriptor)
21363 close(168)	= -1 EBADF (Bad file descriptor)
21363 close(169)	= -1 EBADF (Bad file descriptor)
21363 close(170)	= -1 EBADF (Bad file descriptor)
21363 close(171)	= -1 EBADF (Bad file descriptor)
21363 close(172)	= -1 EBADF (Bad file descriptor)
21363 close(173)	= -1 EBADF (Bad file descriptor)
21363 close(174)	= -1 EBADF (Bad file descriptor)
21363 close(175)	= -1 EBADF (Bad file descriptor)
21363 close(176)	= -1 EBADF (Bad file descriptor)
21363 close(177)	= -1 EBADF (Bad file descriptor)
21363 close(178)	= -1 EBADF (Bad file descriptor)
21363 close(179)	= -1 EBADF (Bad file descriptor)
21363 close(180)	= -1 EBADF (Bad file descriptor)
21363 close(181)	= -1 EBADF (Bad file descriptor)
21363 close(182)	= -1 EBADF (Bad file descriptor)
21363 close(183)	= -1 EBADF (Bad file descriptor)
21363 close(184)	= -1 EBADF (Bad file descriptor)
21363 close(185)	= -1 EBADF (Bad file descriptor)
21363 close(186)	= -1 EBADF (Bad file descriptor)
21363 close(187)	= -1 EBADF (Bad file descriptor)
21363 close(188)	= -1 EBADF (Bad file descriptor)
21363 close(189)	= -1 EBADF (Bad file descriptor)
21363 close(190)	= -1 EBADF (Bad file descriptor)
21363 close(191)	= -1 EBADF (Bad file descriptor)
21363 close(192)	= -1 EBADF (Bad file descriptor)
21363 close(193)	= -1 EBADF (Bad file descriptor)
21363 close(194)	= -1 EBADF (Bad file descriptor)
21363 close(195)	= -1 EBADF (Bad file descriptor)
21363 close(196)	= -1 EBADF (Bad file descriptor)
21363 close(197)	= -1 EBADF (Bad file descriptor)
21363 close(198)	= -1 EBADF (Bad file descriptor)
21363 close(199)	= -1 EBADF (Bad file descriptor)
21363 close(200)	= -1 EBADF (Bad file descriptor)
21363 close(201)	= -1 EBADF (Bad file descriptor)
21363 close(202)	= -1 EBADF (Bad file descriptor)
21363 close(203)	= -1 EBADF (Bad file descriptor)
21363 close(204)	= -1 EBADF (Bad file descriptor)
21363 close(205)	= -1 EBADF (Bad file descriptor)
21363 close(206)	= -1 EBADF (Bad file descriptor)
21363 close(207)	= -1 EBADF (Bad file descriptor)
21363 close(208)	= -1 EBADF (Bad file descriptor)
21363 close(209)	= -1 EBADF (Bad file descriptor)
21363 close(210)	= -1 EBADF (Bad file descriptor)

[illegible]

21363 close(259)	= -1 EBADF (Bad file descriptor)
21363 close(260)	= -1 EBADF (Bad file descriptor)
21363 close(261)	= -1 EBADF (Bad file descriptor)
21363 close(262)	= -1 EBADF (Bad file descriptor)
21363 close(263)	= -1 EBADF (Bad file descriptor)
21363 close(264)	= -1 EBADF (Bad file descriptor)
21363 close(265)	= -1 EBADF (Bad file descriptor)
21363 close(266)	= -1 EBADF (Bad file descriptor)
21363 close(267)	= -1 EBADF (Bad file descriptor)
21363 close(268)	= -1 EBADF (Bad file descriptor)
21363 close(269)	= -1 EBADF (Bad file descriptor)
21363 close(270)	= -1 EBADF (Bad file descriptor)
21363 close(271)	= -1 EBADF (Bad file descriptor)
21363 close(272)	= -1 EBADF (Bad file descriptor)
21363 close(273)	= -1 EBADF (Bad file descriptor)
21363 close(274)	= -1 EBADF (Bad file descriptor)
21363 close(275)	= -1 EBADF (Bad file descriptor)
21363 close(276)	= -1 EBADF (Bad file descriptor)
21363 close(277)	= -1 EBADF (Bad file descriptor)
21363 close(278)	= -1 EBADF (Bad file descriptor)
21363 close(279)	= -1 EBADF (Bad file descriptor)
21363 close(280)	= -1 EBADF (Bad file descriptor)
21363 close(281)	= -1 EBADF (Bad file descriptor)
21363 close(282)	= -1 EBADF (Bad file descriptor)
21363 close(283)	= -1 EBADF (Bad file descriptor)
21363 close(284)	= -1 EBADF (Bad file descriptor)
21363 close(285)	= -1 EBADF (Bad file descriptor)
21363 close(286)	= -1 EBADF (Bad file descriptor)
21363 close(287)	= -1 EBADF (Bad file descriptor)
21363 close(288)	= -1 EBADF (Bad file descriptor)
21363 close(289)	= -1 EBADF (Bad file descriptor)
21363 close(290)	= -1 EBADF (Bad file descriptor)
21363 close(291)	= -1 EBADF (Bad file descriptor)
21363 close(292)	= -1 EBADF (Bad file descriptor)
21363 close(293)	= -1 EBADF (Bad file descriptor)
21363 close(294)	= -1 EBADF (Bad file descriptor)
21363 close(295)	= -1 EBADF (Bad file descriptor)
21363 close(296)	= -1 EBADF (Bad file descriptor)
21363 close(297)	= -1 EBADF (Bad file descriptor)
21363 close(298)	= -1 EBADF (Bad file descriptor)
21363 close(299)	= -1 EBADF (Bad file descriptor)
21363 close(300)	= -1 EBADF (Bad file descriptor)
21363 close(301)	= -1 EBADF (Bad file descriptor)
21363 close(302)	= -1 EBADF (Bad file descriptor)
21363 close(303)	= -1 EBADF (Bad file descriptor)
21363 close(304)	= -1 EBADF (Bad file descriptor)
21363 close(305)	= -1 EBADF (Bad file descriptor)
21363 close(306)	= -1 EBADF (Bad file descriptor)

21363 close(307)	= -1 EBADF (Bad file descriptor)
21363 close(308)	= -1 EBADF (Bad file descriptor)
21363 close(309)	= -1 EBADF (Bad file descriptor)
21363 close(310)	= -1 EBADF (Bad file descriptor)
21363 close(311)	= -1 EBADF (Bad file descriptor)
21363 close(312)	= -1 EBADF (Bad file descriptor)
21363 close(313)	= -1 EBADF (Bad file descriptor)
21363 close(314)	= -1 EBADF (Bad file descriptor)
21363 close(315)	= -1 EBADF (Bad file descriptor)
21363 close(316)	= -1 EBADF (Bad file descriptor)
21363 close(317)	= -1 EBADF (Bad file descriptor)
21363 close(318)	= -1 EBADF (Bad file descriptor)
21363 close(319)	= -1 EBADF (Bad file descriptor)
21363 close(320)	= -1 EBADF (Bad file descriptor)
21363 close(321)	= -1 EBADF (Bad file descriptor)
21363 close(322)	= -1 EBADF (Bad file descriptor)
21363 close(323)	= -1 EBADF (Bad file descriptor)
21363 close(324)	= -1 EBADF (Bad file descriptor)
21363 close(325)	= -1 EBADF (Bad file descriptor)
21363 close(326)	= -1 EBADF (Bad file descriptor)
21363 close(327)	= -1 EBADF (Bad file descriptor)
21363 close(328)	= -1 EBADF (Bad file descriptor)
21363 close(329)	= -1 EBADF (Bad file descriptor)
21363 close(330)	= -1 EBADF (Bad file descriptor)
21363 close(331)	= -1 EBADF (Bad file descriptor)
21363 close(332)	= -1 EBADF (Bad file descriptor)
21363 close(333)	= -1 EBADF (Bad file descriptor)
21363 close(334)	= -1 EBADF (Bad file descriptor)
21363 close(335)	= -1 EBADF (Bad file descriptor)
21363 close(336)	= -1 EBADF (Bad file descriptor)
21363 close(337)	= -1 EBADF (Bad file descriptor)
21363 close(338)	= -1 EBADF (Bad file descriptor)
21363 close(339)	= -1 EBADF (Bad file descriptor)
21363 close(340)	= -1 EBADF (Bad file descriptor)
21363 close(341)	= -1 EBADF (Bad file descriptor)
21363 close(342)	= -1 EBADF (Bad file descriptor)
21363 close(343)	= -1 EBADF (Bad file descriptor)
21363 close(344)	= -1 EBADF (Bad file descriptor)
21363 close(345)	= -1 EBADF (Bad file descriptor)
21363 close(346)	= -1 EBADF (Bad file descriptor)
21363 close(347)	= -1 EBADF (Bad file descriptor)
21363 close(348)	= -1 EBADF (Bad file descriptor)
21363 close(349)	= -1 EBADF (Bad file descriptor)
21363 close(350)	= -1 EBADF (Bad file descriptor)
21363 close(351)	= -1 EBADF (Bad file descriptor)
21363 close(352)	= -1 EBADF (Bad file descriptor)
21363 close(353)	= -1 EBADF (Bad file descriptor)
21363 close(354)	= -1 EBADF (Bad file descriptor)

21363 close(355)	= -1 EBADF (Bad file descriptor)
21363 close(356)	= -1 EBADF (Bad file descriptor)
21363 close(357)	= -1 EBADF (Bad file descriptor)
21363 close(358)	= -1 EBADF (Bad file descriptor)
21363 close(359)	= -1 EBADF (Bad file descriptor)
21363 close(360)	= -1 EBADF (Bad file descriptor)
21363 close(361)	= -1 EBADF (Bad file descriptor)
21363 close(362)	= -1 EBADF (Bad file descriptor)
21363 close(363)	= -1 EBADF (Bad file descriptor)
21363 close(364)	= -1 EBADF (Bad file descriptor)
21363 close(365)	= -1 EBADF (Bad file descriptor)
21363 close(366)	= -1 EBADF (Bad file descriptor)
21363 close(367)	= -1 EBADF (Bad file descriptor)
21363 close(368)	= -1 EBADF (Bad file descriptor)
21363 close(369)	= -1 EBADF (Bad file descriptor)
21363 close(370)	= -1 EBADF (Bad file descriptor)
21363 close(371)	= -1 EBADF (Bad file descriptor)
21363 close(372)	= -1 EBADF (Bad file descriptor)
21363 close(373)	= -1 EBADF (Bad file descriptor)
21363 close(374)	= -1 EBADF (Bad file descriptor)
21363 close(375)	= -1 EBADF (Bad file descriptor)
21363 close(376)	= -1 EBADF (Bad file descriptor)
21363 close(377)	= -1 EBADF (Bad file descriptor)
21363 close(378)	= -1 EBADF (Bad file descriptor)
21363 close(379)	= -1 EBADF (Bad file descriptor)
21363 close(380)	= -1 EBADF (Bad file descriptor)
21363 close(381)	= -1 EBADF (Bad file descriptor)
21363 close(382)	= -1 EBADF (Bad file descriptor)
21363 close(383)	= -1 EBADF (Bad file descriptor)
21363 close(384)	= -1 EBADF (Bad file descriptor)
21363 close(385)	= -1 EBADF (Bad file descriptor)
21363 close(386)	= -1 EBADF (Bad file descriptor)
21363 close(387)	= -1 EBADF (Bad file descriptor)
21363 close(388)	= -1 EBADF (Bad file descriptor)
21363 close(389)	= -1 EBADF (Bad file descriptor)
21363 close(390)	= -1 EBADF (Bad file descriptor)
21363 close(391)	= -1 EBADF (Bad file descriptor)
21363 close(392)	= -1 EBADF (Bad file descriptor)
21363 close(393)	= -1 EBADF (Bad file descriptor)
21363 close(394)	= -1 EBADF (Bad file descriptor)
21363 close(395)	= -1 EBADF (Bad file descriptor)
21363 close(396)	= -1 EBADF (Bad file descriptor)
21363 close(397)	= -1 EBADF (Bad file descriptor)
21363 close(398)	= -1 EBADF (Bad file descriptor)
21363 close(399)	= -1 EBADF (Bad file descriptor)
21363 close(400)	= -1 EBADF (Bad file descriptor)
21363 close(401)	= -1 EBADF (Bad file descriptor)
21363 close(402)	= -1 EBADF (Bad file descriptor)

21363 close(403)	= -1 EBADF (Bad file descriptor)
21363 close(404)	= -1 EBADF (Bad file descriptor)
21363 close(405)	= -1 EBADF (Bad file descriptor)
21363 close(406)	= -1 EBADF (Bad file descriptor)
21363 close(407)	= -1 EBADF (Bad file descriptor)
21363 close(408)	= -1 EBADF (Bad file descriptor)
21363 close(409)	= -1 EBADF (Bad file descriptor)
21363 close(410)	= -1 EBADF (Bad file descriptor)
21363 close(411)	= -1 EBADF (Bad file descriptor)
21363 close(412)	= -1 EBADF (Bad file descriptor)
21363 close(413)	= -1 EBADF (Bad file descriptor)
21363 close(414)	= -1 EBADF (Bad file descriptor)
21363 close(415)	= -1 EBADF (Bad file descriptor)
21363 close(416)	= -1 EBADF (Bad file descriptor)
21363 close(417)	= -1 EBADF (Bad file descriptor)
21363 close(418)	= -1 EBADF (Bad file descriptor)
21363 close(419)	= -1 EBADF (Bad file descriptor)
21363 close(420)	= -1 EBADF (Bad file descriptor)
21363 close(421)	= -1 EBADF (Bad file descriptor)
21363 close(422)	= -1 EBADF (Bad file descriptor)
21363 close(423)	= -1 EBADF (Bad file descriptor)
21363 close(424)	= -1 EBADF (Bad file descriptor)
21363 close(425)	= -1 EBADF (Bad file descriptor)
21363 close(426)	= -1 EBADF (Bad file descriptor)
21363 close(427)	= -1 EBADF (Bad file descriptor)
21363 close(428)	= -1 EBADF (Bad file descriptor)
21363 close(429)	= -1 EBADF (Bad file descriptor)
21363 close(430)	= -1 EBADF (Bad file descriptor)
21363 close(431)	= -1 EBADF (Bad file descriptor)
21363 close(432)	= -1 EBADF (Bad file descriptor)
21363 close(433)	= -1 EBADF (Bad file descriptor)
21363 close(434)	= -1 EBADF (Bad file descriptor)
21363 close(435)	= -1 EBADF (Bad file descriptor)
21363 close(436)	= -1 EBADF (Bad file descriptor)
21363 close(437)	= -1 EBADF (Bad file descriptor)
21363 close(438)	= -1 EBADF (Bad file descriptor)
21363 close(439)	= -1 EBADF (Bad file descriptor)
21363 close(440)	= -1 EBADF (Bad file descriptor)
21363 close(441)	= -1 EBADF (Bad file descriptor)
21363 close(442)	= -1 EBADF (Bad file descriptor)
21363 close(443)	= -1 EBADF (Bad file descriptor)
21363 close(444)	= -1 EBADF (Bad file descriptor)
21363 close(445)	= -1 EBADF (Bad file descriptor)
21363 close(446)	= -1 EBADF (Bad file descriptor)
21363 close(447)	= -1 EBADF (Bad file descriptor)
21363 close(448)	= -1 EBADF (Bad file descriptor)
21363 close(449)	= -1 EBADF (Bad file descriptor)
21363 close(450)	= -1 EBADF (Bad file descriptor)

[illegible]

21363 close(499)	= -1 EBADF (Bad file descriptor)
21363 close(500)	= -1 EBADF (Bad file descriptor)
21363 close(501)	= -1 EBADF (Bad file descriptor)
21363 close(502)	= -1 EBADF (Bad file descriptor)
21363 close(503)	= -1 EBADF (Bad file descriptor)
21363 close(504)	= -1 EBADF (Bad file descriptor)
21363 close(505)	= -1 EBADF (Bad file descriptor)
21363 close(506)	= -1 EBADF (Bad file descriptor)
21363 close(507)	= -1 EBADF (Bad file descriptor)
21363 close(508)	= -1 EBADF (Bad file descriptor)
21363 close(509)	= -1 EBADF (Bad file descriptor)
21363 close(510)	= -1 EBADF (Bad file descriptor)
21363 close(511)	= -1 EBADF (Bad file descriptor)
21363 close(512)	= -1 EBADF (Bad file descriptor)
21363 close(513)	= -1 EBADF (Bad file descriptor)
21363 close(514)	= -1 EBADF (Bad file descriptor)
21363 close(515)	= -1 EBADF (Bad file descriptor)
21363 close(516)	= -1 EBADF (Bad file descriptor)
21363 close(517)	= -1 EBADF (Bad file descriptor)
21363 close(518)	= -1 EBADF (Bad file descriptor)
21363 close(519)	= -1 EBADF (Bad file descriptor)
21363 close(520)	= -1 EBADF (Bad file descriptor)
21363 close(521)	= -1 EBADF (Bad file descriptor)
21363 close(522)	= -1 EBADF (Bad file descriptor)
21363 close(523)	= -1 EBADF (Bad file descriptor)
21363 close(524)	= -1 EBADF (Bad file descriptor)
21363 close(525)	= -1 EBADF (Bad file descriptor)
21363 close(526)	= -1 EBADF (Bad file descriptor)
21363 close(527)	= -1 EBADF (Bad file descriptor)
21363 close(528)	= -1 EBADF (Bad file descriptor)
21363 close(529)	= -1 EBADF (Bad file descriptor)
21363 close(530)	= -1 EBADF (Bad file descriptor)
21363 close(531)	= -1 EBADF (Bad file descriptor)
21363 close(532)	= -1 EBADF (Bad file descriptor)
21363 close(533)	= -1 EBADF (Bad file descriptor)
21363 close(534)	= -1 EBADF (Bad file descriptor)
21363 close(535)	= -1 EBADF (Bad file descriptor)
21363 close(536)	= -1 EBADF (Bad file descriptor)
21363 close(537)	= -1 EBADF (Bad file descriptor)
21363 close(538)	= -1 EBADF (Bad file descriptor)
21363 close(539)	= -1 EBADF (Bad file descriptor)
21363 close(540)	= -1 EBADF (Bad file descriptor)
21363 close(541)	= -1 EBADF (Bad file descriptor)
21363 close(542)	= -1 EBADF (Bad file descriptor)
21363 close(543)	= -1 EBADF (Bad file descriptor)
21363 close(544)	= -1 EBADF (Bad file descriptor)
21363 close(545)	= -1 EBADF (Bad file descriptor)
21363 close(546)	= -1 EBADF (Bad file descriptor)

21363 close(547)	= -1 EBADF (Bad file descriptor)
21363 close(548)	= -1 EBADF (Bad file descriptor)
21363 close(549)	= -1 EBADF (Bad file descriptor)
21363 close(550)	= -1 EBADF (Bad file descriptor)
21363 close(551)	= -1 EBADF (Bad file descriptor)
21363 close(552)	= -1 EBADF (Bad file descriptor)
21363 close(553)	= -1 EBADF (Bad file descriptor)
21363 close(554)	= -1 EBADF (Bad file descriptor)
21363 close(555)	= -1 EBADF (Bad file descriptor)
21363 close(556)	= -1 EBADF (Bad file descriptor)
21363 close(557)	= -1 EBADF (Bad file descriptor)
21363 close(558)	= -1 EBADF (Bad file descriptor)
21363 close(559)	= -1 EBADF (Bad file descriptor)
21363 close(560)	= -1 EBADF (Bad file descriptor)
21363 close(561)	= -1 EBADF (Bad file descriptor)
21363 close(562)	= -1 EBADF (Bad file descriptor)
21363 close(563)	= -1 EBADF (Bad file descriptor)
21363 close(564)	= -1 EBADF (Bad file descriptor)
21363 close(565)	= -1 EBADF (Bad file descriptor)
21363 close(566)	= -1 EBADF (Bad file descriptor)
21363 close(567)	= -1 EBADF (Bad file descriptor)
21363 close(568)	= -1 EBADF (Bad file descriptor)
21363 close(569)	= -1 EBADF (Bad file descriptor)
21363 close(570)	= -1 EBADF (Bad file descriptor)
21363 close(571)	= -1 EBADF (Bad file descriptor)
21363 close(572)	= -1 EBADF (Bad file descriptor)
21363 close(573)	= -1 EBADF (Bad file descriptor)
21363 close(574)	= -1 EBADF (Bad file descriptor)
21363 close(575)	= -1 EBADF (Bad file descriptor)
21363 close(576)	= -1 EBADF (Bad file descriptor)
21363 close(577)	= -1 EBADF (Bad file descriptor)
21363 close(578)	= -1 EBADF (Bad file descriptor)
21363 close(579)	= -1 EBADF (Bad file descriptor)
21363 close(580)	= -1 EBADF (Bad file descriptor)
21363 close(581)	= -1 EBADF (Bad file descriptor)
21363 close(582)	= -1 EBADF (Bad file descriptor)
21363 close(583)	= -1 EBADF (Bad file descriptor)
21363 close(584)	= -1 EBADF (Bad file descriptor)
21363 close(585)	= -1 EBADF (Bad file descriptor)
21363 close(586)	= -1 EBADF (Bad file descriptor)
21363 close(587)	= -1 EBADF (Bad file descriptor)
21363 close(588)	= -1 EBADF (Bad file descriptor)
21363 close(589)	= -1 EBADF (Bad file descriptor)
21363 close(590)	= -1 EBADF (Bad file descriptor)
21363 close(591)	= -1 EBADF (Bad file descriptor)
21363 close(592)	= -1 EBADF (Bad file descriptor)
21363 close(593)	= -1 EBADF (Bad file descriptor)
21363 close(594)	= -1 EBADF (Bad file descriptor)

21363 close(595)	= -1 EBADF (Bad file descriptor)
21363 close(596)	= -1 EBADF (Bad file descriptor)
21363 close(597)	= -1 EBADF (Bad file descriptor)
21363 close(598)	= -1 EBADF (Bad file descriptor)
21363 close(599)	= -1 EBADF (Bad file descriptor)
21363 close(600)	= -1 EBADF (Bad file descriptor)
21363 close(601)	= -1 EBADF (Bad file descriptor)
21363 close(602)	= -1 EBADF (Bad file descriptor)
21363 close(603)	= -1 EBADF (Bad file descriptor)
21363 close(604)	= -1 EBADF (Bad file descriptor)
21363 close(605)	= -1 EBADF (Bad file descriptor)
21363 close(606)	= -1 EBADF (Bad file descriptor)
21363 close(607)	= -1 EBADF (Bad file descriptor)
21363 close(608)	= -1 EBADF (Bad file descriptor)
21363 close(609)	= -1 EBADF (Bad file descriptor)
21363 close(610)	= -1 EBADF (Bad file descriptor)
21363 close(611)	= -1 EBADF (Bad file descriptor)
21363 close(612)	= -1 EBADF (Bad file descriptor)
21363 close(613)	= -1 EBADF (Bad file descriptor)
21363 close(614)	= -1 EBADF (Bad file descriptor)
21363 close(615)	= -1 EBADF (Bad file descriptor)
21363 close(616)	= -1 EBADF (Bad file descriptor)
21363 close(617)	= -1 EBADF (Bad file descriptor)
21363 close(618)	= -1 EBADF (Bad file descriptor)
21363 close(619)	= -1 EBADF (Bad file descriptor)
21363 close(620)	= -1 EBADF (Bad file descriptor)
21363 close(621)	= -1 EBADF (Bad file descriptor)
21363 close(622)	= -1 EBADF (Bad file descriptor)
21363 close(623)	= -1 EBADF (Bad file descriptor)
21363 close(624)	= -1 EBADF (Bad file descriptor)
21363 close(625)	= -1 EBADF (Bad file descriptor)
21363 close(626)	= -1 EBADF (Bad file descriptor)
21363 close(627)	= -1 EBADF (Bad file descriptor)
21363 close(628)	= -1 EBADF (Bad file descriptor)
21363 close(629)	= -1 EBADF (Bad file descriptor)
21363 close(630)	= -1 EBADF (Bad file descriptor)
21363 close(631)	= -1 EBADF (Bad file descriptor)
21363 close(632)	= -1 EBADF (Bad file descriptor)
21363 close(633)	= -1 EBADF (Bad file descriptor)
21363 close(634)	= -1 EBADF (Bad file descriptor)
21363 close(635)	= -1 EBADF (Bad file descriptor)
21363 close(636)	= -1 EBADF (Bad file descriptor)
21363 close(637)	= -1 EBADF (Bad file descriptor)
21363 close(638)	= -1 EBADF (Bad file descriptor)
21363 close(639)	= -1 EBADF (Bad file descriptor)
21363 close(640)	= -1 EBADF (Bad file descriptor)
21363 close(641)	= -1 EBADF (Bad file descriptor)
21363 close(642)	= -1 EBADF (Bad file descriptor)

[illegible]

21363 close(691)	= -1 EBADF (Bad file descriptor)
21363 close(692)	= -1 EBADF (Bad file descriptor)
21363 close(693)	= -1 EBADF (Bad file descriptor)
21363 close(694)	= -1 EBADF (Bad file descriptor)
21363 close(695)	= -1 EBADF (Bad file descriptor)
21363 close(696)	= -1 EBADF (Bad file descriptor)
21363 close(697)	= -1 EBADF (Bad file descriptor)
21363 close(698)	= -1 EBADF (Bad file descriptor)
21363 close(699)	= -1 EBADF (Bad file descriptor)
21363 close(700)	= -1 EBADF (Bad file descriptor)
21363 close(701)	= -1 EBADF (Bad file descriptor)
21363 close(702)	= -1 EBADF (Bad file descriptor)
21363 close(703)	= -1 EBADF (Bad file descriptor)
21363 close(704)	= -1 EBADF (Bad file descriptor)
21363 close(705)	= -1 EBADF (Bad file descriptor)
21363 close(706)	= -1 EBADF (Bad file descriptor)
21363 close(707)	= -1 EBADF (Bad file descriptor)
21363 close(708)	= -1 EBADF (Bad file descriptor)
21363 close(709)	= -1 EBADF (Bad file descriptor)
21363 close(710)	= -1 EBADF (Bad file descriptor)
21363 close(711)	= -1 EBADF (Bad file descriptor)
21363 close(712)	= -1 EBADF (Bad file descriptor)
21363 close(713)	= -1 EBADF (Bad file descriptor)
21363 close(714)	= -1 EBADF (Bad file descriptor)
21363 close(715)	= -1 EBADF (Bad file descriptor)
21363 close(716)	= -1 EBADF (Bad file descriptor)
21363 close(717)	= -1 EBADF (Bad file descriptor)
21363 close(718)	= -1 EBADF (Bad file descriptor)
21363 close(719)	= -1 EBADF (Bad file descriptor)
21363 close(720)	= -1 EBADF (Bad file descriptor)
21363 close(721)	= -1 EBADF (Bad file descriptor)
21363 close(722)	= -1 EBADF (Bad file descriptor)
21363 close(723)	= -1 EBADF (Bad file descriptor)
21363 close(724)	= -1 EBADF (Bad file descriptor)
21363 close(725)	= -1 EBADF (Bad file descriptor)
21363 close(726)	= -1 EBADF (Bad file descriptor)
21363 close(727)	= -1 EBADF (Bad file descriptor)
21363 close(728)	= -1 EBADF (Bad file descriptor)
21363 close(729)	= -1 EBADF (Bad file descriptor)
21363 close(730)	= -1 EBADF (Bad file descriptor)
21363 close(731)	= -1 EBADF (Bad file descriptor)
21363 close(732)	= -1 EBADF (Bad file descriptor)
21363 close(733)	= -1 EBADF (Bad file descriptor)
21363 close(734)	= -1 EBADF (Bad file descriptor)
21363 close(735)	= -1 EBADF (Bad file descriptor)
21363 close(736)	= -1 EBADF (Bad file descriptor)
21363 close(737)	= -1 EBADF (Bad file descriptor)
21363 close(738)	= -1 EBADF (Bad file descriptor)

21363 close(739)	= -1 EBADF (Bad file descriptor)
21363 close(740)	= -1 EBADF (Bad file descriptor)
21363 close(741)	= -1 EBADF (Bad file descriptor)
21363 close(742)	= -1 EBADF (Bad file descriptor)
21363 close(743)	= -1 EBADF (Bad file descriptor)
21363 close(744)	= -1 EBADF (Bad file descriptor)
21363 close(745)	= -1 EBADF (Bad file descriptor)
21363 close(746)	= -1 EBADF (Bad file descriptor)
21363 close(747)	= -1 EBADF (Bad file descriptor)
21363 close(748)	= -1 EBADF (Bad file descriptor)
21363 close(749)	= -1 EBADF (Bad file descriptor)
21363 close(750)	= -1 EBADF (Bad file descriptor)
21363 close(751)	= -1 EBADF (Bad file descriptor)
21363 close(752)	= -1 EBADF (Bad file descriptor)
21363 close(753)	= -1 EBADF (Bad file descriptor)
21363 close(754)	= -1 EBADF (Bad file descriptor)
21363 close(755)	= -1 EBADF (Bad file descriptor)
21363 close(756)	= -1 EBADF (Bad file descriptor)
21363 close(757)	= -1 EBADF (Bad file descriptor)
21363 close(758)	= -1 EBADF (Bad file descriptor)
21363 close(759)	= -1 EBADF (Bad file descriptor)
21363 close(760)	= -1 EBADF (Bad file descriptor)
21363 close(761)	= -1 EBADF (Bad file descriptor)
21363 close(762)	= -1 EBADF (Bad file descriptor)
21363 close(763)	= -1 EBADF (Bad file descriptor)
21363 close(764)	= -1 EBADF (Bad file descriptor)
21363 close(765)	= -1 EBADF (Bad file descriptor)
21363 close(766)	= -1 EBADF (Bad file descriptor)
21363 close(767)	= -1 EBADF (Bad file descriptor)
21363 close(768)	= -1 EBADF (Bad file descriptor)
21363 close(769)	= -1 EBADF (Bad file descriptor)
21363 close(770)	= -1 EBADF (Bad file descriptor)
21363 close(771)	= -1 EBADF (Bad file descriptor)
21363 close(772)	= -1 EBADF (Bad file descriptor)
21363 close(773)	= -1 EBADF (Bad file descriptor)
21363 close(774)	= -1 EBADF (Bad file descriptor)
21363 close(775)	= -1 EBADF (Bad file descriptor)
21363 close(776)	= -1 EBADF (Bad file descriptor)
21363 close(777)	= -1 EBADF (Bad file descriptor)
21363 close(778)	= -1 EBADF (Bad file descriptor)
21363 close(779)	= -1 EBADF (Bad file descriptor)
21363 close(780)	= -1 EBADF (Bad file descriptor)
21363 close(781)	= -1 EBADF (Bad file descriptor)
21363 close(782)	= -1 EBADF (Bad file descriptor)
21363 close(783)	= -1 EBADF (Bad file descriptor)
21363 close(784)	= -1 EBADF (Bad file descriptor)
21363 close(785)	= -1 EBADF (Bad file descriptor)
21363 close(786)	= -1 EBADF (Bad file descriptor)

21363 close(787)	= -1 EBADF (Bad file descriptor)
21363 close(788)	= -1 EBADF (Bad file descriptor)
21363 close(789)	= -1 EBADF (Bad file descriptor)
21363 close(790)	= -1 EBADF (Bad file descriptor)
21363 close(791)	= -1 EBADF (Bad file descriptor)
21363 close(792)	= -1 EBADF (Bad file descriptor)
21363 close(793)	= -1 EBADF (Bad file descriptor)
21363 close(794)	= -1 EBADF (Bad file descriptor)
21363 close(795)	= -1 EBADF (Bad file descriptor)
21363 close(796)	= -1 EBADF (Bad file descriptor)
21363 close(797)	= -1 EBADF (Bad file descriptor)
21363 close(798)	= -1 EBADF (Bad file descriptor)
21363 close(799)	= -1 EBADF (Bad file descriptor)
21363 close(800)	= -1 EBADF (Bad file descriptor)
21363 close(801)	= -1 EBADF (Bad file descriptor)
21363 close(802)	= -1 EBADF (Bad file descriptor)
21363 close(803)	= -1 EBADF (Bad file descriptor)
21363 close(804)	= -1 EBADF (Bad file descriptor)
21363 close(805)	= -1 EBADF (Bad file descriptor)
21363 close(806)	= -1 EBADF (Bad file descriptor)
21363 close(807)	= -1 EBADF (Bad file descriptor)
21363 close(808)	= -1 EBADF (Bad file descriptor)
21363 close(809)	= -1 EBADF (Bad file descriptor)
21363 close(810)	= -1 EBADF (Bad file descriptor)
21363 close(811)	= -1 EBADF (Bad file descriptor)
21363 close(812)	= -1 EBADF (Bad file descriptor)
21363 close(813)	= -1 EBADF (Bad file descriptor)
21363 close(814)	= -1 EBADF (Bad file descriptor)
21363 close(815)	= -1 EBADF (Bad file descriptor)
21363 close(816)	= -1 EBADF (Bad file descriptor)
21363 close(817)	= -1 EBADF (Bad file descriptor)
21363 close(818)	= -1 EBADF (Bad file descriptor)
21363 close(819)	= -1 EBADF (Bad file descriptor)
21363 close(820)	= -1 EBADF (Bad file descriptor)
21363 close(821)	= -1 EBADF (Bad file descriptor)
21363 close(822)	= -1 EBADF (Bad file descriptor)
21363 close(823)	= -1 EBADF (Bad file descriptor)
21363 close(824)	= -1 EBADF (Bad file descriptor)
21363 close(825)	= -1 EBADF (Bad file descriptor)
21363 close(826)	= -1 EBADF (Bad file descriptor)
21363 close(827)	= -1 EBADF (Bad file descriptor)
21363 close(828)	= -1 EBADF (Bad file descriptor)
21363 close(829)	= -1 EBADF (Bad file descriptor)
21363 close(830)	= -1 EBADF (Bad file descriptor)
21363 close(831)	= -1 EBADF (Bad file descriptor)
21363 close(832)	= -1 EBADF (Bad file descriptor)
21363 close(833)	= -1 EBADF (Bad file descriptor)
21363 close(834)	= -1 EBADF (Bad file descriptor)

[illegible]

21363 close(883)	= -1 EBADF (Bad file descriptor)
21363 close(884)	= -1 EBADF (Bad file descriptor)
21363 close(885)	= -1 EBADF (Bad file descriptor)
21363 close(886)	= -1 EBADF (Bad file descriptor)
21363 close(887)	= -1 EBADF (Bad file descriptor)
21363 close(888)	= -1 EBADF (Bad file descriptor)
21363 close(889)	= -1 EBADF (Bad file descriptor)
21363 close(890)	= -1 EBADF (Bad file descriptor)
21363 close(891)	= -1 EBADF (Bad file descriptor)
21363 close(892)	= -1 EBADF (Bad file descriptor)
21363 close(893)	= -1 EBADF (Bad file descriptor)
21363 close(894)	= -1 EBADF (Bad file descriptor)
21363 close(895)	= -1 EBADF (Bad file descriptor)
21363 close(896)	= -1 EBADF (Bad file descriptor)
21363 close(897)	= -1 EBADF (Bad file descriptor)
21363 close(898)	= -1 EBADF (Bad file descriptor)
21363 close(899)	= -1 EBADF (Bad file descriptor)
21363 close(900)	= -1 EBADF (Bad file descriptor)
21363 close(901)	= -1 EBADF (Bad file descriptor)
21363 close(902)	= -1 EBADF (Bad file descriptor)
21363 close(903)	= -1 EBADF (Bad file descriptor)
21363 close(904)	= -1 EBADF (Bad file descriptor)
21363 close(905)	= -1 EBADF (Bad file descriptor)
21363 close(906)	= -1 EBADF (Bad file descriptor)
21363 close(907)	= -1 EBADF (Bad file descriptor)
21363 close(908)	= -1 EBADF (Bad file descriptor)
21363 close(909)	= -1 EBADF (Bad file descriptor)
21363 close(910)	= -1 EBADF (Bad file descriptor)
21363 close(911)	= -1 EBADF (Bad file descriptor)
21363 close(912)	= -1 EBADF (Bad file descriptor)
21363 close(913)	= -1 EBADF (Bad file descriptor)
21363 close(914)	= -1 EBADF (Bad file descriptor)
21363 close(915)	= -1 EBADF (Bad file descriptor)
21363 close(916)	= -1 EBADF (Bad file descriptor)
21363 close(917)	= -1 EBADF (Bad file descriptor)
21363 close(918)	= -1 EBADF (Bad file descriptor)
21363 close(919)	= -1 EBADF (Bad file descriptor)
21363 close(920)	= -1 EBADF (Bad file descriptor)
21363 close(921)	= -1 EBADF (Bad file descriptor)
21363 close(922)	= -1 EBADF (Bad file descriptor)
21363 close(923)	= -1 EBADF (Bad file descriptor)
21363 close(924)	= -1 EBADF (Bad file descriptor)
21363 close(925)	= -1 EBADF (Bad file descriptor)
21363 close(926)	= -1 EBADF (Bad file descriptor)
21363 close(927)	= -1 EBADF (Bad file descriptor)
21363 close(928)	= -1 EBADF (Bad file descriptor)
21363 close(929)	= -1 EBADF (Bad file descriptor)
21363 close(930)	= -1 EBADF (Bad file descriptor)

21363 close(931)	= -1 EBADF (Bad file descriptor)
21363 close(932)	= -1 EBADF (Bad file descriptor)
21363 close(933)	= -1 EBADF (Bad file descriptor)
21363 close(934)	= -1 EBADF (Bad file descriptor)
21363 close(935)	= -1 EBADF (Bad file descriptor)
21363 close(936)	= -1 EBADF (Bad file descriptor)
21363 close(937)	= -1 EBADF (Bad file descriptor)
21363 close(938)	= -1 EBADF (Bad file descriptor)
21363 close(939)	= -1 EBADF (Bad file descriptor)
21363 close(940)	= -1 EBADF (Bad file descriptor)
21363 close(941)	= -1 EBADF (Bad file descriptor)
21363 close(942)	= -1 EBADF (Bad file descriptor)
21363 close(943)	= -1 EBADF (Bad file descriptor)
21363 close(944)	= -1 EBADF (Bad file descriptor)
21363 close(945)	= -1 EBADF (Bad file descriptor)
21363 close(946)	= -1 EBADF (Bad file descriptor)
21363 close(947)	= -1 EBADF (Bad file descriptor)
21363 close(948)	= -1 EBADF (Bad file descriptor)
21363 close(949)	= -1 EBADF (Bad file descriptor)
21363 close(950)	= -1 EBADF (Bad file descriptor)
21363 close(951)	= -1 EBADF (Bad file descriptor)
21363 close(952)	= -1 EBADF (Bad file descriptor)
21363 close(953)	= -1 EBADF (Bad file descriptor)
21363 close(954)	= -1 EBADF (Bad file descriptor)
21363 close(955)	= -1 EBADF (Bad file descriptor)
21363 close(956)	= -1 EBADF (Bad file descriptor)
21363 close(957)	= -1 EBADF (Bad file descriptor)
21363 close(958)	= -1 EBADF (Bad file descriptor)
21363 close(959)	= -1 EBADF (Bad file descriptor)
21363 close(960)	= -1 EBADF (Bad file descriptor)
21363 close(961)	= -1 EBADF (Bad file descriptor)
21363 close(962)	= -1 EBADF (Bad file descriptor)
21363 close(963)	= -1 EBADF (Bad file descriptor)
21363 close(964)	= -1 EBADF (Bad file descriptor)
21363 close(965)	= -1 EBADF (Bad file descriptor)
21363 close(966)	= -1 EBADF (Bad file descriptor)
21363 close(967)	= -1 EBADF (Bad file descriptor)
21363 close(968)	= -1 EBADF (Bad file descriptor)
21363 close(969)	= -1 EBADF (Bad file descriptor)
21363 close(970)	= -1 EBADF (Bad file descriptor)
21363 close(971)	= -1 EBADF (Bad file descriptor)
21363 close(972)	= -1 EBADF (Bad file descriptor)
21363 close(973)	= -1 EBADF (Bad file descriptor)
21363 close(974)	= -1 EBADF (Bad file descriptor)
21363 close(975)	= -1 EBADF (Bad file descriptor)
21363 close(976)	= -1 EBADF (Bad file descriptor)
21363 close(977)	= -1 EBADF (Bad file descriptor)
21363 close(978)	= -1 EBADF (Bad file descriptor)

```

21363 close(979)           = -1 EBADF (Bad file descriptor)
21363 close(980)           = -1 EBADF (Bad file descriptor)
21363 close(981)           = -1 EBADF (Bad file descriptor)
21363 close(982)           = -1 EBADF (Bad file descriptor)
21363 close(983)           = -1 EBADF (Bad file descriptor)
21363 close(984)           = -1 EBADF (Bad file descriptor)
21363 close(985)           = -1 EBADF (Bad file descriptor)
21363 close(986)           = -1 EBADF (Bad file descriptor)
21363 close(987)           = -1 EBADF (Bad file descriptor)
21363 close(988)           = -1 EBADF (Bad file descriptor)
21363 close(989)           = -1 EBADF (Bad file descriptor)
21363 close(990)           = -1 EBADF (Bad file descriptor)
21363 close(991)           = -1 EBADF (Bad file descriptor)
21363 close(992)           = -1 EBADF (Bad file descriptor)
21363 close(993)           = -1 EBADF (Bad file descriptor)
21363 close(994)           = -1 EBADF (Bad file descriptor)
21363 close(995)           = -1 EBADF (Bad file descriptor)
21363 close(996)           = -1 EBADF (Bad file descriptor)
21363 close(997)           = -1 EBADF (Bad file descriptor)
21363 close(998)           = -1 EBADF (Bad file descriptor)
21363 close(999)           = -1 EBADF (Bad file descriptor)
21363 close(1000)          = -1 EBADF (Bad file descriptor)
21363 close(1001)          = -1 EBADF (Bad file descriptor)
21363 close(1002)          = -1 EBADF (Bad file descriptor)
21363 close(1003)          = -1 EBADF (Bad file descriptor)
21363 close(1004)          = -1 EBADF (Bad file descriptor)
21363 close(1005)          = -1 EBADF (Bad file descriptor)
21363 close(1006)          = -1 EBADF (Bad file descriptor)
21363 close(1007)          = -1 EBADF (Bad file descriptor)
21363 close(1008)          = -1 EBADF (Bad file descriptor)
21363 close(1009)          = -1 EBADF (Bad file descriptor)
21363 close(1010)          = -1 EBADF (Bad file descriptor)
21363 close(1011)          = -1 EBADF (Bad file descriptor)
21363 close(1012)          = -1 EBADF (Bad file descriptor)
21363 close(1013)          = -1 EBADF (Bad file descriptor)
21363 close(1014)          = -1 EBADF (Bad file descriptor)
21363 close(1015)          = -1 EBADF (Bad file descriptor)
21363 close(1016)          = -1 EBADF (Bad file descriptor)
21363 close(1017)          = -1 EBADF (Bad file descriptor)
21363 close(1018)          = -1 EBADF (Bad file descriptor)
21363 close(1019)          = -1 EBADF (Bad file descriptor)
21363 close(1020)          = -1 EBADF (Bad file descriptor)
21363 close(1021)          = -1 EBADF (Bad file descriptor)
21363 close(1022)          = -1 EBADF (Bad file descriptor)
21363 close(1023)          = -1 EBADF (Bad file descriptor)
21363 ioctl(4, 0x40202e0a, 0x7fbffec0) = -1 EINVAL (Invalid argument)
21363 ioctl(4, 0x40202e0a, 0x7fbffec0) = 101
21363 stat("/sbin/init", 0x7fbffea60) = -1 ENOENT (No such file or directory)

```

```

21363 close(4) = 0
21363 open("/fastboot", O_RDONLY|O_CREAT, 0644) = 3
21363 close(3) = 0
21363 unlink("/reboot") = -1 ENOENT (No such file or directory)
21363 stat("/etc/rc.d/rc6.d", 0x7fbfffe890) = -1 ENOENT (No such file or directory)
21363 stat("/etc/rc6.d", 0x7fbfffe890) = -1 ENOENT (No such file or directory)
21363 close(0 <unfinished ...>
21359 <... read resumed> "", 4) = 0
21363 <... close resumed> ) = 0
21359 close(12 <unfinished ...>
21363 read(7, <unfinished ...>
21359 <... close resumed> ) = -1 EBADF (Bad file descriptor)
21359 close(11) = 0
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 ioctl(4, 0x400c2e05, 0x7fbfffec30) = 0
21359 write(1, "Adding IP address(es): 10.0.0.10"... , 34) = 34
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 write(3, "2006-12-13T09:11:35-0600 vzctl :"... , 76) = 76
21359 ioctl(4, 0x40182803, 0x7fbfffebe0) = 0
21359 stat("/usr/lib/vzctl/scripts/vps-net_add", {st_mode=S_IFREG|0755, st_size=1741, ...}) = 0
21359 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21366
21366 open("/dev/null", O_WRONLY <unfinished ...>
21359 wait4(21366, <unfinished ...>
21366 <... open resumed> ) = 7
21366 dup2(7, 0) = 0
21366 execve("/usr/lib/vzctl/scripts/vps-net_add", ["/usr/lib/vzctl/scripts/vps-net_a"...], [/* 5 vars */])
= 0
21366 uname({sys="Linux", node="andromeda", ...}) = 0
21366 brk(0) = 0x6bc000
21366 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21366 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21366 open("/etc/ld.so.cache", O_RDONLY) = 10
21366 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21366 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21366 close(10) = 0
21366 open("/lib64/libtermcap.so.2", O_RDONLY) = 10
21366 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\20\340"... , 832) = 832
21366 fstat(10, {st_mode=S_IFREG|0755, st_size=15728, ...}) = 0
21366 mmap(0x3d9ee00000, 1060400, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9ee00000
21366 mprotect(0x3d9ee03000, 1048112, PROT_NONE) = 0

```

```

21366 mmap(0x3d9ef02000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x2000) = 0x3d9ef02000
21366 close(10) = 0
21366 open("/lib64/libdl.so.2", O_RDONLY) = 10
21366 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\200\17\200"..., 832) = 832
21366 fstat(10, {st_mode=S_IFREG|0755, st_size=17943, ...}) = 0
21366 mmap(0x3d9d800000, 1056968, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d800000
21366 mprotect(0x3d9d802000, 1048776, PROT_NONE) = 0
21366 mmap(0x3d9d901000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x1000) = 0x3d9d901000
21366 close(10) = 0
21366 open("/lib64/tls/libc.so.6", O_RDONLY) = 10
21366 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21366 fstat(10, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21366 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21366 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d500000
21366 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21366 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000) = 0x3d9d72b000
21366 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21366 close(10) = 0
21366 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21366 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21366 arch_prctl(ARCH_SET_FS, 0x2a955723e0) = 0
21366 munmap(0x2a95557000, 103387) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 open("/dev/tty", O_RDWR|O_NONBLOCK) = 10
21366 close(10) = 0
21366 brk(0) = 0x6bc000
21366 brk(0x6dd000) = 0x6dd000
21366 getuid() = 0
21366 getgid() = 0
21366 geteuid() = 0
21366 getegid() = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 open("/etc/mtab", O_RDONLY) = 10
21366 fstat(10, {st_mode=S_IFREG|0644, st_size=589, ...}) = 0
21366 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21366 read(10, "/dev/mapper/Linux-CentOS / ext3 "..., 4096) = 589
21366 close(10) = 0
21366 munmap(0x2a95557000, 4096) = 0
21366 open("/proc/meminfo", O_RDONLY) = 10

```

```

21366 fstat(10, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
21366 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21366 read(10, "MemTotal:    2047960 kB\nMemFre"..., 1024) = 600
21366 close(10) = 0
21366 munmap(0x2a95557000, 4096) = 0
21366 rt_sigaction(SIGCHLD, {SIG_DFL}, {SIG_DFL}, 8) = 0
21366 rt_sigaction(SIGCHLD, {SIG_DFL}, {SIG_DFL}, 8) = 0
21366 rt_sigaction(SIGINT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_DFL}, 8) = 0
21366 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_DFL}, 8) = 0
21366 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_DFL}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigaction(SIGQUIT, {SIG_IGN}, {SIG_DFL}, 8) = 0
21366 uname({sys="Linux", node="andromeda", ...}) = 0
21366 getcwd("/home/arnaudsj", 4096) = 15
21366 getpid() = 21366
21366 getppid() = 21359
21366 socket(PF_FILE, SOCK_STREAM, 0) = 10
21366 fcntl(10, F_GETFL) = 0x2 (flags O_RDWR)
21366 fcntl(10, F_SETFL, O_RDWR|O_NONBLOCK) = 0
21366 connect(10, {sa_family=AF_FILE, path="/var/run/nscd/socket"}, 110) = -1 ENOENT (No
such file or directory)
21366 close(10) = 0
21366 socket(PF_FILE, SOCK_STREAM, 0) = 10
21366 fcntl(10, F_GETFL) = 0x2 (flags O_RDWR)
21366 fcntl(10, F_SETFL, O_RDWR|O_NONBLOCK) = 0
21366 connect(10, {sa_family=AF_FILE, path="/var/run/nscd/socket"}, 110) = -1 ENOENT (No
such file or directory)
21366 close(10) = 0
21366 open("/etc/nsswitch.conf", O_RDONLY) = 10
21366 fstat(10, {st_mode=S_IFREG|0644, st_size=1623, ...}) = 0
21366 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21366 read(10, "#\n# /etc/nsswitch.conf\n#\n# An ex"..., 4096) = 1623
21366 read(10, "", 4096) = 0
21366 close(10) = 0
21366 munmap(0x2a95557000, 4096) = 0
21366 open("/etc/ld.so.cache", O_RDONLY) = 10
21366 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21366 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21366 close(10) = 0
21366 open("/lib64/libnss_files.so.2", O_RDONLY) = 10
21366 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\220\0"..., 832) = 832
21366 fstat(10, {st_mode=S_IFREG|0755, st_size=56902, ...}) = 0
21366 mmap(NULL, 1094952, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE,
10, 0) = 0x2a955573000
21366 mprotect(0x2a95557d000, 1053992, PROT_NONE) = 0

```

Page 36 of 165 ---- Generated from [OpenVZ Forum](#)



```

21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 stat("/usr/lib/vzctl/scripts/vps-functions", {st_mode=S_IFREG|0755, st_size=4843, ...}) = 0
21366 access("/usr/lib/vzctl/scripts/vps-functions", X_OK) = 0
21366 open("/usr/lib/vzctl/scripts/vps-functions", O_RDONLY) = 10
21366 fstat(10, {st_mode=S_IFREG|0755, st_size=4843, ...}) = 0
21366 read(10, "#!/bin/bash\n# Copyright (C) 200\"..., 4843) = 4843
21366 close(10) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 pipe([10, 11]) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21367
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigaction(SIGCHLD, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, {0x433e30, [],
SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 close(11) = 0
21366 read(10, <unfinished ...>
21367 close(255) = 0
21367 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21367 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0

```

```

21367 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21367 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21367 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21367 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21367 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21367 rt_sigaction(SIGCHLD, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_DFL}, 8) = 0
21367 rt_sigaction(SIGINT, {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21367 dup2(11, 1) = 1
21367 close(11) = 0
21367 close(10) = 0
21367 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21367 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21367 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21367 stat(".", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21367 stat("/bin/basename", {st_mode=S_IFREG|0755, st_size=20160, ...}) = 0
21367 access("/bin/basename", X_OK) = 0
21367 stat("/bin/basename", {st_mode=S_IFREG|0755, st_size=20160, ...}) = 0
21367 access("/bin/basename", X_OK) = 0
21367 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0
21367 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21368
21367 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21367 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21367 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21367 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21367 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {0x443fc0, [],
SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21367 wait4(-1, <unfinished ...>
21368 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21368 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21368 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21368 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21368 rt_sigaction(SIGINT, {SIG_IGN}, {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21368 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_DFL}, 8) = 0
21368 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21368 execve("/bin/basename", ["basename", "/usr/lib/vzctl/scripts/vps-net_a"...], [/* 7 vars */]) = 0
21368 uname({sys="Linux", node="andromeda", ...}) = 0
21368 brk(0) = 0x504000
21368 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21368 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21368 open("/etc/ld.so.cache", O_RDONLY) = 10
21368 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21368 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21368 close(10) = 0
21368 open("/lib64/tls/libc.so.6", O_RDONLY) = 10
21368 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"... , 832) = 832

```

```

21368 fstat(10, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21368 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d500000
21368 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21368 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000) = 0x3d9d72b000
21368 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21368 close(10) = 0
21368 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21368 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21368 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21368 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21368 munmap(0x2a95557000, 103387) = 0
21368 brk(0) = 0x504000
21368 brk(0x525000) = 0x525000
21368 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21368 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21368 write(1, "vps-net_add\n", 12) = 12
21366 <... read resumed> "vps-net_add\n", 128) = 12
21366 read(10, <unfinished ...>
21368 close(1) = 0
21368 munmap(0x2a95557000, 4096) = 0
21368 exit_group(0) = ?
21367 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21368
21367 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21367 --- SIGCHLD (Child exited) @ 0 (0) ---
21367 wait4(-1, 0x7fbfffece4, WNOHANG, NULL) = -1 ECHILD (No child processes)
21367 rt_sigreturn(0xffffffff) = 0
21367 rt_sigaction(SIGINT, {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, {0x432ba0, [],
SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21367 exit_group(0) = ?
21366 <... read resumed> "", 128) = 0
21366 close(10) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21366 wait4(-1, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21367
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, 0x7fbfffee84, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffff) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0

```



Page 42 of 165 ---- Generated from [OpenVZ Forum](#)

```

child_tidptr=0x2a95572470) = 21369
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigaction(SIGCHLD, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, {0x433e30, [],
SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 close(11) = 0
21366 read(10, <unfinished ...>
21369 close(255) = 0
21369 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21369 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21369 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21369 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21369 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21369 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21369 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21369 rt_sigaction(SIGCHLD, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_DFL}, 8) = 0
21369 rt_sigaction(SIGINT, {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21369 dup2(11, 1) = 1
21369 close(11) = 0
21369 close(10) = 0
21369 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21369 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21369 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21369 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21369 pipe([10, 11]) = 0
21369 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21369 clone(child_stack=0,
flags=CLONE_CHILD_CLEARARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21370
21369 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21369 close(11) = 0
21369 close(11) = -1 EBADF (Bad file descriptor)
21369 pipe([11, 12]) = 0
21369 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21369 clone(child_stack=0,
flags=CLONE_CHILD_CLEARARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21371
21369 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21369 close(10) = 0
21369 close(12) = 0
21369 close(10) = -1 EBADF (Bad file descriptor)
21369 close(12) = -1 EBADF (Bad file descriptor)
21369 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21369 clone(child_stack=0,
flags=CLONE_CHILD_CLEARARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21372
21370 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21371 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21369 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0

```

```

21369 close(11) = 0
21369 rt_sigprocmask(SIG_BLOCK, [CHLD], [CHLD], 8) = 0
21369 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21369 rt_sigprocmask(SIG_BLOCK, [CHLD], [CHLD], 8) = 0
21369 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21369 wait4(-1, <unfinished ...>
21370 <... rt_sigprocmask resumed> NULL, 8) = 0
21371 <... rt_sigprocmask resumed> NULL, 8) = 0
21372 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21370 rt_sigaction(SIGTSTP, {SIG_DFL}, <unfinished ...>
21371 rt_sigaction(SIGTSTP, {SIG_DFL}, <unfinished ...>
21370 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21371 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21372 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21370 rt_sigaction(SIGTTIN, {SIG_DFL}, <unfinished ...>
21371 rt_sigaction(SIGTTIN, {SIG_DFL}, <unfinished ...>
21370 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21371 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21372 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21370 rt_sigaction(SIGTTOU, {SIG_DFL}, <unfinished ...>
21371 rt_sigaction(SIGTTOU, {SIG_DFL}, <unfinished ...>
21370 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21371 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21372 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21370 close(10 <unfinished ...>
21371 close(11 <unfinished ...>
21370 <... close resumed> ) = 0
21371 <... close resumed> ) = 0
21372 dup2(11, 0) = 0
21370 dup2(11, 1 <unfinished ...>
21371 dup2(10, 0 <unfinished ...>
21370 <... dup2 resumed> ) = 1
21371 <... dup2 resumed> ) = 0
21372 close(11) = 0
21370 close(11 <unfinished ...>
21371 close(10 <unfinished ...>
21370 <... close resumed> ) = 0
21371 <... close resumed> ) = 0
21372 stat(".", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21371 dup2(12, 1 <unfinished ...>
21370 rt_sigaction(SIGINT, {SIG_IGN}, <unfinished ...>
21371 <... dup2 resumed> ) = 1
21372 stat("/bin/sed", <unfinished ...>
21370 <... rt_sigaction resumed> {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21372 <... stat resumed> {st_mode=S_IFREG|0755, st_size=55440, ...}) = 0
21371 close(12 <unfinished ...>
21370 rt_sigaction(SIGQUIT, {SIG_DFL}, <unfinished ...>

```

```

21371 <... close resumed> ) = 0
21372 access("/bin/sed", X_OK <unfinished ...>
21370 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21372 <... access resumed> ) = 0
21371 stat(".", <unfinished ...>
21370 rt_sigaction(SIGCHLD, {SIG_DFL}, <unfinished ...>
21371 <... stat resumed> {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21372 stat("/bin/sed", <unfinished ...>
21370 <... rt_sigaction resumed> {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21372 <... stat resumed> {st_mode=S_IFREG|0755, st_size=55440, ...}) = 0
21371 stat("/bin/awk", <unfinished ...>
21370 execve("/sbin/ip", ["/sbin/ip", "addr", "list"], [/* 7 vars */] <unfinished ...>
21371 <... stat resumed> {st_mode=S_IFREG|0755, st_size=286712, ...}) = 0
21372 access("/bin/sed", X_OK <unfinished ...>
21370 <... execve resumed> ) = 0
21371 access("/bin/awk", X_OK) = 0
21371 stat("/bin/awk", {st_mode=S_IFREG|0755, st_size=286712, ...}) = 0
21372 <... access resumed> ) = 0
21371 access("/bin/awk", X_OK <unfinished ...>
21372 rt_sigaction(SIGINT, {SIG_IGN}, <unfinished ...>
21371 <... access resumed> ) = 0
21372 <... rt_sigaction resumed> {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21371 rt_sigaction(SIGINT, {SIG_IGN}, <unfinished ...>
21372 rt_sigaction(SIGQUIT, {SIG_DFL}, <unfinished ...>
21371 <... rt_sigaction resumed> {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21372 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21371 rt_sigaction(SIGQUIT, {SIG_DFL}, <unfinished ...>
21372 rt_sigaction(SIGCHLD, {SIG_DFL}, <unfinished ...>
21370 uname( <unfinished ...>
21371 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21372 <... rt_sigaction resumed> {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21370 <... uname resumed> {sys="Linux", node="andromeda", ...}) = 0
21371 rt_sigaction(SIGCHLD, {SIG_DFL}, <unfinished ...>
21370 brk(0 <unfinished ...>
21372 execve("/bin/sed", ["sed", "s:$/"], [/* 7 vars */] <unfinished ...>
21371 <... rt_sigaction resumed> {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21370 <... brk resumed> ) = 0x620000
21372 <... execve resumed> ) = 0
21371 execve("/bin/awk", ["awk", "\n\t/^[0-9]+/ {\n\t\tdev=\"\";\n\t}\n\t/^[0"...], [/* 7 vars */]
<unfinished ...>
21370 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21372 uname( <unfinished ...>
21370 <... mmap resumed> ) = 0x2a95556000
21371 <... execve resumed> ) = 0
21372 <... uname resumed> {sys="Linux", node="andromeda", ...}) = 0
21370 access("/etc/ld.so.preload", R_OK <unfinished ...>
21371 uname( <unfinished ...>

```

```

21372 brk(0 <unfinished ...>
21370 <... access resumed> )          = -1 ENOENT (No such file or directory)
21371 <... uname resumed> {sys="Linux", node="andromeda", ...} = 0
21372 <... brk resumed> )              = 0x516000
21370 open("/etc/ld.so.cache", O_RDONLY <unfinished ...>
21372 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21371 brk(0 <unfinished ...>
21370 <... open resumed> )              = 10
21372 <... mmap resumed> )              = 0x2a95556000
21371 <... brk resumed> )              = 0x645000
21370 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21372 access("/etc/ld.so.preload", R_OK <unfinished ...>
21371 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21372 <... access resumed> )            = -1 ENOENT (No such file or directory)
21371 <... mmap resumed> )              = 0x2a95556000
21370 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21372 open("/etc/ld.so.cache", O_RDONLY <unfinished ...>
21371 access("/etc/ld.so.preload", R_OK <unfinished ...>
21372 <... open resumed> )              = 10
21371 <... access resumed> )            = -1 ENOENT (No such file or directory)
21370 close(10)                          = 0
21372 fstat(10, <unfinished ...>
21371 open("/etc/ld.so.cache", O_RDONLY <unfinished ...>
21372 <... fstat resumed> {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21371 <... open resumed> )              = 10
21370 open("/lib64/libresolv.so.2", O_RDONLY) = 10
21372 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0 <unfinished ...>
21371 fstat(10, <unfinished ...>
21372 <... mmap resumed> )              = 0x2a95557000
21371 <... fstat resumed> {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21370 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\2406\200"..., 832) = 832
21372 close(10 <unfinished ...>
21371 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0 <unfinished ...>
21372 <... close resumed> )              = 0
21371 <... mmap resumed> )              = 0x2a95557000
21370 fstat(10, {st_mode=S_IFREG|0755, st_size=91412, ...}) = 0
21372 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21371 close(10 <unfinished ...>
21372 <... open resumed> )              = 10
21370 mmap(0x3d9e800000, 1133256, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21371 <... close resumed> )              = 0
21370 <... mmap resumed> )              = 0x3d9e800000
21372 read(10, <unfinished ...>
21370 mprotect(0x3d9e811000, 1063624, PROT_NONE <unfinished ...>
21371 open("/lib64/libdl.so.2", O_RDONLY <unfinished ...>

```

```

21372 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21370 <... mprotect resumed> ) = 0
21371 <... open resumed> ) = 10
21372 fstat(10, <unfinished ...>
21370 mmap(0x3d9e911000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x11000 <unfinished ...>
21371 read(10, <unfinished ...>
21372 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21370 <... mmap resumed> ) = 0x3d9e911000
21371 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\200\17\200"..., 832) =
832
21372 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21370 mmap(0x3d9e913000, 6856, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21371 fstat(10, <unfinished ...>
21372 <... mmap resumed> ) = 0x3d9d500000
21370 <... mmap resumed> ) = 0x3d9e913000
21371 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=17943, ...}) = 0
21372 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21370 close(10 <unfinished ...>
21371 mmap(0x3d9d800000, 1056968, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21372 <... mprotect resumed> ) = 0
21370 <... close resumed> ) = 0
21371 <... mmap resumed> ) = 0x3d9d800000
21372 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>
21370 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21371 mprotect(0x3d9d802000, 1048776, PROT_NONE <unfinished ...>
21372 <... mmap resumed> ) = 0x3d9d72b000
21370 <... open resumed> ) = 10
21371 <... mprotect resumed> ) = 0
21370 read(10, <unfinished ...>
21372 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21371 mmap(0x3d9d901000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x1000 <unfinished ...>
21370 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21372 <... mmap resumed> ) = 0x3d9d730000
21371 <... mmap resumed> ) = 0x3d9d901000
21370 fstat(10, <unfinished ...>
21372 close(10 <unfinished ...>
21371 close(10 <unfinished ...>
21370 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21372 <... close resumed> ) = 0
21371 <... close resumed> ) = 0
21370 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,

```

```

MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21372 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21371 open("/lib64/tls/libm.so.6", O_RDONLY <unfinished ...>
21370 <... mmap resumed> )          = 0x3d9d500000
21372 <... mmap resumed> )          = 0x2a95571000
21371 <... open resumed> )          = 10
21370 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21372 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21371 read(10, <unfinished ...>
21370 <... mprotect resumed> )      = 0
21372 <... mmap resumed> )          = 0x2a95572000
21371 <... read resumed> "177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\360=\240"..., 832) = 832
21370 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>
21372 mprotect(0x3d9d72b000, 8192, PROT_READ <unfinished ...>
21371 fstat(10, <unfinished ...>
21370 <... mmap resumed> )          = 0x3d9d72b000
21372 <... mprotect resumed> )      = 0
21371 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=613297, ...} = 0
21370 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21372 arch_prctl(ARCH_SET_FS, 0x2a95571b00 <unfinished ...>
21371 mmap(0x3d9da00000, 1593800, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21370 <... mmap resumed> )          = 0x3d9d730000
21372 <... arch_prctl resumed> )    = 0
21371 <... mmap resumed> )          = 0x3d9da00000
21370 close(10 <unfinished ...>
21372 munmap(0x2a9557000, 103387 <unfinished ...>
21371 mprotect(0x3d9da85000, 1049032, PROT_NONE <unfinished ...>
21370 <... close resumed> )          = 0
21372 <... munmap resumed> )          = 0
21371 <... mprotect resumed> )        = 0
21370 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21370 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21370 mprotect(0x3d9d72b000, 8192, PROT_READ <unfinished ...>
21372 brk(0 <unfinished ...>
21371 mmap(0x3d9db84000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x84000 <unfinished ...>
21370 <... mprotect resumed> )        = 0
21372 <... brk resumed> )            = 0x516000
21371 <... mmap resumed> )            = 0x3d9db84000
21370 arch_prctl(ARCH_SET_FS, 0x2a95571e00 <unfinished ...>
21372 brk(0x537000 <unfinished ...>

```

```

21371 close(10 <unfinished ...>
21370 <... arch_prctl resumed> )      = 0
21372 <... brk resumed> )              = 0x537000
21371 <... close resumed> )            = 0
21370 munmap(0x2a95557000, 103387)    = 0
21370 socket(PF_NETLINK, SOCK_RAW, 0 <unfinished ...>
21372 fstat(0, <unfinished ...>
21371 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21370 <... socket resumed> )            = 10
21372 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21371 <... open resumed> )              = 10
21370 setsockopt(10, SOL_SOCKET, SO_SNDBUF, [32768], 4 <unfinished ...>
21372 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21371 read(10, <unfinished ...>
21370 <... setsockopt resumed> )        = 0
21372 <... mmap resumed> )              = 0x2a95557000
21371 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21370 setsockopt(10, SOL_SOCKET, SO_RCVBUF, [32768], 4 <unfinished ...>
21372 read(0, <unfinished ...>
21371 fstat(10, <unfinished ...>
21370 <... setsockopt resumed> )        = 0
21371 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21370 bind(10, {sa_family=AF_NETLINK, pid=0, groups=00000000}, 12 <unfinished ...>
21371 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21370 <... bind resumed> )              = 0
21371 <... mmap resumed> )              = 0x2a95571000
21370 getsockname(10, <unfinished ...>
21371 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21370 <... getsockname resumed> {sa_family=AF_NETLINK, pid=21370, groups=00000000},
[140737488355340]) = 0
21371 <... mmap resumed> )              = 0x3d9d500000
21370 sendto(10, "\24\0\0\0\22\0\1\3(\30\200E\0\0\0\0\200\0\0", 20, 0,
{sa_family=AF_NETLINK, pid=0, groups=00000000}, 12 <unfinished ...>
21371 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21370 <... sendto resumed> )            = 20
21371 <... mprotect resumed> )          = 0
21370 recvmsg(10, <unfinished ...>
21371 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>
21370 <... recvmsg resumed> {msg_name(12)={sa_family=AF_NETLINK, pid=0,
groups=00000000}, msg_iov(1)=[{"\350\0\0\0\20\0\2\0(\30\200EzS\0\0\0\0\4\3\2\0\0\0\0\0"...,
16384}], msg_controllen=0, msg_flags=0}, 0) = 684
21371 <... mmap resumed> )              = 0x3d9d72b000
21370 brk(0 <unfinished ...>
21371 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,

```

```

MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21370 <... brk resumed> ) = 0x620000
21371 <... mmap resumed> ) = 0x3d9d730000
21370 brk(0x641000 <unfinished ...>
21371 close(10 <unfinished ...>
21370 <... brk resumed> ) = 0x641000
21371 <... close resumed> ) = 0
21370 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\24\0\0\0\3\0\2\0\30\200EzS\0\0\0\0\0\2\0\0\0\0\0\0"..., 16384}],
msg_controllen=0, msg_flags=0}, 0) = 20
21371 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21370 sendto(10, "\24\0\0\0\26\0\1\3\30\200E\0\0\0\0\0\0\0", 20, 0, {sa_family=AF_NETLINK,
pid=0, groups=00000000}, 12) = 20
21370 recvmsg(10, <unfinished ...>
21371 mprotect(0x3d9d72b000, 8192, PROT_READ <unfinished ...>
21370 <... recvmsg resumed> {msg_name(12)={sa_family=AF_NETLINK, pid=0,
groups=00000000}, msg_iov(1)=[{"D\0\0\0\24\0\2\0\30\200EzS\0\0\2\10\200\376\2\0\0\0\10"...,
16384}], msg_controllen=0, msg_flags=0}, 0) = 136
21371 <... mprotect resumed> ) = 0
21370 recvmsg(10, <unfinished ...>
21371 arch_prctl(ARCH_SET_FS, 0x2a95572400 <unfinished ...>
21370 <... recvmsg resumed> {msg_name(12)={sa_family=AF_NETLINK, pid=0,
groups=00000000}, msg_iov(1)=[{"\24\0\0\0\3\0\2\0\30\200EzS\0\0\0\0\0\2\0\0\0\10\0\1"...,
16384}], msg_controllen=0, msg_flags=0}, 0) = 20
21371 <... arch_prctl resumed> ) = 0
21370 fstat(1, <unfinished ...>
21371 munmap(0x2a95557000, 103387 <unfinished ...>
21370 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21371 <... munmap resumed> ) = 0
21370 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21370 socket(PF_INET, SOCK_STREAM, IPPROTO_IP) = 11
21370 ioctl(11, SIOCGIFTXQLEN, 0x7fbfffebb0) = 0
21370 close(11 <unfinished ...>
21371 brk(0 <unfinished ...>
21370 <... close resumed> ) = 0
21371 <... brk resumed> ) = 0x645000
21370 write(1, "2: lo: <LOOPBACK,UP> mtu 16436 q"..., 104 <unfinished ...>
21371 brk(0x666000 <unfinished ...>
21370 <... write resumed> ) = 104
21371 <... brk resumed> ) = 0x666000
21370 open("/etc/iproute2/rt_scopes", O_RDONLY <unfinished ...>
21371 rt_sigaction(SIGFPE, {0x41e430, [FPE], SA_RESTORER|SA_RESTART, 0x3d9d52e2b0},
<unfinished ...>
21370 <... open resumed> ) = 11
21371 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21370 fstat(11, <unfinished ...>

```

```

21371 rt_sigaction(SIGSEGV, {0x41e430, [SEGV], SA_RESTORER|SA_RESTART,
0x3d9d52e2b0}, <unfinished ...>
21370 <... fstat resumed> {st_mode=S_IFREG|0644, st_size=98, ...}) = 0
21371 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21370 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21371 rt_sigaction(SIGBUS, {0x41e430, [BUS], SA_RESTORER|SA_RESTART, 0x3d9d52e2b0},
<unfinished ...>
21370 <... mmap resumed> ) = 0x2a95558000
21371 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21370 read(11, <unfinished ...>
21371 fstat(0, <unfinished ...>
21370 <... read resumed> "#\n# reserved values\n#\n#0\tglobal\n"..., 4096) = 98
21371 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21370 read(11, <unfinished ...>
21371 fstat(1, <unfinished ...>
21370 <... read resumed> "", 4096) = 0
21371 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21370 close(11 <unfinished ...>
21371 fstat(2, <unfinished ...>
21370 <... close resumed> ) = 0
21371 <... fstat resumed> {st_mode=S_IFCHR|0620, st_rdev=makedev(136, 0), ...}) = 0
21370 munmap(0x2a95558000, 4096 <unfinished ...>
21371 getgroups(0, <unfinished ...>
21370 <... munmap resumed> ) = 0
21371 <... getgroups resumed> NULL) = 7
21370 write(1, " inet 127.0.0.1/8 brd 127.255"..., 55 <unfinished ...>
21371 getgroups(7, <unfinished ...>
21370 <... write resumed> ) = 55
21371 <... getgroups resumed> [0, 1, 2, 3, 4, 6, 10]) = 7
21370 socket(PF_INET, SOCK_STREAM, IPPROTO_IP <unfinished ...>
21371 ioctl(1, SNDCTL_TMR_TIMEBASE or TCGETS <unfinished ...>
21370 <... socket resumed> ) = 11
21371 <... ioctl resumed> , 0x7fbffffb20) = -1 EINVAL (Invalid argument)
21370 ioctl(11, SIOCGIFTXQLEN, 0x7fbffffbb0) = 0
21370 close(11) = 0
21370 write(1, "4: eth1: <BROADCAST,MULTICAST,UP"..., 125) = 125
21370 write(1, " inet 10.0.0.98/24 brd 10.0.0"..., 55) = 55
21370 socket(PF_INET, SOCK_STREAM, IPPROTO_IP) = 11
21370 ioctl(11, SIOCGIFTXQLEN <unfinished ...>
21371 fstat(0, <unfinished ...>
21370 <... ioctl resumed> , 0x7fbffffbb0) = 0
21371 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21370 close(11 <unfinished ...>
21371 ioctl(0, SNDCTL_TMR_TIMEBASE or TCGETS <unfinished ...>
21370 <... close resumed> ) = 0
21371 <... ioctl resumed> , 0x7fbffffa20) = -1 EINVAL (Invalid argument)
21370 write(1, "1: venet0: <BROADCAST,POINTOPOIN"..., 83 <unfinished ...>

```

```

21371 fstat(0, <unfinished ...>
21370 <... write resumed> ) = 83
21371 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...} = 0
21370 exit_group(0) = ?
21371 read(0, <unfinished ...>
21369 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21370
21371 <... read resumed> "2: lo: <LOOPBACK,UP> mtu 16436 q"... , 4096) = 422
21369 wait4(-1, <unfinished ...>
21371 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21371 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21371 read(0, "", 4096) = 0
21371 write(1, "eth1:\n", 6 <unfinished ...>
21372 <... read resumed> "eth1:\n", 4096) = 6
21371 <... write resumed> ) = 6
21372 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21372 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95558000
21372 read(0, <unfinished ...>
21371 exit_group(0) = ?
21372 <... read resumed> "", 4096) = 0
21369 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21371
21372 write(1, "eth1\n", 5) = 5
21372 close(1) = 0
21372 munmap(0x2a95558000, 4096) = 0
21372 close(2) = 0
21372 exit_group(0) = ?
21369 wait4(-1, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21372
21369 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21369 rt_sigaction(SIGINT, {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, {0x432ba0, [],
SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21369 close(11) = -1 EBADF (Bad file descriptor)
21366 <... read resumed> "eth1\n", 128) = 5
21369 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21366 read(10, <unfinished ...>
21369 <... rt_sigprocmask resumed> NULL, 8) = 0
21369 --- SIGCHLD (Child exited) @ 0 (0) ---
21369 wait4(-1, 0x7fbfffee94, WNOHANG, NULL) = -1 ECHILD (No child processes)
21369 rt_sigreturn(0xffffffffffff) = 0
21369 exit_group(0) = ?
21366 <... read resumed> "", 128) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], WNOHANG, NULL) = 21369
21366 wait4(-1, 0x7fbffff164, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffffffff) = 0
21366 close(10) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0

```

```

21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 read(255, "\nvzarpipdetect \"$IP_ADDR\"\nfor IP"..., 1741) = 393
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 stat(".", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21366 stat("/bin/arp send", 0x7fbfffebf0) = -1 ENOENT (No such file or directory)
21366 stat("/sbin/arp send", 0x7fbfffebf0) = -1 ENOENT (No such file or directory)
21366 stat("/usr/bin/arp send", 0x7fbfffebf0) = -1 ENOENT (No such file or directory)
21366 stat("/usr/sbin/arp send", {st_mode=S_IFREG|0755, st_size=23363, ...}) = 0
21366 access("/usr/sbin/arp send", X_OK) = 0
21366 stat("/usr/sbin/arp send", {st_mode=S_IFREG|0755, st_size=23363, ...}) = 0
21366 access("/usr/sbin/arp send", X_OK) = 0
21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [INT CHLD], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [INT CHLD], NULL, 8) = 0
21366 lseek(255, -367, SEEK_CUR) = 1374
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEAR_TID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21373
21373 close(255 <unfinished ...>)
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], <unfinished ...>)
21373 <... close resumed> ) = 0
21366 <... rt_sigprocmask resumed> [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21366 wait4(-1, <unfinished ...>)
21373 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21373 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21373 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21373 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21373 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21373 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21373 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21373 execve("/usr/sbin/arp send", ["arp send", "-c", "1", "-w", "1", "-D", "-e", "10.0.0.101", "eth1"],
[/ 7 vars /]) = 0
21373 uname({sys="Linux", node="andromeda", ...}) = 0
21373 brk(0) = 0x507000
21373 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21373 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)

```

```

21373 open("/usr/lib/vzctl/lib/tls/x86_64/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or
directory)
21373 stat("/usr/lib/vzctl/lib/tls/x86_64", 0x7fbffff200) = -1 ENOENT (No such file or directory)
21373 open("/usr/lib/vzctl/lib/tls/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
21373 stat("/usr/lib/vzctl/lib/tls", 0x7fbffff200) = -1 ENOENT (No such file or directory)
21373 open("/usr/lib/vzctl/lib/x86_64/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or
directory)
21373 stat("/usr/lib/vzctl/lib/x86_64", 0x7fbffff200) = -1 ENOENT (No such file or directory)
21373 open("/usr/lib/vzctl/lib/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
21373 stat("/usr/lib/vzctl/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21373 open("/etc/ld.so.cache", O_RDONLY) = 10
21373 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21373 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21373 close(10) = 0
21373 open("/lib64/tls/libc.so.6", O_RDONLY) = 10
21373 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"... , 832) = 832
21373 fstat(10, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21373 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d500000
21373 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21373 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000) = 0x3d9d72b000
21373 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21373 close(10) = 0
21373 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21373 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21373 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21373 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21373 munmap(0x2a95557000, 103387) = 0
21373 socket(PF_PACKET, SOCK_RAW, 1544) = 10
21373 ioctl(10, SIOCGIFINDEX, {ifr_name="eth1", ifr_index=4}) = 0
21373 ioctl(10, SIOCGIFFLAGS, {ifr_name="eth1",
ifr_flags=IFF_UP|IFF_BROADCAST|IFF_RUNNING|IFF_MULTICAST}) = 0
21373 ioctl(10, SIOCGIFHWADDR, {ifr_name="eth1", ifr_hwaddr=00:30:18:b0:33:e5}) = 0
21373 ioctl(10, SIOCGIFADDR, {ifr_name="eth1", ifr_addr={AF_INET, inet_addr("10.0.0.98")}}) =
0
21373 rt_sigaction(SIGALRM, {0x401310, [], SA_RESTORER|SA_RESTART, 0x3d9d52e2b0},
NULL, 8) = 0
21373 sendto(10, "\377\377\377\377\377\377\0000\30\2603\345\10\6\0\1\10\0"... , 60, 0,
{sa_family=AF_PACKET, proto=0x806, if4, pkttype=PACKET_HOST, addr(6)={0,
003018b033e5}, 20) = 60
21373 alarm(1) = 0
21373 recvfrom(10, "\377\377\377\377\377\377\0\23F\223Q5\10\6\0\1\10\0\6\4"... , 4096, 0,
{sa_family=AF_PACKET, proto=0x806, if4, pkttype=PACKET_BROADCAST, addr(6)={1,
001346935135}, [20]) = 60

```

```

21373 rt_sigprocmask(SIG_BLOCK, [ALRM], NULL, 8) = 0
21373 rt_sigprocmask(SIG_UNBLOCK, [ALRM], NULL, 8) = 0
21373 recvfrom(10, 0x7fbffec20, 4096, 0, 0x7fbffec00, 0x7fbffebfc) = ? ERESTARTSYS (To be
restarted)
21373 --- SIGALRM (Alarm clock) @ 0 (0) ---
21373 exit_group(0) = ?
21366 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21373
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, 0x7fbffedd4, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffff) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 read(255, "for IP in $IP_ADDR; do\n\tvzaddrou"..., 1741) = 367
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 pipe([10, 11]) = 0
21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21366 lseek(255, -306, SEEK_CUR) = 1435
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21374
21374 close(255 <unfinished ...>)
21366 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21366 close(11) = 0
21366 close(11) = -1 EBADF (Bad file descriptor)
21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21375
21374 <... close resumed> ) = 0
21375 close(255 <unfinished ...>)
21366 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21366 close(10) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [CHLD], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [CHLD], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21366 wait4(-1, <unfinished ...>)
21375 <... close resumed> ) = 0
21374 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21375 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21374 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21375 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21374 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21375 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0

```

```

21374 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21375 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21374 close(10) = 0
21375 dup2(10, 0) = 0
21374 dup2(11, 1) = 1
21375 close(10) = 0
21374 close(11) = 0
21375 stat(".", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21374 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21375 stat("/bin/grep", {st_mode=S_IFREG|0755, st_size=89088, ...}) = 0
21374 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21375 access("/bin/grep", X_OK) = 0
21374 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21375 stat("/bin/grep", {st_mode=S_IFREG|0755, st_size=89088, ...}) = 0
21374 execve("/sbin/ip", ["/sbin/ip", "route", "list", "table", "all", "10.0.0.101"], [/* 7 vars */]
<unfinished ...>
21375 access("/bin/grep", X_OK <unfinished ...>
21374 <... execve resumed> ) = 0
21375 <... access resumed> ) = 0
21375 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21374 uname({sys="Linux", node="andromeda", ...}) = 0
21375 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21374 brk(0) = 0x620000
21375 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21374 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21375 open("/dev/null", O_WRONLY|O_CREAT|O_TRUNC, 0666) = 10
21374 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21375 dup2(10, 1) = 1
21374 open("/etc/ld.so.cache", O_RDONLY) = 10
21375 close(10) = 0
21374 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21375 dup2(1, 2) = 2
21374 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21375 fcntl(1, F_GETFD) = 0
21374 close(10) = 0
21375 execve("/bin/grep", ["grep", "10.0.0.101 dev venet0"], [/* 7 vars */]) = 0
21374 open("/lib64/libresolv.so.2", O_RDONLY) = 10
21374 read(10, <unfinished ...>
21375 uname( <unfinished ...>
21374 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\2406\200"..., 832) = 832
21375 <... uname resumed> {sys="Linux", node="andromeda", ...}) = 0
21374 fstat(10, <unfinished ...>
21375 brk(0 <unfinished ...>
21374 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=91412, ...}) = 0
21375 <... brk resumed> ) = 0x615000
21374 mmap(0x3d9e800000, 1133256, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>

```

```

21375 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21374 <... mmap resumed> )          = 0x3d9e800000
21375 <... mmap resumed> )          = 0x2a95556000
21374 mprotect(0x3d9e811000, 1063624, PROT_NONE <unfinished ...>
21375 access("/etc/ld.so.preload", R_OK <unfinished ...>
21374 <... mprotect resumed> )       = 0
21375 <... access resumed> )         = -1 ENOENT (No such file or directory)
21374 mmap(0x3d9e911000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x11000 <unfinished ...>
21375 open("/etc/ld.so.cache", O_RDONLY <unfinished ...>
21374 <... mmap resumed> )           = 0x3d9e911000
21375 <... open resumed> )           = 10
21374 mmap(0x3d9e913000, 6856, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21375 fstat(10, <unfinished ...>
21374 <... mmap resumed> )           = 0x3d9e913000
21375 <... fstat resumed> {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21374 close(10 <unfinished ...>
21375 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0 <unfinished ...>
21374 <... close resumed> )           = 0
21375 <... mmap resumed> )           = 0x2a95557000
21374 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21375 close(10 <unfinished ...>
21374 <... open resumed> )             = 10
21375 <... close resumed> )           = 0
21374 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21375 open("/lib64/libpcr.so.0", O_RDONLY <unfinished ...>
21374 fstat(10, <unfinished ...>
21375 <... open resumed> )             = 10
21374 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21375 read(10, <unfinished ...>
21374 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21375 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\300\017"..., 832) = 832
21374 <... mmap resumed> )           = 0x3d9d500000
21375 fstat(10, <unfinished ...>
21374 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21375 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=63432, ...}) = 0
21374 <... mprotect resumed> )       = 0
21375 mmap(0x3da5300000, 1107856, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21374 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>
21375 <... mmap resumed> )           = 0x3da5300000
21374 <... mmap resumed> )           = 0x3d9d72b000
21375 mprotect(0x3da530e000, 1050512, PROT_NONE <unfinished ...>
21374 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,

```

```

MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21375 <... mprotect resumed> ) = 0
21374 <... mmap resumed> ) = 0x3d9d730000
21375 mmap(0x3da540e000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0xe000 <unfinished ...>
21374 close(10 <unfinished ...>
21375 <... mmap resumed> ) = 0x3da540e000
21374 <... close resumed> ) = 0
21375 close(10 <unfinished ...>
21374 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21375 <... close resumed> ) = 0
21374 <... mmap resumed> ) = 0x2a95571000
21375 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21374 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21375 <... open resumed> ) = 10
21374 <... mmap resumed> ) = 0x2a95572000
21375 read(10, <unfinished ...>
21374 mprotect(0x3d9d72b000, 8192, PROT_READ <unfinished ...>
21375 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21374 <... mprotect resumed> ) = 0
21375 fstat(10, <unfinished ...>
21374 arch_prctl(ARCH_SET_FS, 0x2a95571e00 <unfinished ...>
21375 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21374 <... arch_prctl resumed> ) = 0
21374 munmap(0x2a95557000, 103387 <unfinished ...>
21375 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21374 <... munmap resumed> ) = 0
21375 <... mmap resumed> ) = 0x3d9d500000
21374 brk(0 <unfinished ...>
21375 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21374 <... brk resumed> ) = 0x620000
21375 <... mprotect resumed> ) = 0
21374 brk(0x641000 <unfinished ...>
21375 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>
21374 <... brk resumed> ) = 0x641000
21375 <... mmap resumed> ) = 0x3d9d72b000
21374 open("/etc/iproute2/rt_tables", O_RDONLY <unfinished ...>
21375 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21374 <... open resumed> ) = 10
21375 <... mmap resumed> ) = 0x3d9d730000
21374 fstat(10, <unfinished ...>
21375 close(10 <unfinished ...>
21374 <... fstat resumed> {st_mode=S_IFREG|0644, st_size=91, ...}) = 0

```

```

21375 <... close resumed> ) = 0
21374 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21375 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21374 <... mmap resumed> ) = 0x2a95557000
21375 <... mmap resumed> ) = 0x2a95571000
21374 read(10, <unfinished ...>
21375 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21374 <... read resumed> "#\n# reserved values\n#\n#255\tlocal"..., 4096) = 91
21375 <... mmap resumed> ) = 0x2a95572000
21374 read(10, "", 4096) = 0
21375 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21374 close(10) = 0
21375 arch_prctl(ARCH_SET_FS, 0x2a95571de0) = 0
21374 munmap(0x2a95557000, 4096) = 0
21375 munmap(0x2a95557000, 103387) = 0
21374 socket(PF_NETLINK, SOCK_RAW, 0) = 10
21374 setsockopt(10, SOL_SOCKET, SO_SNDBUF, [32768], 4) = 0
21374 setsockopt(10, SOL_SOCKET, SO_RCVBUF, [32768], 4) = 0
21374 bind(10, {sa_family=AF_NETLINK, pid=0, groups=00000000}, 12) = 0
21374 getsockname(10, <unfinished ...>
21375 brk(0 <unfinished ...>
21374 <... getsockname resumed> {sa_family=AF_NETLINK, pid=21374, groups=00000000},
[140737488355340]) = 0
21375 <... brk resumed> ) = 0x615000
21374 sendto(10, "\24\0\0\0\22\0\1\3)\30\200E\0\0\0\0\0\0\0", 20, 0, {sa_family=AF_NETLINK,
pid=0, groups=00000000}, 12 <unfinished ...>
21375 brk(0x636000 <unfinished ...>
21374 <... sendto resumed> ) = 20
21375 <... brk resumed> ) = 0x636000
21374 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\350\0\0\0\20\0\2\0)\30\200E~S\0\0\0\0\4\3\2\0\0\0\0\0"..., 16384}],
msg_controllen=0, msg_flags=0}, 0) = 684
21374 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\24\0\0\0\3\0\2\0)\30\200E~S\0\0\0\0\0\2\0\0\0\0\0\0"..., 16384}],
msg_controllen=0, msg_flags=0}, 0) = 20
21374 sendto(10, "\24\0\0\0\32\0\1\3*\30\200E\0\0\0\0\0\0\0", 20, 0, {sa_family=AF_NETLINK,
pid=0, groups=00000000}, 12 <unfinished ...>
21375 fstat(0, <unfinished ...>
21374 <... sendto resumed> ) = 20
21375 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21374 recvmsg(10, <unfinished ...>
21375 read(0, <unfinished ...>
21374 <... recvmsg resumed> {msg_name(12)={sa_family=AF_NETLINK, pid=0,
groups=00000000}, msg_iov(1)=[{"\4\0\0\0\30\0\0\0*\30\200E~S\0\0\2\30\0\0\376\2\375\1\0"...,
16384}], msg_controllen=0, msg_flags=0}, 0) = 504

```

```

21374 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"24\0\0\0\3\0\2\0*\30\200E~S\0\0\0\0\0\0\376\2\375\1\0"..., 16384}],
msg_controllen=0, msg_flags=0}, 0) = 20
21374 exit_group(0) = ?
21375 <... read resumed> "", 32768) = 0
21366 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21374
21375 close(1 <unfinished ...>
21366 wait4(-1, <unfinished ...>
21375 <... close resumed> ) = 0
21375 exit_group(1) = ?
21366 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 1}], 0, NULL) = 21375
21366 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 close(10) = -1 EBADF (Bad file descriptor)
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, 0x7fbfffeec4, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffffffff) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 pipe([10, 11]) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21376
21376 close(255 <unfinished ...>
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigaction(SIGCHLD, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, {0x433e30, [],
SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 close(11) = 0
21366 read(10, <unfinished ...>
21376 <... close resumed> ) = 0
21376 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21376 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21376 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21376 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21376 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21376 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21376 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21376 rt_sigaction(SIGCHLD, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_DFL}, 8) = 0
21376 rt_sigaction(SIGINT, {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21376 dup2(11, 1) = 1
21376 close(11) = 0

```

```

21376 close(10)                = 0
21376 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21376 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21376 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21376 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21376 pipe([10, 11])           = 0
21376 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21376 clone(child_stack=0,
flags=CLONE_CHILD_CLEARARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21377
21377 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21376 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21376 close(11)                = 0
21376 close(11)                = -1 EBADF (Bad file descriptor)
21376 pipe([11, 12])           = 0
21376 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21376 clone(child_stack=0,
flags=CLONE_CHILD_CLEARARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21378
21376 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21376 close(10)                = 0
21376 close(12)                = 0
21376 close(10)                = -1 EBADF (Bad file descriptor)
21376 close(12)                = -1 EBADF (Bad file descriptor)
21376 pipe([10, 12])           = 0
21376 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21376 clone(child_stack=0,
flags=CLONE_CHILD_CLEARARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21379
21377 <... rt_sigprocmask resumed> NULL, 8) = 0
21378 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21376 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21376 close(11)                = 0
21376 close(12)                = 0
21376 close(11)                = -1 EBADF (Bad file descriptor)
21376 close(12)                = -1 EBADF (Bad file descriptor)
21376 pipe([11, 12])           = 0
21376 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21376 clone(child_stack=0,
flags=CLONE_CHILD_CLEARARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21380
21379 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21378 <... rt_sigprocmask resumed> NULL, 8) = 0
21376 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21376 close(10)                = 0
21376 close(12)                = 0
21376 close(10)                = -1 EBADF (Bad file descriptor)
21376 close(12)                = -1 EBADF (Bad file descriptor)

```

```

21376 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [CHLD], 8) = 0
21376 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21381
21380 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21379 <... rt_sigprocmask resumed> NULL, 8) = 0
21377 rt_sigaction(SIGTSTP, {SIG_DFL}, <unfinished ...>
21376 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21376 close(11) = 0
21376 rt_sigprocmask(SIG_BLOCK, [CHLD], [CHLD], 8) = 0
21376 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21376 rt_sigprocmask(SIG_BLOCK, [CHLD], [CHLD], 8) = 0
21376 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {0x443fc0, [],
SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21376 wait4(-1, <unfinished ...>
21381 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21380 <... rt_sigprocmask resumed> NULL, 8) = 0
21377 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21378 rt_sigaction(SIGTSTP, {SIG_DFL}, <unfinished ...>
21381 <... rt_sigprocmask resumed> NULL, 8) = 0
21379 rt_sigaction(SIGTSTP, {SIG_DFL}, <unfinished ...>
21378 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21380 rt_sigaction(SIGTSTP, {SIG_DFL}, <unfinished ...>
21379 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21377 rt_sigaction(SIGTTIN, {SIG_DFL}, <unfinished ...>
21381 rt_sigaction(SIGTSTP, {SIG_DFL}, <unfinished ...>
21380 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21377 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21378 rt_sigaction(SIGTTIN, {SIG_DFL}, <unfinished ...>
21381 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21379 rt_sigaction(SIGTTIN, {SIG_DFL}, <unfinished ...>
21378 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21380 rt_sigaction(SIGTTIN, {SIG_DFL}, <unfinished ...>
21379 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21377 rt_sigaction(SIGTTOU, {SIG_DFL}, <unfinished ...>
21381 rt_sigaction(SIGTTIN, {SIG_DFL}, <unfinished ...>
21380 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21377 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21378 rt_sigaction(SIGTTOU, {SIG_DFL}, <unfinished ...>
21381 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21379 rt_sigaction(SIGTTOU, {SIG_DFL}, <unfinished ...>
21378 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21380 rt_sigaction(SIGTTOU, {SIG_DFL}, <unfinished ...>
21379 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21377 close(10 <unfinished ...>
21381 rt_sigaction(SIGTTOU, {SIG_DFL}, <unfinished ...>
21380 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21377 <... close resumed> ) = 0

```

```

21378 close(11 <unfinished ...>
21381 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21379 close(10 <unfinished ...>
21378 <... close resumed> )          = 0
21380 close(11 <unfinished ...>
21379 <... close resumed> )          = 0
21377 dup2(11, 1 <unfinished ...>
21381 dup2(11, 0 <unfinished ...>
21380 <... close resumed> )          = 0
21377 <... dup2 resumed> )           = 1
21378 dup2(10, 0 <unfinished ...>
21381 <... dup2 resumed> )           = 0
21379 dup2(11, 0 <unfinished ...>
21378 <... dup2 resumed> )           = 0
21380 dup2(10, 0 <unfinished ...>
21379 <... dup2 resumed> )           = 0
21377 close(11 <unfinished ...>
21381 close(11 <unfinished ...>
21380 <... dup2 resumed> )           = 0
21377 <... close resumed> )           = 0
21378 close(10 <unfinished ...>
21381 <... close resumed> )           = 0
21379 close(11 <unfinished ...>
21378 <... close resumed> )           = 0
21380 close(10 <unfinished ...>
21379 <... close resumed> )           = 0
21377 stat(".", <unfinished ...>
21381 stat(".", <unfinished ...>
21380 <... close resumed> )           = 0
21377 <... stat resumed> {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21378 dup2(12, 1 <unfinished ...>
21381 <... stat resumed> {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21379 dup2(12, 1 <unfinished ...>
21378 <... dup2 resumed> )           = 1
21380 dup2(12, 1 <unfinished ...>
21379 <... dup2 resumed> )           = 1
21377 stat("/bin/ip", <unfinished ...>
21381 stat("/bin/head", <unfinished ...>
21380 <... dup2 resumed> )           = 1
21377 <... stat resumed> 0x7fbffdfc0) = -1 ENOENT (No such file or directory)
21378 close(12 <unfinished ...>
21381 <... stat resumed> 0x7fbffdfc0) = -1 ENOENT (No such file or directory)
21379 close(12 <unfinished ...>
21378 <... close resumed> )           = 0
21380 close(12 <unfinished ...>
21379 <... close resumed> )           = 0
21377 stat("/sbin/ip", <unfinished ...>
21381 stat("/sbin/head", <unfinished ...>

```

```

21380 <... close resumed> ) = 0
21377 <... stat resumed> {st_mode=S_IFREG|0755, st_size=134144, ...} = 0
21378 stat(".", <unfinished ...>
21381 <... stat resumed> 0x7fbffdfc0) = -1 ENOENT (No such file or directory)
21378 <... stat resumed> {st_mode=S_IFDIR|0755, st_size=4096, ...} = 0
21380 stat(".", <unfinished ...>
21379 stat(".", <unfinished ...>
21377 access("/sbin/ip", X_OK <unfinished ...>
21381 stat("/usr/bin/head", <unfinished ...>
21380 <... stat resumed> {st_mode=S_IFDIR|0755, st_size=4096, ...} = 0
21379 <... stat resumed> {st_mode=S_IFDIR|0755, st_size=4096, ...} = 0
21377 <... access resumed> ) = 0
21378 stat("/bin/grep", <unfinished ...>
21381 <... stat resumed> {st_mode=S_IFREG|0755, st_size=30488, ...} = 0
21378 <... stat resumed> {st_mode=S_IFREG|0755, st_size=89088, ...} = 0
21380 stat("/bin/grep", <unfinished ...>
21379 stat("/bin/cut", <unfinished ...>
21377 stat("/sbin/ip", <unfinished ...>
21381 access("/usr/bin/head", X_OK <unfinished ...>
21380 <... stat resumed> {st_mode=S_IFREG|0755, st_size=89088, ...} = 0
21379 <... stat resumed> {st_mode=S_IFREG|0755, st_size=35592, ...} = 0
21377 <... stat resumed> {st_mode=S_IFREG|0755, st_size=134144, ...} = 0
21378 access("/bin/grep", X_OK <unfinished ...>
21381 <... access resumed> ) = 0
21378 <... access resumed> ) = 0
21380 access("/bin/grep", X_OK <unfinished ...>
21379 access("/bin/cut", X_OK <unfinished ...>
21377 access("/sbin/ip", X_OK <unfinished ...>
21381 stat("/usr/bin/head", <unfinished ...>
21380 <... access resumed> ) = 0
21379 <... access resumed> ) = 0
21377 <... access resumed> ) = 0
21378 stat("/bin/grep", <unfinished ...>
21381 <... stat resumed> {st_mode=S_IFREG|0755, st_size=30488, ...} = 0
21378 <... stat resumed> {st_mode=S_IFREG|0755, st_size=89088, ...} = 0
21380 stat("/bin/grep", <unfinished ...>
21379 stat("/bin/cut", <unfinished ...>
21377 rt_sigaction(SIGINT, {SIG_IGN}, <unfinished ...>
21381 access("/usr/bin/head", X_OK <unfinished ...>
21380 <... stat resumed> {st_mode=S_IFREG|0755, st_size=89088, ...} = 0
21379 <... stat resumed> {st_mode=S_IFREG|0755, st_size=35592, ...} = 0
21377 <... rt_sigaction resumed> {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21378 access("/bin/grep", X_OK <unfinished ...>
21381 <... access resumed> ) = 0
21378 <... access resumed> ) = 0
21380 access("/bin/grep", X_OK <unfinished ...>
21379 access("/bin/cut", X_OK <unfinished ...>
21377 rt_sigaction(SIGQUIT, {SIG_DFL}, <unfinished ...>

```

```

21381 rt_sigaction(SIGINT, {SIG_IGN}, <unfinished ...>
21380 <... access resumed> ) = 0
21379 <... access resumed> ) = 0
21377 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21378 rt_sigaction(SIGINT, {SIG_IGN}, <unfinished ...>
21381 <... rt_sigaction resumed> {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21378 <... rt_sigaction resumed> {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21380 rt_sigaction(SIGINT, {SIG_IGN}, <unfinished ...>
21379 rt_sigaction(SIGINT, {SIG_IGN}, <unfinished ...>
21377 rt_sigaction(SIGCHLD, {SIG_DFL}, <unfinished ...>
21381 rt_sigaction(SIGQUIT, {SIG_DFL}, <unfinished ...>
21380 <... rt_sigaction resumed> {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21379 <... rt_sigaction resumed> {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21377 <... rt_sigaction resumed> {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21378 rt_sigaction(SIGQUIT, {SIG_DFL}, <unfinished ...>
21381 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21378 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21380 rt_sigaction(SIGQUIT, {SIG_DFL}, <unfinished ...>
21379 rt_sigaction(SIGQUIT, {SIG_DFL}, <unfinished ...>
21377 execve("/sbin/ip", ["ip", "route", "list", "table", "local"], [/ 7 vars *]) <unfinished ...>
21381 rt_sigaction(SIGCHLD, {SIG_DFL}, <unfinished ...>
21380 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21379 <... rt_sigaction resumed> {SIG_DFL}, 8) = 0
21378 rt_sigaction(SIGCHLD, {SIG_DFL}, <unfinished ...>
21381 <... rt_sigaction resumed> {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21378 <... rt_sigaction resumed> {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21380 rt_sigaction(SIGCHLD, {SIG_DFL}, <unfinished ...>
21379 rt_sigaction(SIGCHLD, {SIG_DFL}, <unfinished ...>
21381 execve("/usr/bin/head", ["head", "-n", "1"], [/ 7 vars *]) <unfinished ...>
21377 <... execve resumed> ) = 0
21380 <... rt_sigaction resumed> {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21379 <... rt_sigaction resumed> {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21377 uname(<unfinished ...>
21378 execve("/bin/grep", ["grep", "^local"], [/ 7 vars *]) <unfinished ...>
21377 <... uname resumed> {sys="Linux", node="andromeda", ...}) = 0
21377 brk(0) = 0x620000
21377 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21377 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21378 <... execve resumed> ) = 0
21380 execve("/bin/grep", ["grep", "-v", "^127\\."], [/ 7 vars *]) <unfinished ...>
21379 execve("/bin/cut", ["cut", "-d ", "-f2"], [/ 7 vars *]) <unfinished ...>
21377 open("/etc/ld.so.cache", O_RDONLY) = 10
21377 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21377 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0 <unfinished ...>
21380 <... execve resumed> ) = 0
21377 <... mmap resumed> ) = 0x2a95557000
21377 close(10) = 0

```

```

21377 open("/lib64/libresolv.so.2", O_RDONLY) = 10
21377 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\2406\200"..., 832) = 832
21379 <... execve resumed> )          = 0
21377 fstat(10, <unfinished ...>
21378 uname( <unfinished ...>
21377 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=91412, ...}) = 0
21378 <... uname resumed> {sys="Linux", node="andromeda", ...}) = 0
21380 uname( <unfinished ...>
21379 uname( <unfinished ...>
21380 <... uname resumed> {sys="Linux", node="andromeda", ...}) = 0
21379 <... uname resumed> {sys="Linux", node="andromeda", ...}) = 0
21377 mmap(0x3d9e800000, 1133256, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21378 brk(0 <unfinished ...>
21377 <... mmap resumed> )          = 0x3d9e800000
21378 <... brk resumed> )          = 0x615000
21380 brk(0 <unfinished ...>
21379 brk(0 <unfinished ...>
21380 <... brk resumed> )          = 0x615000
21379 <... brk resumed> )          = 0x508000
21377 mprotect(0x3d9e811000, 1063624, PROT_NONE <unfinished ...>
21378 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21377 <... mprotect resumed> )      = 0
21378 <... mmap resumed> )          = 0x2a95556000
21380 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21379 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21380 <... mmap resumed> )          = 0x2a95556000
21379 <... mmap resumed> )          = 0x2a95556000
21377 mmap(0x3d9e911000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x11000 <unfinished ...>
21378 access("/etc/ld.so.preload", R_OK <unfinished ...>
21377 <... mmap resumed> )          = 0x3d9e911000
21378 <... access resumed> )        = -1 ENOENT (No such file or directory)
21380 access("/etc/ld.so.preload", R_OK <unfinished ...>
21379 access("/etc/ld.so.preload", R_OK <unfinished ...>
21380 <... access resumed> )        = -1 ENOENT (No such file or directory)
21379 <... access resumed> )        = -1 ENOENT (No such file or directory)
21377 mmap(0x3d9e913000, 6856, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21378 open("/etc/ld.so.cache", O_RDONLY <unfinished ...>
21377 <... mmap resumed> )          = 0x3d9e913000
21378 <... open resumed> )          = 10
21380 open("/etc/ld.so.cache", O_RDONLY <unfinished ...>
21379 open("/etc/ld.so.cache", O_RDONLY <unfinished ...>
21380 <... open resumed> )          = 10

```

```

21379 <... open resumed> )          = 10
21377 close(10 <unfinished ...>
21378 fstat(10, <unfinished ...>
21377 <... close resumed> )          = 0
21378 <... fstat resumed> {st_mode=S_IFREG|0644, st_size=103387, ...} = 0
21380 fstat(10, <unfinished ...>
21379 fstat(10, <unfinished ...>
21380 <... fstat resumed> {st_mode=S_IFREG|0644, st_size=103387, ...} = 0
21379 <... fstat resumed> {st_mode=S_IFREG|0644, st_size=103387, ...} = 0
21377 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21378 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0 <unfinished ...>
21377 <... open resumed> )          = 10
21378 <... mmap resumed> )          = 0x2a95557000
21380 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0 <unfinished ...>
21379 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0 <unfinished ...>
21380 <... mmap resumed> )          = 0x2a95557000
21379 <... mmap resumed> )          = 0x2a95557000
21377 read(10, <unfinished ...>
21378 close(10 <unfinished ...>
21377 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21378 <... close resumed> )          = 0
21380 close(10 <unfinished ...>
21379 close(10 <unfinished ...>
21380 <... close resumed> )          = 0
21379 <... close resumed> )          = 0
21377 fstat(10, <unfinished ...>
21378 open("/lib64/libpcr.so.0", O_RDONLY <unfinished ...>
21377 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...} = 0
21378 <... open resumed> )          = 10
21380 open("/lib64/libpcr.so.0", O_RDONLY <unfinished ...>
21379 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21380 <... open resumed> )          = 10
21379 <... open resumed> )          = 10
21377 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21378 read(10, <unfinished ...>
21377 <... mmap resumed> )          = 0x3d9d500000
21378 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\300\017"..., 832) = 832
21380 read(10, <unfinished ...>
21379 read(10, <unfinished ...>
21380 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\300\017"..., 832) = 832
21379 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21377 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21378 fstat(10, <unfinished ...>
21377 <... mprotect resumed> )          = 0
21378 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=63432, ...} = 0
21380 fstat(10, <unfinished ...>
21379 fstat(10, <unfinished ...>

```

```

21380 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=63432, ...} = 0
21379 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...} = 0
21377 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>
21378 mmap(0x3da5300000, 1107856, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21377 <... mmap resumed> ) = 0x3d9d72b000
21378 <... mmap resumed> ) = 0x3da5300000
21380 mmap(0x3da5300000, 1107856, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21379 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21380 <... mmap resumed> ) = 0x3da5300000
21379 <... mmap resumed> ) = 0x3d9d500000
21377 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21378 mprotect(0x3da530e000, 1050512, PROT_NONE <unfinished ...>
21377 <... mmap resumed> ) = 0x3d9d730000
21378 <... mprotect resumed> ) = 0
21380 mprotect(0x3da530e000, 1050512, PROT_NONE <unfinished ...>
21379 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21380 <... mprotect resumed> ) = 0
21379 <... mprotect resumed> ) = 0
21377 close(10 <unfinished ...>
21378 mmap(0x3da540e000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0xe000 <unfinished ...>
21377 <... close resumed> ) = 0
21378 <... mmap resumed> ) = 0x3da540e000
21380 mmap(0x3da540e000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0xe000 <unfinished ...>
21379 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>
21380 <... mmap resumed> ) = 0x3da540e000
21379 <... mmap resumed> ) = 0x3d9d72b000
21377 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21378 close(10 <unfinished ...>
21377 <... mmap resumed> ) = 0x2a95571000
21378 <... close resumed> ) = 0
21380 close(10 <unfinished ...>
21379 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21380 <... close resumed> ) = 0
21379 <... mmap resumed> ) = 0x3d9d730000
21377 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21378 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21377 <... mmap resumed> ) = 0x2a95572000

```

```

21378 <... open resumed> )          = 10
21380 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21379 close(10 <unfinished ...>
21380 <... open resumed> )          = 10
21379 <... close resumed> )        = 0
21377 mprotect(0x3d9d72b000, 8192, PROT_READ <unfinished ...>
21378 read(10, <unfinished ...>
21377 <... mprotect resumed> )      = 0
21378 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21380 read(10, <unfinished ...>
21379 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21380 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21379 <... mmap resumed> )          = 0x2a95571000
21377 arch_prctl(ARCH_SET_FS, 0x2a95571e00 <unfinished ...>
21378 fstat(10, <unfinished ...>
21377 <... arch_prctl resumed> )     = 0
21378 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21380 fstat(10, <unfinished ...>
21379 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21380 <... fstat resumed> {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21379 <... mmap resumed> )          = 0x2a95572000
21377 munmap(0x2a95557000, 103387 <unfinished ...>
21378 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21377 <... munmap resumed> )         = 0
21378 <... mmap resumed> )          = 0x3d9d500000
21380 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0 <unfinished ...>
21379 mprotect(0x3d9d72b000, 8192, PROT_READ <unfinished ...>
21380 <... mmap resumed> )          = 0x3d9d500000
21379 <... mprotect resumed> )      = 0
21377 brk(0 <unfinished ...>
21378 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21377 <... brk resumed> )           = 0x620000
21378 <... mprotect resumed> )      = 0
21380 mprotect(0x3d9d62b000, 1085384, PROT_NONE <unfinished ...>
21379 arch_prctl(ARCH_SET_FS, 0x2a95571b00 <unfinished ...>
21380 <... mprotect resumed> )       = 0
21379 <... arch_prctl resumed> )    = 0
21377 brk(0x641000 <unfinished ...>
21378 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>
21377 <... brk resumed> )           = 0x641000
21378 <... mmap resumed> )          = 0x3d9d72b000
21380 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000 <unfinished ...>

```

```

21379 munmap(0x2a95557000, 103387 <unfinished ...>
21380 <... mmap resumed> )           = 0x3d9d72b000
21379 <... munmap resumed> )         = 0
21377 open("/etc/iproute2/rtables", O_RDONLY <unfinished ...>
21378 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21377 <... open resumed> )           = 10
21378 <... mmap resumed> )           = 0x3d9d730000
21380 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0 <unfinished ...>
21377 fstat(10, {st_mode=S_IFREG|0644, st_size=91, ...}) = 0
21377 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21379 brk(0 <unfinished ...>
21380 <... mmap resumed> )           = 0x3d9d730000
21377 <... mmap resumed> )           = 0x2a95557000
21379 <... brk resumed> )            = 0x508000
21378 close(10)                     = 0
21380 close(10 <unfinished ...>
21377 read(10, <unfinished ...>
21379 brk(0x529000 <unfinished ...>
21380 <... close resumed> )           = 0
21377 <... read resumed> "#\n# reserved values\n#\n#255\tlocal"..., 4096) = 91
21379 <... brk resumed> )            = 0x529000
21378 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21380 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21377 read(10, "", 4096)             = 0
21379 fstat(0, <unfinished ...>
21380 <... mmap resumed> )           = 0x2a95571000
21379 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21378 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21377 close(10 <unfinished ...>
21378 <... mmap resumed> )           = 0x2a95572000
21380 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21377 <... close resumed> )           = 0
21379 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21380 <... mmap resumed> )           = 0x2a95572000
21379 <... mmap resumed> )           = 0x2a95557000
21378 mprotect(0x3d9d72b000, 8192, PROT_READ <unfinished ...>
21377 munmap(0x2a95557000, 4096 <unfinished ...>
21378 <... mprotect resumed> )         = 0
21380 mprotect(0x3d9d72b000, 8192, PROT_READ <unfinished ...>
21377 <... munmap resumed> )         = 0

```

```

21379 read(0, <unfinished ...>
21380 <... mprotect resumed> ) = 0
21378 arch_prctl(ARCH_SET_FS, 0x2a95571de0 <unfinished ...>
21377 socket(PF_NETLINK, SOCK_RAW, 0 <unfinished ...>
21378 <... arch_prctl resumed> ) = 0
21380 arch_prctl(ARCH_SET_FS, 0x2a95571de0 <unfinished ...>
21377 <... socket resumed> ) = 10
21380 <... arch_prctl resumed> ) = 0
21378 munmap(0x2a95557000, 103387 <unfinished ...>
21377 setsockopt(10, SOL_SOCKET, SO_SNDBUF, [32768], 4 <unfinished ...>
21378 <... munmap resumed> ) = 0
21380 munmap(0x2a95557000, 103387 <unfinished ...>
21377 <... setsockopt resumed> ) = 0
21380 <... munmap resumed> ) = 0
21377 setsockopt(10, SOL_SOCKET, SO_RCVBUF, [32768], 4) = 0
21377 bind(10, {sa_family=AF_NETLINK, pid=0, groups=00000000}, 12) = 0
21377 getsockname(10, <unfinished ...>
21378 brk(0 <unfinished ...>
21377 <... getsockname resumed> {sa_family=AF_NETLINK, pid=21377, groups=00000000},
[140737488355340]) = 0
21378 <... brk resumed> ) = 0x615000
21377 sendto(10, "\24\0\0\0\22\0\1\3)\30\200E\0\0\0\0\375\377\277", 20, 0,
{sa_family=AF_NETLINK, pid=0, groups=00000000}, 12 <unfinished ...>
21380 brk(0 <unfinished ...>
21377 <... sendto resumed> ) = 20
21380 <... brk resumed> ) = 0x615000
21378 brk(0x636000) = 0x636000
21377 recvmsg(10, <unfinished ...>
21380 brk(0x636000 <unfinished ...>
21377 <... recvmsg resumed> {msg_name(12)={sa_family=AF_NETLINK, pid=0,
groups=00000000}, msg_iov(1)=[{"\350\0\0\0\20\0\2\0)\30\200E\201S\0\0\0\0\4\3\2\0\0\0I"...,
16384}], msg_controllen=0, msg_flags=0}, 0) = 684
21380 <... brk resumed> ) = 0x636000
21377 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\24\0\0\0\3\0\2\0)\30\200E\201S\0\0\0\0\0\2\0\0\0\0"..., 16384}],
msg_controllen=0, msg_flags=0}, 0) = 20
21377 sendto(10, "\24\0\0\0\32\0\1\3*\30\200E\0\0\0\0\2\0\0\0", 20, 0, {sa_family=AF_NETLINK,
pid=0, groups=00000000}, 12 <unfinished ...>
21378 fstat(0, <unfinished ...>
21377 <... sendto resumed> ) = 20
21378 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21377 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"4\0\0\0\30\0\0\0*\30\200E\201S\0\0\2\30\0\0\376\2\375\1"..., 16384}],
msg_controllen=0, msg_flags=0}, 0) = 504
21380 fstat(0, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21378 read(0, <unfinished ...>
21377 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21380 read(0, <unfinished ...>

```

```

21377 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21377 open("/etc/iproute2/rt_scopes", O_RDONLY) = 11
21377 fstat(11, {st_mode=S_IFREG|0644, st_size=98, ...}) = 0
21377 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95558000
21377 read(11, "#\n# reserved values\n#\n#0\tglobal\n"..., 4096) = 98
21377 read(11, "", 4096) = 0
21377 close(11) = 0
21377 munmap(0x2a95558000, 4096) = 0
21377 write(1, "broadcast 127.255.255.255 dev lo"..., 75) = 75
21378 <... read resumed> "broadcast 127.255.255.255 dev lo"..., 32768) = 75
21377 write(1, "local 10.0.0.98 dev eth1 proto "..., 67 <unfinished ...>
21378 read(0, <unfinished ...>
21377 <... write resumed> ) = 67
21378 <... read resumed> "local 10.0.0.98 dev eth1 proto "..., 32768) = 67
21377 write(1, "broadcast 10.0.0.0 dev eth1 pro"..., 70) = 70
21377 write(1, "broadcast 10.0.0.255 dev eth1 p"..., 72) = 72
21378 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21377 write(1, "broadcast 127.0.0.0 dev lo prot"..., 69) = 69
21378 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21377 write(1, "local 127.0.0.1 dev lo proto ke"..., 65) = 65
21378 read(0, <unfinished ...>
21377 write(1, "local 127.0.0.0/8 dev lo proto "..., 67 <unfinished ...>
21378 <... read resumed> "broadcast 10.0.0.0 dev eth1 pro"..., 28672) = 276
21377 <... write resumed> ) = 67
21378 read(0, <unfinished ...>
21377 recvmsg(10, <unfinished ...>
21378 <... read resumed> "local 127.0.0.0/8 dev lo proto "..., 28672) = 67
21377 <... recvmsg resumed> {msg_name(12)={sa_family=AF_NETLINK, pid=0,
groups=00000000}, msg_iov(1)=[{"\24\0\0\0\3\0\2\0*\30\200E\201S\0\0\0\0\0\0\376\2\375\1"...,
16384}], msg_controllen=0, msg_flags=0}, 0) = 20
21378 read(0, <unfinished ...>
21377 exit_group(0) = ?
21378 <... read resumed> "", 28672) = 0
21376 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21377
21378 write(1, "local 10.0.0.98 dev eth1 proto "..., 199 <unfinished ...>
21376 wait4(-1, <unfinished ...>
21378 <... write resumed> ) = 199
21379 <... read resumed> "local 10.0.0.98 dev eth1 proto "..., 4096) = 199
21378 close(1 <unfinished ...>
21379 fstat(1, <unfinished ...>
21378 <... close resumed> ) = 0
21379 <... fstat resumed> {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21378 munmap(0x2a95557000, 4096 <unfinished ...>
21379 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>

```

```

21378 <... munmap resumed> )          = 0
21379 <... mmap resumed> )            = 0x2a95558000
21378 exit_group(0)                  = ?
21379 read(0, <unfinished ...>
21376 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21378
21379 <... read resumed> "", 4096)     = 0
21376 wait4(-1, <unfinished ...>
21379 close(0)                        = 0
21381 <... execve resumed> )           = 0
21379 munmap(0x2a95557000, 4096)      = 0
21381 uname({sys="Linux", node="andromeda", ...}) = 0
21379 write(1, "10.0.0.98\n127.0.0.1\n127.0.0.0/8\n", 32) = 32
21381 brk(0)                          = 0x507000
21379 close(1)                        = 0
21381 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0 <unfinished ...>
21379 munmap(0x2a95558000, 4096 <unfinished ...>
21381 <... mmap resumed> )              = 0x2a95556000
21379 <... munmap resumed> )          = 0
21381 access("/etc/ld.so.preload", R_OK <unfinished ...>
21379 exit_group(0)                  = ?
21376 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21379
21381 <... access resumed> )           = -1 ENOENT (No such file or directory)
21376 wait4(-1, <unfinished ...>
21380 <... read resumed> "10.0.0.98\n127.0.0.1\n127.0.0.0/8\n", 32768) = 32
21381 open("/etc/ld.so.cache", O_RDONLY) = 10
21380 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21381 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21380 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21381 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21380 read(0, "", 32768)              = 0
21381 close(10)                       = 0
21380 write(1, "10.0.0.98\n", 10)      = 10
21380 close(1 <unfinished ...>
21381 open("/lib64/tls/libc.so.6", O_RDONLY <unfinished ...>
21380 <... close resumed> )              = 0
21381 <... open resumed> )               = 10
21380 munmap(0x2a95557000, 4096 <unfinished ...>
21381 read(10, <unfinished ...>
21380 <... munmap resumed> )             = 0
21381 <... read resumed> "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21380 exit_group(0)                  = ?
21376 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21380
21381 fstat(10, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21376 wait4(-1, <unfinished ...>
21381 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d500000

```

```

21381 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21381 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000) = 0x3d9d72b000
21381 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21381 close(10) = 0
21381 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21381 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21381 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21381 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21381 munmap(0x2a95557000, 103387) = 0
21381 brk(0) = 0x507000
21381 brk(0x528000) = 0x528000
21381 read(0, "10.0.0.98\n", 8192) = 10
21381 lseek(0, 0, SEEK_CUR) = -1 ESPIPE (Illegal seek)
21381 fstat(0, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21381 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
21381 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21381 close(0) = 0
21381 write(1, "10.0.0.98\n", 10) = 10
21366 <... read resumed> "10.0.0.98\n", 128) = 10
21381 close(1 <unfinished ...>
21366 read(10, <unfinished ...>
21381 <... close resumed> ) = 0
21381 munmap(0x2a95557000, 4096) = 0
21381 exit_group(0) = ?
21376 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21381
21376 rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
21376 rt_sigaction(SIGINT, {0x443fc0, [], SA_RESTORER, 0x3d9d52e2b0}, {0x432ba0, [],
SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21376 close(11) = -1 EBADF (Bad file descriptor)
21376 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21376 --- SIGCHLD (Child exited) @ 0 (0) ---
21376 wait4(-1, 0x7fbffdf4, WNOHANG, NULL) = -1 ECHILD (No child processes)
21376 rt_sigreturn(0xffffffff) = 0
21376 exit_group(0) = ?
21366 <... read resumed> "", 128) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], WNOHANG, NULL) = 21376
21366 wait4(-1, 0x7fbffe2c4, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffff) = 0
21366 close(10) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0

```

```

21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [INT CHLD], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [INT CHLD], NULL, 8) = 0
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21382
21382 close(255 <unfinished ...>
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21366 wait4(-1, <unfinished ...>
21382 <... close resumed> ) = 0
21382 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21382 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21382 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21382 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21382 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21382 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21382 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21382 execve("/sbin/ip", ["/sbin/ip", "route", "add", "10.0.0.101", "dev", "venet0", "src", "10.0.0.98"],
[/ 7 vars /]) = 0
21382 uname({sys="Linux", node="andromeda", ...}) = 0
21382 brk(0) = 0x620000
21382 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21382 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21382 open("/etc/ld.so.cache", O_RDONLY) = 10
21382 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21382 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21382 close(10) = 0
21382 open("/lib64/libresolv.so.2", O_RDONLY) = 10
21382 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\6\200"..., 832) = 832
21382 fstat(10, {st_mode=S_IFREG|0755, st_size=91412, ...}) = 0
21382 mmap(0x3d9e80000, 1133256, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9e80000
21382 mprotect(0x3d9e811000, 1063624, PROT_NONE) = 0
21382 mmap(0x3d9e911000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x11000) = 0x3d9e911000
21382 mmap(0x3d9e913000, 6856, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9e913000
21382 close(10) = 0
21382 open("/lib64/tls/libc.so.6", O_RDONLY) = 10
21382 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832

```

```

21382 fstat(10, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21382 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d500000
21382 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21382 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000) = 0x3d9d72b000
21382 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21382 close(10) = 0
21382 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21382 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21382 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21382 arch_prctl(ARCH_SET_FS, 0x2a95571e00) = 0
21382 munmap(0x2a95557000, 103387) = 0
21382 socket(PF_NETLINK, SOCK_RAW, 0) = 10
21382 setsockopt(10, SOL_SOCKET, SO_SNDBUF, [32768], 4) = 0
21382 setsockopt(10, SOL_SOCKET, SO_RCVBUF, [32768], 4) = 0
21382 bind(10, {sa_family=AF_NETLINK, pid=0, groups=00000000}, 12) = 0
21382 getsockname(10, {sa_family=AF_NETLINK, pid=21382, groups=00000000},
[140737488355340]) = 0
21382 sendto(10, "\24\0\0\22\0\1\3)\30\200E\0\0\0\0\0\0", 20, 0, {sa_family=AF_NETLINK,
pid=0, groups=00000000}, 12) = 20
21382 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\350\0\0\20\0\2\0)\30\200E\206S\0\0\0\0\4\3\2\0\0\0"...}, 16384}},
msg_controllen=0, msg_flags=0}, 0) = 684
21382 brk(0) = 0x620000
21382 brk(0x641000) = 0x641000
21382 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\24\0\0\3\0\2\0)\30\200E\206S\0\0\0\0\0\2\0\0\0\0"...}, 16384}},
msg_controllen=0, msg_flags=0}, 0) = 20
21382 sendmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\4\0\0\30\0\5\6*\30\200E\0\0\0\0\2 \0\0\376\3\375\1\0"...}, 52}}, msg_controllen=0,
msg_flags=0}, 0) = 52
21382 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"$\0\0\0\2\0\0\0*\30\200E\206S\0\0\0\0\0004\0\0\0\30\0"...}, 16384}},
msg_controllen=0, msg_flags=0}, 0) = 36
21382 exit_group(0) = ?
21366 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21382
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, 0x7fbfffe744, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffff) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0

```

```

21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21383
21383 close(255 <unfinished ...>
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21366 wait4(-1, <unfinished ...>
21383 <... close resumed> ) = 0
21383 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21383 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21383 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21383 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21383 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21383 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21383 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21383 open("/dev/null", O_WRONLY|O_CREAT|O_TRUNC, 0666) = 10
21383 dup2(10, 1) = 1
21383 close(10) = 0
21383 dup2(1, 2) = 2
21383 fcntl(1, F_GETFD) = 0
21383 execve("/sbin/ip", ["/sbin/ip", "neigh", "add", "proxy", "10.0.0.101", "dev", "eth1"], [/* 7 vars
*/]) = 0
21383 uname({sys="Linux", node="andromeda", ...}) = 0
21383 brk(0) = 0x620000
21383 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21383 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21383 open("/etc/ld.so.cache", O_RDONLY) = 10
21383 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21383 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21383 close(10) = 0
21383 open("/lib64/libresolv.so.2", O_RDONLY) = 10
21383 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\6\200"..., 832) = 832
21383 fstat(10, {st_mode=S_IFREG|0755, st_size=91412, ...}) = 0
21383 mmap(0x3d9e80000, 1133256, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9e80000
21383 mprotect(0x3d9e811000, 1063624, PROT_NONE) = 0
21383 mmap(0x3d9e911000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x11000) = 0x3d9e911000
21383 mmap(0x3d9e913000, 6856, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9e913000
21383 close(10) = 0
21383 open("/lib64/tls/libc.so.6", O_RDONLY) = 10
21383 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832

```

```

21383 fstat(10, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21383 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d500000
21383 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21383 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000) = 0x3d9d72b000
21383 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21383 close(10) = 0
21383 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21383 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21383 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21383 arch_prctl(ARCH_SET_FS, 0x2a95571e00) = 0
21383 munmap(0x2a95557000, 103387) = 0
21383 socket(PF_NETLINK, SOCK_RAW, 0) = 10
21383 setsockopt(10, SOL_SOCKET, SO_SNDBUF, [32768], 4) = 0
21383 setsockopt(10, SOL_SOCKET, SO_RCVBUF, [32768], 4) = 0
21383 bind(10, {sa_family=AF_NETLINK, pid=0, groups=00000000}, 12) = 0
21383 getsockname(10, {sa_family=AF_NETLINK, pid=21383, groups=00000000},
[140737488355340]) = 0
21383 sendto(10, "\24\0\0\22\0\1\3)\30\200E\0\0\0\0\375\377\277", 20, 0,
{sa_family=AF_NETLINK, pid=0, groups=00000000}, 12) = 20
21383 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\350\0\0\20\0\2\0)\30\200E\207S\0\0\0\0\4\3\2\0\0\0"...}, 16384]],
msg_controllen=0, msg_flags=0}, 0) = 684
21383 brk(0) = 0x620000
21383 brk(0x641000) = 0x641000
21383 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"\24\0\0\3\0\2\0)\30\200E\207S\0\0\0\0\0\2\0\0\0\0"...}, 16384]],
msg_controllen=0, msg_flags=0}, 0) = 20
21383 sendmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"$\0\0\0\34\0\5\6*\30\200E\0\0\0\0\2\0\0\0\4\0\0\0\200\0"...}, 36]], msg_controllen=0,
msg_flags=0}, 0) = 36
21383 recvmsg(10, {msg_name(12)={sa_family=AF_NETLINK, pid=0, groups=00000000},
msg_iov(1)=[{"$\0\0\0\2\0\0\0*\30\200E\207S\0\0\0\0\0$\0\0\0\34\0\5"...}, 16384]],
msg_controllen=0, msg_flags=0}, 0) = 36
21383 exit_group(0) = ?
21366 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21383
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, 0x7fbffecb4, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffff) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0

```

```

21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 read(255, "vzarpipset \"$IP_ADDR\"\n# Save ip "..., 1741) = 306
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0
21366 lseek(255, -284, SEEK_CUR) = 1457
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21384
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21366 wait4(-1, <unfinished ...>
21384 close(255) = 0
21384 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21384 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21384 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21384 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21384 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21384 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21384 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21384 execve("/usr/sbin/arpd", ["arpd", "-c", "1", "-w", "1", "-U", "-i", "10.0.0.101", "-e",
"10.0.0.101", "eth1"], [/* 7 vars */]) = 0
21384 uname({sys="Linux", node="andromeda", ...}) = 0
21384 brk(0) = 0x507000
21384 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21384 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21384 open("/usr/lib/vzctl/lib/tls/x86_64/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or
directory)
21384 stat("/usr/lib/vzctl/lib/tls/x86_64", 0x7fbffff1f0) = -1 ENOENT (No such file or directory)
21384 open("/usr/lib/vzctl/lib/tls/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
21384 stat("/usr/lib/vzctl/lib/tls", 0x7fbffff1f0) = -1 ENOENT (No such file or directory)
21384 open("/usr/lib/vzctl/lib/x86_64/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or
directory)
21384 stat("/usr/lib/vzctl/lib/x86_64", 0x7fbffff1f0) = -1 ENOENT (No such file or directory)
21384 open("/usr/lib/vzctl/lib/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
21384 stat("/usr/lib/vzctl/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21384 open("/etc/ld.so.cache", O_RDONLY) = 10
21384 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21384 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21384 close(10) = 0
21384 open("/lib64/tls/libc.so.6", O_RDONLY) = 10
21384 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"... , 832) = 832

```

```

21384 fstat(10, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21384 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d500000
21384 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21384 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000) = 0x3d9d72b000
21384 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21384 close(10) = 0
21384 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21384 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21384 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21384 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21384 munmap(0x2a95557000, 103387) = 0
21384 socket(PF_PACKET, SOCK_RAW, 1544) = 10
21384 ioctl(10, SIOCGIFINDEX, {ifr_name="eth1", ifr_index=4}) = 0
21384 ioctl(10, SIOCGIFFLAGS, {ifr_name="eth1",
ifr_flags=IFF_UP|IFF_BROADCAST|IFF_RUNNING|IFF_MULTICAST}) = 0
21384 ioctl(10, SIOCGIFHWADDR, {ifr_name="eth1", ifr_hwaddr=00:30:18:b0:33:e5}) = 0
21384 ioctl(10, SIOCGIFADDR, {ifr_name="eth1", ifr_addr={AF_INET, inet_addr("10.0.0.98")}}) =
0
21384 rt_sigaction(SIGALRM, {0x401310, [], SA_RESTORER|SA_RESTART, 0x3d9d52e2b0},
NULL, 8) = 0
21384 sendto(10, "\377\377\377\377\377\377\0000\30\2603\345\10\6\0\1\10\0"..., 60, 0,
{sa_family=AF_PACKET, proto=0x806, if4, pkttype=PACKET_HOST, addr(6)={0,
003018b033e5}, 20) = 60
21384 exit_group(0) = ?
21366 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21384
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, 0x7fbfffea64, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffffffff) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 read(255, "# Save ip address information\nmk"..., 1741) = 284
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 stat(".", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21366 stat("/bin/mkdir", {st_mode=S_IFREG|0755, st_size=30432, ...}) = 0
21366 access("/bin/mkdir", X_OK) = 0
21366 stat("/bin/mkdir", {st_mode=S_IFREG|0755, st_size=30432, ...}) = 0
21366 access("/bin/mkdir", X_OK) = 0
21366 rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0

```

```

21366 lseek(255, -213, SEEK_CUR)      = 1528
21366 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95572470) = 21385
21385 close(255 <unfinished ...>
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], <unfinished ...>
21385 <... close resumed> )          = 0
21366 <... rt_sigprocmask resumed> [], 8) = 0
21385 rt_sigprocmask(SIG_SETMASK, [], <unfinished ...>
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21366 rt_sigaction(SIGINT, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, {SIG_IGN}, 8) = 0
21366 wait4(-1, <unfinished ...>
21385 <... rt_sigprocmask resumed> NULL, 8) = 0
21385 rt_sigaction(SIGTSTP, {SIG_DFL}, {SIG_DFL}, 8) = 0
21385 rt_sigaction(SIGTTIN, {SIG_DFL}, {SIG_DFL}, 8) = 0
21385 rt_sigaction(SIGTTOU, {SIG_DFL}, {SIG_DFL}, 8) = 0
21385 rt_sigaction(SIGINT, {SIG_IGN}, {SIG_IGN}, 8) = 0
21385 rt_sigaction(SIGQUIT, {SIG_DFL}, {SIG_IGN}, 8) = 0
21385 rt_sigaction(SIGCHLD, {SIG_DFL}, {0x433e30, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21385 open("/dev/null", O_WRONLY|O_CREAT|O_TRUNC, 0666) = 10
21385 dup2(10, 1)          = 1
21385 close(10)            = 0
21385 dup2(1, 2)           = 2
21385 fcntl(1, F_GETFD)    = 0
21385 execve("/bin/mkdir", ["mkdir", "-p", "/var/lib/vzctl/veip/"], [/* 7 vars */]) = 0
21385 uname({sys="Linux", node="andromeda", ...}) = 0
21385 brk(0)               = 0x507000
21385 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21385 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21385 open("/etc/ld.so.cache", O_RDONLY) = 10
21385 fstat(10, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21385 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 10, 0) = 0x2a95557000
21385 close(10)            = 0
21385 open("/lib64/libselinux.so.1", O_RDONLY) = 10
21385 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\300+\200"... , 832) = 832
21385 fstat(10, {st_mode=S_IFREG|0755, st_size=62520, ...}) = 0
21385 mmap(0x3d9e800000, 1111616, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9e800000
21385 mprotect(0x3d9e80e000, 1054272, PROT_NONE) = 0
21385 mmap(0x3d9e90e000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0xe000) = 0x3d9e90e000
21385 mmap(0x3d9e90f000, 1600, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9e90f000
21385 close(10)            = 0
21385 open("/lib64/tls/libc.so.6", O_RDONLY) = 10

```

```

21385 read(10, "\177ELF\2\1\1\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21385 fstat(10, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21385 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 10, 0) = 0x3d9d500000
21385 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21385 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 10, 0x12b000) = 0x3d9d72b000
21385 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21385 close(10) = 0
21385 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21385 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21385 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21385 arch_prctl(ARCH_SET_FS, 0x2a95571de0) = 0
21385 munmap(0x2a95557000, 103387) = 0
21385 access("/etc/selinux/", F_OK) = 0
21385 brk(0) = 0x507000
21385 brk(0x528000) = 0x528000
21385 open("/etc/selinux/config", O_RDONLY) = 10
21385 fstat(10, {st_mode=S_IFREG|0644, st_size=447, ...}) = 0
21385 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21385 read(10, "# This file controls the state o"..., 4096) = 447
21385 close(10) = 0
21385 munmap(0x2a95557000, 4096) = 0
21385 open("/proc/mounts", O_RDONLY) = 10
21385 fstat(10, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
21385 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21385 read(10, "/dev/root / ext3 rw 0 0\nnone /de"..., 1024) = 644
21385 read(10, "", 1024) = 0
21385 close(10) = 0
21385 munmap(0x2a95557000, 4096) = 0
21385 umask(0) = 022
21385 umask(022) = 0
21385 stat("/var/lib/vzctl/veip/", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21385 exit_group(0) = ?
21366 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21385
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 --- SIGCHLD (Child exited) @ 0 (0) ---
21366 wait4(-1, 0x7fbffff5d4, WNOHANG, NULL) = -1 ECHILD (No child processes)
21366 rt_sigreturn(0xffffffff) = 0
21366 rt_sigaction(SIGINT, {SIG_IGN}, {0x432ba0, [], SA_RESTORER, 0x3d9d52e2b0}, 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 read(255, "if [ \"${VE_STATE}\" == \"starting\""..., 1741) = 213
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0

```

```

21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 open("/var/lib/vzctl/veip//101", O_WRONLY|O_CREAT|O_TRUNC, 0666) = 10
21366 fcntl(1, F_GETFD) = 0
21366 fcntl(1, F_DUPFD, 10) = 11
21366 fcntl(1, F_GETFD) = 0
21366 fcntl(11, F_SETFD, FD_CLOEXEC) = 0
21366 dup2(10, 1) = 1
21366 close(10) = 0
21366 fstat(1, {st_mode=S_IFREG|0644, st_size=0, ...}) = 0
21366 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21366 write(1, "10.0.0.101 ", 11) = 11
21366 dup2(11, 1) = 1
21366 fcntl(11, F_GETFD) = 0x1 (flags FD_CLOEXEC)
21366 close(11) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
21366 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21366 exit_group(0) = ?
21359 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21366
21359 --- SIGCHLD (Child exited) @ 0 (0) ---
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 stat("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=7172, ...}) = 0
21359 stat("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=7172, ...}) = 0
21359 open("/etc/vz/dists/scripts/functions", O_RDONLY) = 7
21359 read(7, "#!/bin/bash\n# Copyright (C) 200"..., 7172) = 7172
21359 close(7) = 0
21359 stat("/etc/vz/dists/scripts/gentoo-add_ip.sh", {st_mode=S_IFREG|0755, st_size=2908, ...})
= 0
21359 open("/etc/vz/dists/scripts/gentoo-add_ip.sh", O_RDONLY) = 7
21359 read(7, "#!/bin/bash\n# Copyright (C) 200"..., 2908) = 2908
21359 close(7) = 0
21359 ioctl(4, 0x400c2e05, 0x7fbfffe990) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21386
21359 wait4(21386, <unfinished ...>
21386 pipe([7, 10]) = 0
21386 pipe([11, 12]) = 0
21386 pipe([13, 14]) = 0
21386 pipe([15, 16]) = 0
21386 fcntl(11, F_GETFL) = 0 (flags O_RDONLY)
21386 fcntl(11, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
21386 fcntl(13, F_GETFL) = 0 (flags O_RDONLY)
21386 fcntl(13, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
21386 rt_sigaction(SIGALRM, {0x2a95562a40, [], SA_RESTORER, 0x3d9d52e2b0}, NULL, 8) = 0
21386 alarm(300) = 0
21386 rt_sigaction(SIGCHLD, {0x2a95562a30, [], SA_RESTORER|SA_NOCLDSTOP,

```

```

0x3d9d52e2b0}, NULL, 8) = 0
21386 rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0
21386 syscall_501(0x65, 0, 0xffffffffffff, 0, 0, 0x7fbfffeaa0, 0x7fbfffec10, 0x7fbfffec10,
0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10,
0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10,
0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10,
0x7fbfffec10, 0x7fbfffec10, 0x7fbfffec10) = 0
21386 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21387
21387 close(0 <unfinished ...>
21386 close(16 <unfinished ...>
21387 <... close resumed> )          = 0
21386 <... close resumed> )          = 0
21387 close(1 <unfinished ...>
21386 close(12 <unfinished ...>
21387 <... close resumed> )          = 0
21386 <... close resumed> )          = 0
21387 close(2 <unfinished ...>
21386 close(14)                      = 0
21386 close(7)                      = 0
21386 read(15, <unfinished ...>
21387 <... close resumed> )          = 0
21387 dup2(7, 0)                     = 0
21387 dup2(12, 1)                    = 1
21387 dup2(14, 2)                    = 2
21387 close(7)                      = 0
21387 close(12)                     = 0
21387 close(14)                     = 0
21387 close(10)                     = 0
21387 close(11)                     = 0
21387 close(13)                     = 0
21387 close(15)                     = 0
21387 fcntl(16, F_SETFD, FD_CLOEXEC) = 0
21387 chdir("/vz/root/101")          = 0
21387 chroot("/vz/root/101")         = 0
21387 setsid()                       = 21387
21387 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21387 rt_sigaction(SIGHUP, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGINT, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGQUIT, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGILL, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGTRAP, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGABRT, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGBUS, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGFPE, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGKILL, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21387 rt_sigaction(SIGUSR1, {SIG_DFL}, NULL, 8) = 0

```

```
21387 rt_sigaction(SIGSEGV, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGUSR2, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGPIPE, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGALRM, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGTERM, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGSTKFLT, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGCONT, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGSTOP, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21387 rt_sigaction(SIGTSTP, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGTTIN, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGTTOU, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGURG, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGXCPU, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGXFSZ, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGVTALRM, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGPROF, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGWINCH, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGIO, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGPWR, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGSYS, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_2, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_3, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_4, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_5, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_6, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_7, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_8, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_9, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_10, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_11, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_12, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_13, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_14, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_15, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_16, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_17, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_18, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_19, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_20, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_21, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_22, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_23, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_24, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_25, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_26, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_27, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_28, {SIG_DFL}, NULL, 8) = 0
```

```
21387 rt_sigaction(SIGRT_29, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_30, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_31, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(SIGRT_32, {SIG_DFL}, NULL, 8) = 0
21387 rt_sigaction(65, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21387 getrlimit(RLIMIT_NOFILE, {rlim_cur=1024, rlim_max=1024}) = 0
21387 close(3) = 0
21387 close(5) = 0
21387 close(6) = 0
21387 close(7) = -1 EBADF (Bad file descriptor)
21387 close(8) = 0
21387 close(9) = 0
21387 close(10) = -1 EBADF (Bad file descriptor)
21387 close(11) = -1 EBADF (Bad file descriptor)
21387 close(12) = -1 EBADF (Bad file descriptor)
21387 close(13) = -1 EBADF (Bad file descriptor)
21387 close(14) = -1 EBADF (Bad file descriptor)
21387 close(15) = -1 EBADF (Bad file descriptor)
21387 close(17) = -1 EBADF (Bad file descriptor)
21387 close(18) = -1 EBADF (Bad file descriptor)
21387 close(19) = -1 EBADF (Bad file descriptor)
21387 close(20) = -1 EBADF (Bad file descriptor)
21387 close(21) = -1 EBADF (Bad file descriptor)
21387 close(22) = -1 EBADF (Bad file descriptor)
21387 close(23) = -1 EBADF (Bad file descriptor)
21387 close(24) = -1 EBADF (Bad file descriptor)
21387 close(25) = -1 EBADF (Bad file descriptor)
21387 close(26) = -1 EBADF (Bad file descriptor)
21387 close(27) = -1 EBADF (Bad file descriptor)
21387 close(28) = -1 EBADF (Bad file descriptor)
21387 close(29) = -1 EBADF (Bad file descriptor)
21387 close(30) = -1 EBADF (Bad file descriptor)
21387 close(31) = -1 EBADF (Bad file descriptor)
21387 close(32) = -1 EBADF (Bad file descriptor)
21387 close(33) = -1 EBADF (Bad file descriptor)
21387 close(34) = -1 EBADF (Bad file descriptor)
21387 close(35) = -1 EBADF (Bad file descriptor)
21387 close(36) = -1 EBADF (Bad file descriptor)
21387 close(37) = -1 EBADF (Bad file descriptor)
21387 close(38) = -1 EBADF (Bad file descriptor)
21387 close(39) = -1 EBADF (Bad file descriptor)
21387 close(40) = -1 EBADF (Bad file descriptor)
21387 close(41) = -1 EBADF (Bad file descriptor)
21387 close(42) = -1 EBADF (Bad file descriptor)
21387 close(43) = -1 EBADF (Bad file descriptor)
21387 close(44) = -1 EBADF (Bad file descriptor)
21387 close(45) = -1 EBADF (Bad file descriptor)
21387 close(46) = -1 EBADF (Bad file descriptor)
```

21387 close(47)	= -1 EBADF (Bad file descriptor)
21387 close(48)	= -1 EBADF (Bad file descriptor)
21387 close(49)	= -1 EBADF (Bad file descriptor)
21387 close(50)	= -1 EBADF (Bad file descriptor)
21387 close(51)	= -1 EBADF (Bad file descriptor)
21387 close(52)	= -1 EBADF (Bad file descriptor)
21387 close(53)	= -1 EBADF (Bad file descriptor)
21387 close(54)	= -1 EBADF (Bad file descriptor)
21387 close(55)	= -1 EBADF (Bad file descriptor)
21387 close(56)	= -1 EBADF (Bad file descriptor)
21387 close(57)	= -1 EBADF (Bad file descriptor)
21387 close(58)	= -1 EBADF (Bad file descriptor)
21387 close(59)	= -1 EBADF (Bad file descriptor)
21387 close(60)	= -1 EBADF (Bad file descriptor)
21387 close(61)	= -1 EBADF (Bad file descriptor)
21387 close(62)	= -1 EBADF (Bad file descriptor)
21387 close(63)	= -1 EBADF (Bad file descriptor)
21387 close(64)	= -1 EBADF (Bad file descriptor)
21387 close(65)	= -1 EBADF (Bad file descriptor)
21387 close(66)	= -1 EBADF (Bad file descriptor)
21387 close(67)	= -1 EBADF (Bad file descriptor)
21387 close(68)	= -1 EBADF (Bad file descriptor)
21387 close(69)	= -1 EBADF (Bad file descriptor)
21387 close(70)	= -1 EBADF (Bad file descriptor)
21387 close(71)	= -1 EBADF (Bad file descriptor)
21387 close(72)	= -1 EBADF (Bad file descriptor)
21387 close(73)	= -1 EBADF (Bad file descriptor)
21387 close(74)	= -1 EBADF (Bad file descriptor)
21387 close(75)	= -1 EBADF (Bad file descriptor)
21387 close(76)	= -1 EBADF (Bad file descriptor)
21387 close(77)	= -1 EBADF (Bad file descriptor)
21387 close(78)	= -1 EBADF (Bad file descriptor)
21387 close(79)	= -1 EBADF (Bad file descriptor)
21387 close(80)	= -1 EBADF (Bad file descriptor)
21387 close(81)	= -1 EBADF (Bad file descriptor)
21387 close(82)	= -1 EBADF (Bad file descriptor)
21387 close(83)	= -1 EBADF (Bad file descriptor)
21387 close(84)	= -1 EBADF (Bad file descriptor)
21387 close(85)	= -1 EBADF (Bad file descriptor)
21387 close(86)	= -1 EBADF (Bad file descriptor)
21387 close(87)	= -1 EBADF (Bad file descriptor)
21387 close(88)	= -1 EBADF (Bad file descriptor)
21387 close(89)	= -1 EBADF (Bad file descriptor)
21387 close(90)	= -1 EBADF (Bad file descriptor)
21387 close(91)	= -1 EBADF (Bad file descriptor)
21387 close(92)	= -1 EBADF (Bad file descriptor)
21387 close(93)	= -1 EBADF (Bad file descriptor)
21387 close(94)	= -1 EBADF (Bad file descriptor)

21387 close(95)	= -1 EBADF (Bad file descriptor)
21387 close(96)	= -1 EBADF (Bad file descriptor)
21387 close(97)	= -1 EBADF (Bad file descriptor)
21387 close(98)	= -1 EBADF (Bad file descriptor)
21387 close(99)	= -1 EBADF (Bad file descriptor)
21387 close(100)	= -1 EBADF (Bad file descriptor)
21387 close(101)	= -1 EBADF (Bad file descriptor)
21387 close(102)	= -1 EBADF (Bad file descriptor)
21387 close(103)	= -1 EBADF (Bad file descriptor)
21387 close(104)	= -1 EBADF (Bad file descriptor)
21387 close(105)	= -1 EBADF (Bad file descriptor)
21387 close(106)	= -1 EBADF (Bad file descriptor)
21387 close(107)	= -1 EBADF (Bad file descriptor)
21387 close(108)	= -1 EBADF (Bad file descriptor)
21387 close(109)	= -1 EBADF (Bad file descriptor)
21387 close(110)	= -1 EBADF (Bad file descriptor)
21387 close(111)	= -1 EBADF (Bad file descriptor)
21387 close(112)	= -1 EBADF (Bad file descriptor)
21387 close(113)	= -1 EBADF (Bad file descriptor)
21387 close(114)	= -1 EBADF (Bad file descriptor)
21387 close(115)	= -1 EBADF (Bad file descriptor)
21387 close(116)	= -1 EBADF (Bad file descriptor)
21387 close(117)	= -1 EBADF (Bad file descriptor)
21387 close(118)	= -1 EBADF (Bad file descriptor)
21387 close(119)	= -1 EBADF (Bad file descriptor)
21387 close(120)	= -1 EBADF (Bad file descriptor)
21387 close(121)	= -1 EBADF (Bad file descriptor)
21387 close(122)	= -1 EBADF (Bad file descriptor)
21387 close(123)	= -1 EBADF (Bad file descriptor)
21387 close(124)	= -1 EBADF (Bad file descriptor)
21387 close(125)	= -1 EBADF (Bad file descriptor)
21387 close(126)	= -1 EBADF (Bad file descriptor)
21387 close(127)	= -1 EBADF (Bad file descriptor)
21387 close(128)	= -1 EBADF (Bad file descriptor)
21387 close(129)	= -1 EBADF (Bad file descriptor)
21387 close(130)	= -1 EBADF (Bad file descriptor)
21387 close(131)	= -1 EBADF (Bad file descriptor)
21387 close(132)	= -1 EBADF (Bad file descriptor)
21387 close(133)	= -1 EBADF (Bad file descriptor)
21387 close(134)	= -1 EBADF (Bad file descriptor)
21387 close(135)	= -1 EBADF (Bad file descriptor)
21387 close(136)	= -1 EBADF (Bad file descriptor)
21387 close(137)	= -1 EBADF (Bad file descriptor)
21387 close(138)	= -1 EBADF (Bad file descriptor)
21387 close(139)	= -1 EBADF (Bad file descriptor)
21387 close(140)	= -1 EBADF (Bad file descriptor)
21387 close(141)	= -1 EBADF (Bad file descriptor)
21387 close(142)	= -1 EBADF (Bad file descriptor)

[illegible]

21387 close(191)	= -1 EBADF (Bad file descriptor)
21387 close(192)	= -1 EBADF (Bad file descriptor)
21387 close(193)	= -1 EBADF (Bad file descriptor)
21387 close(194)	= -1 EBADF (Bad file descriptor)
21387 close(195)	= -1 EBADF (Bad file descriptor)
21387 close(196)	= -1 EBADF (Bad file descriptor)
21387 close(197)	= -1 EBADF (Bad file descriptor)
21387 close(198)	= -1 EBADF (Bad file descriptor)
21387 close(199)	= -1 EBADF (Bad file descriptor)
21387 close(200)	= -1 EBADF (Bad file descriptor)
21387 close(201)	= -1 EBADF (Bad file descriptor)
21387 close(202)	= -1 EBADF (Bad file descriptor)
21387 close(203)	= -1 EBADF (Bad file descriptor)
21387 close(204)	= -1 EBADF (Bad file descriptor)
21387 close(205)	= -1 EBADF (Bad file descriptor)
21387 close(206)	= -1 EBADF (Bad file descriptor)
21387 close(207)	= -1 EBADF (Bad file descriptor)
21387 close(208)	= -1 EBADF (Bad file descriptor)
21387 close(209)	= -1 EBADF (Bad file descriptor)
21387 close(210)	= -1 EBADF (Bad file descriptor)
21387 close(211)	= -1 EBADF (Bad file descriptor)
21387 close(212)	= -1 EBADF (Bad file descriptor)
21387 close(213)	= -1 EBADF (Bad file descriptor)
21387 close(214)	= -1 EBADF (Bad file descriptor)
21387 close(215)	= -1 EBADF (Bad file descriptor)
21387 close(216)	= -1 EBADF (Bad file descriptor)
21387 close(217)	= -1 EBADF (Bad file descriptor)
21387 close(218)	= -1 EBADF (Bad file descriptor)
21387 close(219)	= -1 EBADF (Bad file descriptor)
21387 close(220)	= -1 EBADF (Bad file descriptor)
21387 close(221)	= -1 EBADF (Bad file descriptor)
21387 close(222)	= -1 EBADF (Bad file descriptor)
21387 close(223)	= -1 EBADF (Bad file descriptor)
21387 close(224)	= -1 EBADF (Bad file descriptor)
21387 close(225)	= -1 EBADF (Bad file descriptor)
21387 close(226)	= -1 EBADF (Bad file descriptor)
21387 close(227)	= -1 EBADF (Bad file descriptor)
21387 close(228)	= -1 EBADF (Bad file descriptor)
21387 close(229)	= -1 EBADF (Bad file descriptor)
21387 close(230)	= -1 EBADF (Bad file descriptor)
21387 close(231)	= -1 EBADF (Bad file descriptor)
21387 close(232)	= -1 EBADF (Bad file descriptor)
21387 close(233)	= -1 EBADF (Bad file descriptor)
21387 close(234)	= -1 EBADF (Bad file descriptor)
21387 close(235)	= -1 EBADF (Bad file descriptor)
21387 close(236)	= -1 EBADF (Bad file descriptor)
21387 close(237)	= -1 EBADF (Bad file descriptor)
21387 close(238)	= -1 EBADF (Bad file descriptor)

21387 close(239)	= -1 EBADF (Bad file descriptor)
21387 close(240)	= -1 EBADF (Bad file descriptor)
21387 close(241)	= -1 EBADF (Bad file descriptor)
21387 close(242)	= -1 EBADF (Bad file descriptor)
21387 close(243)	= -1 EBADF (Bad file descriptor)
21387 close(244)	= -1 EBADF (Bad file descriptor)
21387 close(245)	= -1 EBADF (Bad file descriptor)
21387 close(246)	= -1 EBADF (Bad file descriptor)
21387 close(247)	= -1 EBADF (Bad file descriptor)
21387 close(248)	= -1 EBADF (Bad file descriptor)
21387 close(249)	= -1 EBADF (Bad file descriptor)
21387 close(250)	= -1 EBADF (Bad file descriptor)
21387 close(251)	= -1 EBADF (Bad file descriptor)
21387 close(252)	= -1 EBADF (Bad file descriptor)
21387 close(253)	= -1 EBADF (Bad file descriptor)
21387 close(254)	= -1 EBADF (Bad file descriptor)
21387 close(255)	= -1 EBADF (Bad file descriptor)
21387 close(256)	= -1 EBADF (Bad file descriptor)
21387 close(257)	= -1 EBADF (Bad file descriptor)
21387 close(258)	= -1 EBADF (Bad file descriptor)
21387 close(259)	= -1 EBADF (Bad file descriptor)
21387 close(260)	= -1 EBADF (Bad file descriptor)
21387 close(261)	= -1 EBADF (Bad file descriptor)
21387 close(262)	= -1 EBADF (Bad file descriptor)
21387 close(263)	= -1 EBADF (Bad file descriptor)
21387 close(264)	= -1 EBADF (Bad file descriptor)
21387 close(265)	= -1 EBADF (Bad file descriptor)
21387 close(266)	= -1 EBADF (Bad file descriptor)
21387 close(267)	= -1 EBADF (Bad file descriptor)
21387 close(268)	= -1 EBADF (Bad file descriptor)
21387 close(269)	= -1 EBADF (Bad file descriptor)
21387 close(270)	= -1 EBADF (Bad file descriptor)
21387 close(271)	= -1 EBADF (Bad file descriptor)
21387 close(272)	= -1 EBADF (Bad file descriptor)
21387 close(273)	= -1 EBADF (Bad file descriptor)
21387 close(274)	= -1 EBADF (Bad file descriptor)
21387 close(275)	= -1 EBADF (Bad file descriptor)
21387 close(276)	= -1 EBADF (Bad file descriptor)
21387 close(277)	= -1 EBADF (Bad file descriptor)
21387 close(278)	= -1 EBADF (Bad file descriptor)
21387 close(279)	= -1 EBADF (Bad file descriptor)
21387 close(280)	= -1 EBADF (Bad file descriptor)
21387 close(281)	= -1 EBADF (Bad file descriptor)
21387 close(282)	= -1 EBADF (Bad file descriptor)
21387 close(283)	= -1 EBADF (Bad file descriptor)
21387 close(284)	= -1 EBADF (Bad file descriptor)
21387 close(285)	= -1 EBADF (Bad file descriptor)
21387 close(286)	= -1 EBADF (Bad file descriptor)

21387 close(287)	= -1 EBADF (Bad file descriptor)
21387 close(288)	= -1 EBADF (Bad file descriptor)
21387 close(289)	= -1 EBADF (Bad file descriptor)
21387 close(290)	= -1 EBADF (Bad file descriptor)
21387 close(291)	= -1 EBADF (Bad file descriptor)
21387 close(292)	= -1 EBADF (Bad file descriptor)
21387 close(293)	= -1 EBADF (Bad file descriptor)
21387 close(294)	= -1 EBADF (Bad file descriptor)
21387 close(295)	= -1 EBADF (Bad file descriptor)
21387 close(296)	= -1 EBADF (Bad file descriptor)
21387 close(297)	= -1 EBADF (Bad file descriptor)
21387 close(298)	= -1 EBADF (Bad file descriptor)
21387 close(299)	= -1 EBADF (Bad file descriptor)
21387 close(300)	= -1 EBADF (Bad file descriptor)
21387 close(301)	= -1 EBADF (Bad file descriptor)
21387 close(302)	= -1 EBADF (Bad file descriptor)
21387 close(303)	= -1 EBADF (Bad file descriptor)
21387 close(304)	= -1 EBADF (Bad file descriptor)
21387 close(305)	= -1 EBADF (Bad file descriptor)
21387 close(306)	= -1 EBADF (Bad file descriptor)
21387 close(307)	= -1 EBADF (Bad file descriptor)
21387 close(308)	= -1 EBADF (Bad file descriptor)
21387 close(309)	= -1 EBADF (Bad file descriptor)
21387 close(310)	= -1 EBADF (Bad file descriptor)
21387 close(311)	= -1 EBADF (Bad file descriptor)
21387 close(312)	= -1 EBADF (Bad file descriptor)
21387 close(313)	= -1 EBADF (Bad file descriptor)
21387 close(314)	= -1 EBADF (Bad file descriptor)
21387 close(315)	= -1 EBADF (Bad file descriptor)
21387 close(316)	= -1 EBADF (Bad file descriptor)
21387 close(317)	= -1 EBADF (Bad file descriptor)
21387 close(318)	= -1 EBADF (Bad file descriptor)
21387 close(319)	= -1 EBADF (Bad file descriptor)
21387 close(320)	= -1 EBADF (Bad file descriptor)
21387 close(321)	= -1 EBADF (Bad file descriptor)
21387 close(322)	= -1 EBADF (Bad file descriptor)
21387 close(323)	= -1 EBADF (Bad file descriptor)
21387 close(324)	= -1 EBADF (Bad file descriptor)
21387 close(325)	= -1 EBADF (Bad file descriptor)
21387 close(326)	= -1 EBADF (Bad file descriptor)
21387 close(327)	= -1 EBADF (Bad file descriptor)
21387 close(328)	= -1 EBADF (Bad file descriptor)
21387 close(329)	= -1 EBADF (Bad file descriptor)
21387 close(330)	= -1 EBADF (Bad file descriptor)
21387 close(331)	= -1 EBADF (Bad file descriptor)
21387 close(332)	= -1 EBADF (Bad file descriptor)
21387 close(333)	= -1 EBADF (Bad file descriptor)
21387 close(334)	= -1 EBADF (Bad file descriptor)

[illegible]

21387 close(383)	= -1 EBADF (Bad file descriptor)
21387 close(384)	= -1 EBADF (Bad file descriptor)
21387 close(385)	= -1 EBADF (Bad file descriptor)
21387 close(386)	= -1 EBADF (Bad file descriptor)
21387 close(387)	= -1 EBADF (Bad file descriptor)
21387 close(388)	= -1 EBADF (Bad file descriptor)
21387 close(389)	= -1 EBADF (Bad file descriptor)
21387 close(390)	= -1 EBADF (Bad file descriptor)
21387 close(391)	= -1 EBADF (Bad file descriptor)
21387 close(392)	= -1 EBADF (Bad file descriptor)
21387 close(393)	= -1 EBADF (Bad file descriptor)
21387 close(394)	= -1 EBADF (Bad file descriptor)
21387 close(395)	= -1 EBADF (Bad file descriptor)
21387 close(396)	= -1 EBADF (Bad file descriptor)
21387 close(397)	= -1 EBADF (Bad file descriptor)
21387 close(398)	= -1 EBADF (Bad file descriptor)
21387 close(399)	= -1 EBADF (Bad file descriptor)
21387 close(400)	= -1 EBADF (Bad file descriptor)
21387 close(401)	= -1 EBADF (Bad file descriptor)
21387 close(402)	= -1 EBADF (Bad file descriptor)
21387 close(403)	= -1 EBADF (Bad file descriptor)
21387 close(404)	= -1 EBADF (Bad file descriptor)
21387 close(405)	= -1 EBADF (Bad file descriptor)
21387 close(406)	= -1 EBADF (Bad file descriptor)
21387 close(407)	= -1 EBADF (Bad file descriptor)
21387 close(408)	= -1 EBADF (Bad file descriptor)
21387 close(409)	= -1 EBADF (Bad file descriptor)
21387 close(410)	= -1 EBADF (Bad file descriptor)
21387 close(411)	= -1 EBADF (Bad file descriptor)
21387 close(412)	= -1 EBADF (Bad file descriptor)
21387 close(413)	= -1 EBADF (Bad file descriptor)
21387 close(414)	= -1 EBADF (Bad file descriptor)
21387 close(415)	= -1 EBADF (Bad file descriptor)
21387 close(416)	= -1 EBADF (Bad file descriptor)
21387 close(417)	= -1 EBADF (Bad file descriptor)
21387 close(418)	= -1 EBADF (Bad file descriptor)
21387 close(419)	= -1 EBADF (Bad file descriptor)
21387 close(420)	= -1 EBADF (Bad file descriptor)
21387 close(421)	= -1 EBADF (Bad file descriptor)
21387 close(422)	= -1 EBADF (Bad file descriptor)
21387 close(423)	= -1 EBADF (Bad file descriptor)
21387 close(424)	= -1 EBADF (Bad file descriptor)
21387 close(425)	= -1 EBADF (Bad file descriptor)
21387 close(426)	= -1 EBADF (Bad file descriptor)
21387 close(427)	= -1 EBADF (Bad file descriptor)
21387 close(428)	= -1 EBADF (Bad file descriptor)
21387 close(429)	= -1 EBADF (Bad file descriptor)
21387 close(430)	= -1 EBADF (Bad file descriptor)

21387 close(431)	= -1 EBADF (Bad file descriptor)
21387 close(432)	= -1 EBADF (Bad file descriptor)
21387 close(433)	= -1 EBADF (Bad file descriptor)
21387 close(434)	= -1 EBADF (Bad file descriptor)
21387 close(435)	= -1 EBADF (Bad file descriptor)
21387 close(436)	= -1 EBADF (Bad file descriptor)
21387 close(437)	= -1 EBADF (Bad file descriptor)
21387 close(438)	= -1 EBADF (Bad file descriptor)
21387 close(439)	= -1 EBADF (Bad file descriptor)
21387 close(440)	= -1 EBADF (Bad file descriptor)
21387 close(441)	= -1 EBADF (Bad file descriptor)
21387 close(442)	= -1 EBADF (Bad file descriptor)
21387 close(443)	= -1 EBADF (Bad file descriptor)
21387 close(444)	= -1 EBADF (Bad file descriptor)
21387 close(445)	= -1 EBADF (Bad file descriptor)
21387 close(446)	= -1 EBADF (Bad file descriptor)
21387 close(447)	= -1 EBADF (Bad file descriptor)
21387 close(448)	= -1 EBADF (Bad file descriptor)
21387 close(449)	= -1 EBADF (Bad file descriptor)
21387 close(450)	= -1 EBADF (Bad file descriptor)
21387 close(451)	= -1 EBADF (Bad file descriptor)
21387 close(452)	= -1 EBADF (Bad file descriptor)
21387 close(453)	= -1 EBADF (Bad file descriptor)
21387 close(454)	= -1 EBADF (Bad file descriptor)
21387 close(455)	= -1 EBADF (Bad file descriptor)
21387 close(456)	= -1 EBADF (Bad file descriptor)
21387 close(457)	= -1 EBADF (Bad file descriptor)
21387 close(458)	= -1 EBADF (Bad file descriptor)
21387 close(459)	= -1 EBADF (Bad file descriptor)
21387 close(460)	= -1 EBADF (Bad file descriptor)
21387 close(461)	= -1 EBADF (Bad file descriptor)
21387 close(462)	= -1 EBADF (Bad file descriptor)
21387 close(463)	= -1 EBADF (Bad file descriptor)
21387 close(464)	= -1 EBADF (Bad file descriptor)
21387 close(465)	= -1 EBADF (Bad file descriptor)
21387 close(466)	= -1 EBADF (Bad file descriptor)
21387 close(467)	= -1 EBADF (Bad file descriptor)
21387 close(468)	= -1 EBADF (Bad file descriptor)
21387 close(469)	= -1 EBADF (Bad file descriptor)
21387 close(470)	= -1 EBADF (Bad file descriptor)
21387 close(471)	= -1 EBADF (Bad file descriptor)
21387 close(472)	= -1 EBADF (Bad file descriptor)
21387 close(473)	= -1 EBADF (Bad file descriptor)
21387 close(474)	= -1 EBADF (Bad file descriptor)
21387 close(475)	= -1 EBADF (Bad file descriptor)
21387 close(476)	= -1 EBADF (Bad file descriptor)
21387 close(477)	= -1 EBADF (Bad file descriptor)
21387 close(478)	= -1 EBADF (Bad file descriptor)

21387 close(479)	= -1 EBADF (Bad file descriptor)
21387 close(480)	= -1 EBADF (Bad file descriptor)
21387 close(481)	= -1 EBADF (Bad file descriptor)
21387 close(482)	= -1 EBADF (Bad file descriptor)
21387 close(483)	= -1 EBADF (Bad file descriptor)
21387 close(484)	= -1 EBADF (Bad file descriptor)
21387 close(485)	= -1 EBADF (Bad file descriptor)
21387 close(486)	= -1 EBADF (Bad file descriptor)
21387 close(487)	= -1 EBADF (Bad file descriptor)
21387 close(488)	= -1 EBADF (Bad file descriptor)
21387 close(489)	= -1 EBADF (Bad file descriptor)
21387 close(490)	= -1 EBADF (Bad file descriptor)
21387 close(491)	= -1 EBADF (Bad file descriptor)
21387 close(492)	= -1 EBADF (Bad file descriptor)
21387 close(493)	= -1 EBADF (Bad file descriptor)
21387 close(494)	= -1 EBADF (Bad file descriptor)
21387 close(495)	= -1 EBADF (Bad file descriptor)
21387 close(496)	= -1 EBADF (Bad file descriptor)
21387 close(497)	= -1 EBADF (Bad file descriptor)
21387 close(498)	= -1 EBADF (Bad file descriptor)
21387 close(499)	= -1 EBADF (Bad file descriptor)
21387 close(500)	= -1 EBADF (Bad file descriptor)
21387 close(501)	= -1 EBADF (Bad file descriptor)
21387 close(502)	= -1 EBADF (Bad file descriptor)
21387 close(503)	= -1 EBADF (Bad file descriptor)
21387 close(504)	= -1 EBADF (Bad file descriptor)
21387 close(505)	= -1 EBADF (Bad file descriptor)
21387 close(506)	= -1 EBADF (Bad file descriptor)
21387 close(507)	= -1 EBADF (Bad file descriptor)
21387 close(508)	= -1 EBADF (Bad file descriptor)
21387 close(509)	= -1 EBADF (Bad file descriptor)
21387 close(510)	= -1 EBADF (Bad file descriptor)
21387 close(511)	= -1 EBADF (Bad file descriptor)
21387 close(512)	= -1 EBADF (Bad file descriptor)
21387 close(513)	= -1 EBADF (Bad file descriptor)
21387 close(514)	= -1 EBADF (Bad file descriptor)
21387 close(515)	= -1 EBADF (Bad file descriptor)
21387 close(516)	= -1 EBADF (Bad file descriptor)
21387 close(517)	= -1 EBADF (Bad file descriptor)
21387 close(518)	= -1 EBADF (Bad file descriptor)
21387 close(519)	= -1 EBADF (Bad file descriptor)
21387 close(520)	= -1 EBADF (Bad file descriptor)
21387 close(521)	= -1 EBADF (Bad file descriptor)
21387 close(522)	= -1 EBADF (Bad file descriptor)
21387 close(523)	= -1 EBADF (Bad file descriptor)
21387 close(524)	= -1 EBADF (Bad file descriptor)
21387 close(525)	= -1 EBADF (Bad file descriptor)
21387 close(526)	= -1 EBADF (Bad file descriptor)

21387 close(527)	= -1 EBADF (Bad file descriptor)
21387 close(528)	= -1 EBADF (Bad file descriptor)
21387 close(529)	= -1 EBADF (Bad file descriptor)
21387 close(530)	= -1 EBADF (Bad file descriptor)
21387 close(531)	= -1 EBADF (Bad file descriptor)
21387 close(532)	= -1 EBADF (Bad file descriptor)
21387 close(533)	= -1 EBADF (Bad file descriptor)
21387 close(534)	= -1 EBADF (Bad file descriptor)
21387 close(535)	= -1 EBADF (Bad file descriptor)
21387 close(536)	= -1 EBADF (Bad file descriptor)
21387 close(537)	= -1 EBADF (Bad file descriptor)
21387 close(538)	= -1 EBADF (Bad file descriptor)
21387 close(539)	= -1 EBADF (Bad file descriptor)
21387 close(540)	= -1 EBADF (Bad file descriptor)
21387 close(541)	= -1 EBADF (Bad file descriptor)
21387 close(542)	= -1 EBADF (Bad file descriptor)
21387 close(543)	= -1 EBADF (Bad file descriptor)
21387 close(544)	= -1 EBADF (Bad file descriptor)
21387 close(545)	= -1 EBADF (Bad file descriptor)
21387 close(546)	= -1 EBADF (Bad file descriptor)
21387 close(547)	= -1 EBADF (Bad file descriptor)
21387 close(548)	= -1 EBADF (Bad file descriptor)
21387 close(549)	= -1 EBADF (Bad file descriptor)
21387 close(550)	= -1 EBADF (Bad file descriptor)
21387 close(551)	= -1 EBADF (Bad file descriptor)
21387 close(552)	= -1 EBADF (Bad file descriptor)
21387 close(553)	= -1 EBADF (Bad file descriptor)
21387 close(554)	= -1 EBADF (Bad file descriptor)
21387 close(555)	= -1 EBADF (Bad file descriptor)
21387 close(556)	= -1 EBADF (Bad file descriptor)
21387 close(557)	= -1 EBADF (Bad file descriptor)
21387 close(558)	= -1 EBADF (Bad file descriptor)
21387 close(559)	= -1 EBADF (Bad file descriptor)
21387 close(560)	= -1 EBADF (Bad file descriptor)
21387 close(561)	= -1 EBADF (Bad file descriptor)
21387 close(562)	= -1 EBADF (Bad file descriptor)
21387 close(563)	= -1 EBADF (Bad file descriptor)
21387 close(564)	= -1 EBADF (Bad file descriptor)
21387 close(565)	= -1 EBADF (Bad file descriptor)
21387 close(566)	= -1 EBADF (Bad file descriptor)
21387 close(567)	= -1 EBADF (Bad file descriptor)
21387 close(568)	= -1 EBADF (Bad file descriptor)
21387 close(569)	= -1 EBADF (Bad file descriptor)
21387 close(570)	= -1 EBADF (Bad file descriptor)
21387 close(571)	= -1 EBADF (Bad file descriptor)
21387 close(572)	= -1 EBADF (Bad file descriptor)
21387 close(573)	= -1 EBADF (Bad file descriptor)
21387 close(574)	= -1 EBADF (Bad file descriptor)

21387 close(575)	= -1 EBADF (Bad file descriptor)
21387 close(576)	= -1 EBADF (Bad file descriptor)
21387 close(577)	= -1 EBADF (Bad file descriptor)
21387 close(578)	= -1 EBADF (Bad file descriptor)
21387 close(579)	= -1 EBADF (Bad file descriptor)
21387 close(580)	= -1 EBADF (Bad file descriptor)
21387 close(581)	= -1 EBADF (Bad file descriptor)
21387 close(582)	= -1 EBADF (Bad file descriptor)
21387 close(583)	= -1 EBADF (Bad file descriptor)
21387 close(584)	= -1 EBADF (Bad file descriptor)
21387 close(585)	= -1 EBADF (Bad file descriptor)
21387 close(586)	= -1 EBADF (Bad file descriptor)
21387 close(587)	= -1 EBADF (Bad file descriptor)
21387 close(588)	= -1 EBADF (Bad file descriptor)
21387 close(589)	= -1 EBADF (Bad file descriptor)
21387 close(590)	= -1 EBADF (Bad file descriptor)
21387 close(591)	= -1 EBADF (Bad file descriptor)
21387 close(592)	= -1 EBADF (Bad file descriptor)
21387 close(593)	= -1 EBADF (Bad file descriptor)
21387 close(594)	= -1 EBADF (Bad file descriptor)
21387 close(595)	= -1 EBADF (Bad file descriptor)
21387 close(596)	= -1 EBADF (Bad file descriptor)
21387 close(597)	= -1 EBADF (Bad file descriptor)
21387 close(598)	= -1 EBADF (Bad file descriptor)
21387 close(599)	= -1 EBADF (Bad file descriptor)
21387 close(600)	= -1 EBADF (Bad file descriptor)
21387 close(601)	= -1 EBADF (Bad file descriptor)
21387 close(602)	= -1 EBADF (Bad file descriptor)
21387 close(603)	= -1 EBADF (Bad file descriptor)
21387 close(604)	= -1 EBADF (Bad file descriptor)
21387 close(605)	= -1 EBADF (Bad file descriptor)
21387 close(606)	= -1 EBADF (Bad file descriptor)
21387 close(607)	= -1 EBADF (Bad file descriptor)
21387 close(608)	= -1 EBADF (Bad file descriptor)
21387 close(609)	= -1 EBADF (Bad file descriptor)
21387 close(610)	= -1 EBADF (Bad file descriptor)
21387 close(611)	= -1 EBADF (Bad file descriptor)
21387 close(612)	= -1 EBADF (Bad file descriptor)
21387 close(613)	= -1 EBADF (Bad file descriptor)
21387 close(614)	= -1 EBADF (Bad file descriptor)
21387 close(615)	= -1 EBADF (Bad file descriptor)
21387 close(616)	= -1 EBADF (Bad file descriptor)
21387 close(617)	= -1 EBADF (Bad file descriptor)
21387 close(618)	= -1 EBADF (Bad file descriptor)
21387 close(619)	= -1 EBADF (Bad file descriptor)
21387 close(620)	= -1 EBADF (Bad file descriptor)
21387 close(621)	= -1 EBADF (Bad file descriptor)
21387 close(622)	= -1 EBADF (Bad file descriptor)

21387 close(623)	= -1 EBADF (Bad file descriptor)
21387 close(624)	= -1 EBADF (Bad file descriptor)
21387 close(625)	= -1 EBADF (Bad file descriptor)
21387 close(626)	= -1 EBADF (Bad file descriptor)
21387 close(627)	= -1 EBADF (Bad file descriptor)
21387 close(628)	= -1 EBADF (Bad file descriptor)
21387 close(629)	= -1 EBADF (Bad file descriptor)
21387 close(630)	= -1 EBADF (Bad file descriptor)
21387 close(631)	= -1 EBADF (Bad file descriptor)
21387 close(632)	= -1 EBADF (Bad file descriptor)
21387 close(633)	= -1 EBADF (Bad file descriptor)
21387 close(634)	= -1 EBADF (Bad file descriptor)
21387 close(635)	= -1 EBADF (Bad file descriptor)
21387 close(636)	= -1 EBADF (Bad file descriptor)
21387 close(637)	= -1 EBADF (Bad file descriptor)
21387 close(638)	= -1 EBADF (Bad file descriptor)
21387 close(639)	= -1 EBADF (Bad file descriptor)
21387 close(640)	= -1 EBADF (Bad file descriptor)
21387 close(641)	= -1 EBADF (Bad file descriptor)
21387 close(642)	= -1 EBADF (Bad file descriptor)
21387 close(643)	= -1 EBADF (Bad file descriptor)
21387 close(644)	= -1 EBADF (Bad file descriptor)
21387 close(645)	= -1 EBADF (Bad file descriptor)
21387 close(646)	= -1 EBADF (Bad file descriptor)
21387 close(647)	= -1 EBADF (Bad file descriptor)
21387 close(648)	= -1 EBADF (Bad file descriptor)
21387 close(649)	= -1 EBADF (Bad file descriptor)
21387 close(650)	= -1 EBADF (Bad file descriptor)
21387 close(651)	= -1 EBADF (Bad file descriptor)
21387 close(652)	= -1 EBADF (Bad file descriptor)
21387 close(653)	= -1 EBADF (Bad file descriptor)
21387 close(654)	= -1 EBADF (Bad file descriptor)
21387 close(655)	= -1 EBADF (Bad file descriptor)
21387 close(656)	= -1 EBADF (Bad file descriptor)
21387 close(657)	= -1 EBADF (Bad file descriptor)
21387 close(658)	= -1 EBADF (Bad file descriptor)
21387 close(659)	= -1 EBADF (Bad file descriptor)
21387 close(660)	= -1 EBADF (Bad file descriptor)
21387 close(661)	= -1 EBADF (Bad file descriptor)
21387 close(662)	= -1 EBADF (Bad file descriptor)
21387 close(663)	= -1 EBADF (Bad file descriptor)
21387 close(664)	= -1 EBADF (Bad file descriptor)
21387 close(665)	= -1 EBADF (Bad file descriptor)
21387 close(666)	= -1 EBADF (Bad file descriptor)
21387 close(667)	= -1 EBADF (Bad file descriptor)
21387 close(668)	= -1 EBADF (Bad file descriptor)
21387 close(669)	= -1 EBADF (Bad file descriptor)
21387 close(670)	= -1 EBADF (Bad file descriptor)

21387 close(671)	= -1 EBADF (Bad file descriptor)
21387 close(672)	= -1 EBADF (Bad file descriptor)
21387 close(673)	= -1 EBADF (Bad file descriptor)
21387 close(674)	= -1 EBADF (Bad file descriptor)
21387 close(675)	= -1 EBADF (Bad file descriptor)
21387 close(676)	= -1 EBADF (Bad file descriptor)
21387 close(677)	= -1 EBADF (Bad file descriptor)
21387 close(678)	= -1 EBADF (Bad file descriptor)
21387 close(679)	= -1 EBADF (Bad file descriptor)
21387 close(680)	= -1 EBADF (Bad file descriptor)
21387 close(681)	= -1 EBADF (Bad file descriptor)
21387 close(682)	= -1 EBADF (Bad file descriptor)
21387 close(683)	= -1 EBADF (Bad file descriptor)
21387 close(684)	= -1 EBADF (Bad file descriptor)
21387 close(685)	= -1 EBADF (Bad file descriptor)
21387 close(686)	= -1 EBADF (Bad file descriptor)
21387 close(687)	= -1 EBADF (Bad file descriptor)
21387 close(688)	= -1 EBADF (Bad file descriptor)
21387 close(689)	= -1 EBADF (Bad file descriptor)
21387 close(690)	= -1 EBADF (Bad file descriptor)
21387 close(691)	= -1 EBADF (Bad file descriptor)
21387 close(692)	= -1 EBADF (Bad file descriptor)
21387 close(693)	= -1 EBADF (Bad file descriptor)
21387 close(694)	= -1 EBADF (Bad file descriptor)
21387 close(695)	= -1 EBADF (Bad file descriptor)
21387 close(696)	= -1 EBADF (Bad file descriptor)
21387 close(697)	= -1 EBADF (Bad file descriptor)
21387 close(698)	= -1 EBADF (Bad file descriptor)
21387 close(699)	= -1 EBADF (Bad file descriptor)
21387 close(700)	= -1 EBADF (Bad file descriptor)
21387 close(701)	= -1 EBADF (Bad file descriptor)
21387 close(702)	= -1 EBADF (Bad file descriptor)
21387 close(703)	= -1 EBADF (Bad file descriptor)
21387 close(704)	= -1 EBADF (Bad file descriptor)
21387 close(705)	= -1 EBADF (Bad file descriptor)
21387 close(706)	= -1 EBADF (Bad file descriptor)
21387 close(707)	= -1 EBADF (Bad file descriptor)
21387 close(708)	= -1 EBADF (Bad file descriptor)
21387 close(709)	= -1 EBADF (Bad file descriptor)
21387 close(710)	= -1 EBADF (Bad file descriptor)
21387 close(711)	= -1 EBADF (Bad file descriptor)
21387 close(712)	= -1 EBADF (Bad file descriptor)
21387 close(713)	= -1 EBADF (Bad file descriptor)
21387 close(714)	= -1 EBADF (Bad file descriptor)
21387 close(715)	= -1 EBADF (Bad file descriptor)
21387 close(716)	= -1 EBADF (Bad file descriptor)
21387 close(717)	= -1 EBADF (Bad file descriptor)
21387 close(718)	= -1 EBADF (Bad file descriptor)

21387 close(719)	= -1 EBADF (Bad file descriptor)
21387 close(720)	= -1 EBADF (Bad file descriptor)
21387 close(721)	= -1 EBADF (Bad file descriptor)
21387 close(722)	= -1 EBADF (Bad file descriptor)
21387 close(723)	= -1 EBADF (Bad file descriptor)
21387 close(724)	= -1 EBADF (Bad file descriptor)
21387 close(725)	= -1 EBADF (Bad file descriptor)
21387 close(726)	= -1 EBADF (Bad file descriptor)
21387 close(727)	= -1 EBADF (Bad file descriptor)
21387 close(728)	= -1 EBADF (Bad file descriptor)
21387 close(729)	= -1 EBADF (Bad file descriptor)
21387 close(730)	= -1 EBADF (Bad file descriptor)
21387 close(731)	= -1 EBADF (Bad file descriptor)
21387 close(732)	= -1 EBADF (Bad file descriptor)
21387 close(733)	= -1 EBADF (Bad file descriptor)
21387 close(734)	= -1 EBADF (Bad file descriptor)
21387 close(735)	= -1 EBADF (Bad file descriptor)
21387 close(736)	= -1 EBADF (Bad file descriptor)
21387 close(737)	= -1 EBADF (Bad file descriptor)
21387 close(738)	= -1 EBADF (Bad file descriptor)
21387 close(739)	= -1 EBADF (Bad file descriptor)
21387 close(740)	= -1 EBADF (Bad file descriptor)
21387 close(741)	= -1 EBADF (Bad file descriptor)
21387 close(742)	= -1 EBADF (Bad file descriptor)
21387 close(743)	= -1 EBADF (Bad file descriptor)
21387 close(744)	= -1 EBADF (Bad file descriptor)
21387 close(745)	= -1 EBADF (Bad file descriptor)
21387 close(746)	= -1 EBADF (Bad file descriptor)
21387 close(747)	= -1 EBADF (Bad file descriptor)
21387 close(748)	= -1 EBADF (Bad file descriptor)
21387 close(749)	= -1 EBADF (Bad file descriptor)
21387 close(750)	= -1 EBADF (Bad file descriptor)
21387 close(751)	= -1 EBADF (Bad file descriptor)
21387 close(752)	= -1 EBADF (Bad file descriptor)
21387 close(753)	= -1 EBADF (Bad file descriptor)
21387 close(754)	= -1 EBADF (Bad file descriptor)
21387 close(755)	= -1 EBADF (Bad file descriptor)
21387 close(756)	= -1 EBADF (Bad file descriptor)
21387 close(757)	= -1 EBADF (Bad file descriptor)
21387 close(758)	= -1 EBADF (Bad file descriptor)
21387 close(759)	= -1 EBADF (Bad file descriptor)
21387 close(760)	= -1 EBADF (Bad file descriptor)
21387 close(761)	= -1 EBADF (Bad file descriptor)
21387 close(762)	= -1 EBADF (Bad file descriptor)
21387 close(763)	= -1 EBADF (Bad file descriptor)
21387 close(764)	= -1 EBADF (Bad file descriptor)
21387 close(765)	= -1 EBADF (Bad file descriptor)
21387 close(766)	= -1 EBADF (Bad file descriptor)

21387 close(767)	= -1 EBADF (Bad file descriptor)
21387 close(768)	= -1 EBADF (Bad file descriptor)
21387 close(769)	= -1 EBADF (Bad file descriptor)
21387 close(770)	= -1 EBADF (Bad file descriptor)
21387 close(771)	= -1 EBADF (Bad file descriptor)
21387 close(772)	= -1 EBADF (Bad file descriptor)
21387 close(773)	= -1 EBADF (Bad file descriptor)
21387 close(774)	= -1 EBADF (Bad file descriptor)
21387 close(775)	= -1 EBADF (Bad file descriptor)
21387 close(776)	= -1 EBADF (Bad file descriptor)
21387 close(777)	= -1 EBADF (Bad file descriptor)
21387 close(778)	= -1 EBADF (Bad file descriptor)
21387 close(779)	= -1 EBADF (Bad file descriptor)
21387 close(780)	= -1 EBADF (Bad file descriptor)
21387 close(781)	= -1 EBADF (Bad file descriptor)
21387 close(782)	= -1 EBADF (Bad file descriptor)
21387 close(783)	= -1 EBADF (Bad file descriptor)
21387 close(784)	= -1 EBADF (Bad file descriptor)
21387 close(785)	= -1 EBADF (Bad file descriptor)
21387 close(786)	= -1 EBADF (Bad file descriptor)
21387 close(787)	= -1 EBADF (Bad file descriptor)
21387 close(788)	= -1 EBADF (Bad file descriptor)
21387 close(789)	= -1 EBADF (Bad file descriptor)
21387 close(790)	= -1 EBADF (Bad file descriptor)
21387 close(791)	= -1 EBADF (Bad file descriptor)
21387 close(792)	= -1 EBADF (Bad file descriptor)
21387 close(793)	= -1 EBADF (Bad file descriptor)
21387 close(794)	= -1 EBADF (Bad file descriptor)
21387 close(795)	= -1 EBADF (Bad file descriptor)
21387 close(796)	= -1 EBADF (Bad file descriptor)
21387 close(797)	= -1 EBADF (Bad file descriptor)
21387 close(798)	= -1 EBADF (Bad file descriptor)
21387 close(799)	= -1 EBADF (Bad file descriptor)
21387 close(800)	= -1 EBADF (Bad file descriptor)
21387 close(801)	= -1 EBADF (Bad file descriptor)
21387 close(802)	= -1 EBADF (Bad file descriptor)
21387 close(803)	= -1 EBADF (Bad file descriptor)
21387 close(804)	= -1 EBADF (Bad file descriptor)
21387 close(805)	= -1 EBADF (Bad file descriptor)
21387 close(806)	= -1 EBADF (Bad file descriptor)
21387 close(807)	= -1 EBADF (Bad file descriptor)
21387 close(808)	= -1 EBADF (Bad file descriptor)
21387 close(809)	= -1 EBADF (Bad file descriptor)
21387 close(810)	= -1 EBADF (Bad file descriptor)
21387 close(811)	= -1 EBADF (Bad file descriptor)
21387 close(812)	= -1 EBADF (Bad file descriptor)
21387 close(813)	= -1 EBADF (Bad file descriptor)
21387 close(814)	= -1 EBADF (Bad file descriptor)

21387 close(815)	= -1 EBADF (Bad file descriptor)
21387 close(816)	= -1 EBADF (Bad file descriptor)
21387 close(817)	= -1 EBADF (Bad file descriptor)
21387 close(818)	= -1 EBADF (Bad file descriptor)
21387 close(819)	= -1 EBADF (Bad file descriptor)
21387 close(820)	= -1 EBADF (Bad file descriptor)
21387 close(821)	= -1 EBADF (Bad file descriptor)
21387 close(822)	= -1 EBADF (Bad file descriptor)
21387 close(823)	= -1 EBADF (Bad file descriptor)
21387 close(824)	= -1 EBADF (Bad file descriptor)
21387 close(825)	= -1 EBADF (Bad file descriptor)
21387 close(826)	= -1 EBADF (Bad file descriptor)
21387 close(827)	= -1 EBADF (Bad file descriptor)
21387 close(828)	= -1 EBADF (Bad file descriptor)
21387 close(829)	= -1 EBADF (Bad file descriptor)
21387 close(830)	= -1 EBADF (Bad file descriptor)
21387 close(831)	= -1 EBADF (Bad file descriptor)
21387 close(832)	= -1 EBADF (Bad file descriptor)
21387 close(833)	= -1 EBADF (Bad file descriptor)
21387 close(834)	= -1 EBADF (Bad file descriptor)
21387 close(835)	= -1 EBADF (Bad file descriptor)
21387 close(836)	= -1 EBADF (Bad file descriptor)
21387 close(837)	= -1 EBADF (Bad file descriptor)
21387 close(838)	= -1 EBADF (Bad file descriptor)
21387 close(839)	= -1 EBADF (Bad file descriptor)
21387 close(840)	= -1 EBADF (Bad file descriptor)
21387 close(841)	= -1 EBADF (Bad file descriptor)
21387 close(842)	= -1 EBADF (Bad file descriptor)
21387 close(843)	= -1 EBADF (Bad file descriptor)
21387 close(844)	= -1 EBADF (Bad file descriptor)
21387 close(845)	= -1 EBADF (Bad file descriptor)
21387 close(846)	= -1 EBADF (Bad file descriptor)
21387 close(847)	= -1 EBADF (Bad file descriptor)
21387 close(848)	= -1 EBADF (Bad file descriptor)
21387 close(849)	= -1 EBADF (Bad file descriptor)
21387 close(850)	= -1 EBADF (Bad file descriptor)
21387 close(851)	= -1 EBADF (Bad file descriptor)
21387 close(852)	= -1 EBADF (Bad file descriptor)
21387 close(853)	= -1 EBADF (Bad file descriptor)
21387 close(854)	= -1 EBADF (Bad file descriptor)
21387 close(855)	= -1 EBADF (Bad file descriptor)
21387 close(856)	= -1 EBADF (Bad file descriptor)
21387 close(857)	= -1 EBADF (Bad file descriptor)
21387 close(858)	= -1 EBADF (Bad file descriptor)
21387 close(859)	= -1 EBADF (Bad file descriptor)
21387 close(860)	= -1 EBADF (Bad file descriptor)
21387 close(861)	= -1 EBADF (Bad file descriptor)
21387 close(862)	= -1 EBADF (Bad file descriptor)

21387 close(863)	= -1 EBADF (Bad file descriptor)
21387 close(864)	= -1 EBADF (Bad file descriptor)
21387 close(865)	= -1 EBADF (Bad file descriptor)
21387 close(866)	= -1 EBADF (Bad file descriptor)
21387 close(867)	= -1 EBADF (Bad file descriptor)
21387 close(868)	= -1 EBADF (Bad file descriptor)
21387 close(869)	= -1 EBADF (Bad file descriptor)
21387 close(870)	= -1 EBADF (Bad file descriptor)
21387 close(871)	= -1 EBADF (Bad file descriptor)
21387 close(872)	= -1 EBADF (Bad file descriptor)
21387 close(873)	= -1 EBADF (Bad file descriptor)
21387 close(874)	= -1 EBADF (Bad file descriptor)
21387 close(875)	= -1 EBADF (Bad file descriptor)
21387 close(876)	= -1 EBADF (Bad file descriptor)
21387 close(877)	= -1 EBADF (Bad file descriptor)
21387 close(878)	= -1 EBADF (Bad file descriptor)
21387 close(879)	= -1 EBADF (Bad file descriptor)
21387 close(880)	= -1 EBADF (Bad file descriptor)
21387 close(881)	= -1 EBADF (Bad file descriptor)
21387 close(882)	= -1 EBADF (Bad file descriptor)
21387 close(883)	= -1 EBADF (Bad file descriptor)
21387 close(884)	= -1 EBADF (Bad file descriptor)
21387 close(885)	= -1 EBADF (Bad file descriptor)
21387 close(886)	= -1 EBADF (Bad file descriptor)
21387 close(887)	= -1 EBADF (Bad file descriptor)
21387 close(888)	= -1 EBADF (Bad file descriptor)
21387 close(889)	= -1 EBADF (Bad file descriptor)
21387 close(890)	= -1 EBADF (Bad file descriptor)
21387 close(891)	= -1 EBADF (Bad file descriptor)
21387 close(892)	= -1 EBADF (Bad file descriptor)
21387 close(893)	= -1 EBADF (Bad file descriptor)
21387 close(894)	= -1 EBADF (Bad file descriptor)
21387 close(895)	= -1 EBADF (Bad file descriptor)
21387 close(896)	= -1 EBADF (Bad file descriptor)
21387 close(897)	= -1 EBADF (Bad file descriptor)
21387 close(898)	= -1 EBADF (Bad file descriptor)
21387 close(899)	= -1 EBADF (Bad file descriptor)
21387 close(900)	= -1 EBADF (Bad file descriptor)
21387 close(901)	= -1 EBADF (Bad file descriptor)
21387 close(902)	= -1 EBADF (Bad file descriptor)
21387 close(903)	= -1 EBADF (Bad file descriptor)
21387 close(904)	= -1 EBADF (Bad file descriptor)
21387 close(905)	= -1 EBADF (Bad file descriptor)
21387 close(906)	= -1 EBADF (Bad file descriptor)
21387 close(907)	= -1 EBADF (Bad file descriptor)
21387 close(908)	= -1 EBADF (Bad file descriptor)
21387 close(909)	= -1 EBADF (Bad file descriptor)
21387 close(910)	= -1 EBADF (Bad file descriptor)

[illegible]

21387 close(959)	= -1 EBADF (Bad file descriptor)
21387 close(960)	= -1 EBADF (Bad file descriptor)
21387 close(961)	= -1 EBADF (Bad file descriptor)
21387 close(962)	= -1 EBADF (Bad file descriptor)
21387 close(963)	= -1 EBADF (Bad file descriptor)
21387 close(964)	= -1 EBADF (Bad file descriptor)
21387 close(965)	= -1 EBADF (Bad file descriptor)
21387 close(966)	= -1 EBADF (Bad file descriptor)
21387 close(967)	= -1 EBADF (Bad file descriptor)
21387 close(968)	= -1 EBADF (Bad file descriptor)
21387 close(969)	= -1 EBADF (Bad file descriptor)
21387 close(970)	= -1 EBADF (Bad file descriptor)
21387 close(971)	= -1 EBADF (Bad file descriptor)
21387 close(972)	= -1 EBADF (Bad file descriptor)
21387 close(973)	= -1 EBADF (Bad file descriptor)
21387 close(974)	= -1 EBADF (Bad file descriptor)
21387 close(975)	= -1 EBADF (Bad file descriptor)
21387 close(976)	= -1 EBADF (Bad file descriptor)
21387 close(977)	= -1 EBADF (Bad file descriptor)
21387 close(978)	= -1 EBADF (Bad file descriptor)
21387 close(979)	= -1 EBADF (Bad file descriptor)
21387 close(980)	= -1 EBADF (Bad file descriptor)
21387 close(981)	= -1 EBADF (Bad file descriptor)
21387 close(982)	= -1 EBADF (Bad file descriptor)
21387 close(983)	= -1 EBADF (Bad file descriptor)
21387 close(984)	= -1 EBADF (Bad file descriptor)
21387 close(985)	= -1 EBADF (Bad file descriptor)
21387 close(986)	= -1 EBADF (Bad file descriptor)
21387 close(987)	= -1 EBADF (Bad file descriptor)
21387 close(988)	= -1 EBADF (Bad file descriptor)
21387 close(989)	= -1 EBADF (Bad file descriptor)
21387 close(990)	= -1 EBADF (Bad file descriptor)
21387 close(991)	= -1 EBADF (Bad file descriptor)
21387 close(992)	= -1 EBADF (Bad file descriptor)
21387 close(993)	= -1 EBADF (Bad file descriptor)
21387 close(994)	= -1 EBADF (Bad file descriptor)
21387 close(995)	= -1 EBADF (Bad file descriptor)
21387 close(996)	= -1 EBADF (Bad file descriptor)
21387 close(997)	= -1 EBADF (Bad file descriptor)
21387 close(998)	= -1 EBADF (Bad file descriptor)
21387 close(999)	= -1 EBADF (Bad file descriptor)
21387 close(1000)	= -1 EBADF (Bad file descriptor)
21387 close(1001)	= -1 EBADF (Bad file descriptor)
21387 close(1002)	= -1 EBADF (Bad file descriptor)
21387 close(1003)	= -1 EBADF (Bad file descriptor)
21387 close(1004)	= -1 EBADF (Bad file descriptor)
21387 close(1005)	= -1 EBADF (Bad file descriptor)
21387 close(1006)	= -1 EBADF (Bad file descriptor)

```

21387 close(1007)          = -1 EBADF (Bad file descriptor)
21387 close(1008)          = -1 EBADF (Bad file descriptor)
21387 close(1009)          = -1 EBADF (Bad file descriptor)
21387 close(1010)          = -1 EBADF (Bad file descriptor)
21387 close(1011)          = -1 EBADF (Bad file descriptor)
21387 close(1012)          = -1 EBADF (Bad file descriptor)
21387 close(1013)          = -1 EBADF (Bad file descriptor)
21387 close(1014)          = -1 EBADF (Bad file descriptor)
21387 close(1015)          = -1 EBADF (Bad file descriptor)
21387 close(1016)          = -1 EBADF (Bad file descriptor)
21387 close(1017)          = -1 EBADF (Bad file descriptor)
21387 close(1018)          = -1 EBADF (Bad file descriptor)
21387 close(1019)          = -1 EBADF (Bad file descriptor)
21387 close(1020)          = -1 EBADF (Bad file descriptor)
21387 close(1021)          = -1 EBADF (Bad file descriptor)
21387 close(1022)          = -1 EBADF (Bad file descriptor)
21387 close(1023)          = -1 EBADF (Bad file descriptor)
21387 ioctl(4, 0x400c2e05, 0x7fbfffe9a0) = 101
21387 stat("/sbin/init", 0x7fbfffe8e0) = -1 ENOENT (No such file or directory)
21387 close(4)              = 0
21387 execve("/bin/bash", ["bash"], [/* 3 vars */]) = -1 ENOENT (No such file or directory)
21387 execve("/bin/sh", ["bash"], [/* 3 vars */]) = -1 ENOENT (No such file or directory)
21387 write(16, "\0\0\0", 4 <unfinished ...>
21386 <... read resumed> "\0\0\0", 4) = 4
21387 <... write resumed> )    = 4
21386 close(15)             = 0
21386 close(16)             = -1 EBADF (Bad file descriptor)
21386 close(11)             = 0
21387 exit_group(47)         = ?
21386 close(12)             = -1 EBADF (Bad file descriptor)
21386 close(13)             = 0
21386 close(14)             = -1 EBADF (Bad file descriptor)
21386 close(7)              = -1 EBADF (Bad file descriptor)
21386 --- SIGCHLD (Child exited) @ 0 (0) ---
21386 rt_sigreturn(0x11)     = -1 EBADF (Bad file descriptor)
21386 close(10)             = 0
21386 exit_group(4)          = ?
21363 <... read resumed> 0x7fbfffeb94, 4) = ? ERESTARTSYS (To be restarted)
21359 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 4}], 0, NULL) = 21386
21363 --- SIGCHLD (Child exited) @ 0 (0) ---
21359 --- SIGCHLD (Child exited) @ 0 (0) ---
21363 read(7, <unfinished ...>
21359 ioctl(4, 0x400c2e05, 0x7fbfffecb0) = 0
21359 write(1, "Setting CPU units: 100000\n", 26) = 26
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 write(3, "2006-12-13T09:11:36-0600 vzctl :\"..., 68) = 68

```

```

21359 syscall_506(0x65, 0x5, 0xffffffff, 0x2a95695dc0, 0x2a95695dc0, 0x5080c8, 0x1, 0x1, 0x1,
0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1, 0x1,
0x1, 0x1, 0x1) = 0
21359 ioctl(4, 0x400c2e05, 0x7bffffeca0) = 0
21359 write(1, "Set hostname: vzgentoo\n", 23) = 23
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 write(3, "2006-12-13T09:11:36-0600 vzctl :\"..., 65) = 65
21359 stat("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=7172, ...}) = 0
21359 stat("/etc/vz/dists/scripts/functions", {st_mode=S_IFREG|0644, st_size=7172, ...}) = 0
21359 open("/etc/vz/dists/scripts/functions", O_RDONLY) = 7
21359 read(7, "#!/bin/bash\n# Copyright (C) 200\"..., 7172) = 7172
21359 close(7) = 0
21359 stat("/etc/vz/dists/scripts/gentoo-set_hostname.sh", {st_mode=S_IFREG|0755,
st_size=1805, ...}) = 0
21359 open("/etc/vz/dists/scripts/gentoo-set_hostname.sh", O_RDONLY) = 7
21359 read(7, "#!/bin/bash\n# Copyright (C) 200\"..., 1805) = 1805
21359 close(7) = 0
21359 ioctl(4, 0x400c2e05, 0x7bffffe820) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21388
21388 pipe( <unfinished ...>
21359 wait4(21388, <unfinished ...>
21388 <... pipe resumed> [7, 10]) = 0
21388 pipe([11, 12]) = 0
21388 pipe([13, 14]) = 0
21388 pipe([15, 16]) = 0
21388 fcntl(11, F_GETFL) = 0 (flags O_RDONLY)
21388 fcntl(11, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
21388 fcntl(13, F_GETFL) = 0 (flags O_RDONLY)
21388 fcntl(13, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
21388 rt_sigaction(SIGALRM, {0x2a95562a40, [], SA_RESTORER, 0x3d9d52e2b0}, NULL, 8) = 0
21388 alarm(300) = 0
21388 rt_sigaction(SIGCHLD, {0x2a95562a30, [], SA_RESTORER|SA_NOCLDSTOP,
0x3d9d52e2b0}, NULL, 8) = 0
21388 rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0
21388 syscall_501(0x65, 0, 0xffffffffffffff, 0, 0, 0x7bffffe930, 0x7bffffec90, 0x7bffffec90,
0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90,
0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90,
0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90, 0x7bffffec90,
0x7bffffec90, 0x7bffffec90, 0x7bffffec90) = 0
21388 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21389
21389 close(0 <unfinished ...>
21388 close(16 <unfinished ...>

```

```

21389 <... close resumed> )      = 0
21388 <... close resumed> )      = 0
21389 close(1 <unfinished ...>
21388 close(12)                  = 0
21388 close(14)                  = 0
21388 close(7)                   = 0
21388 read(15, <unfinished ...>
21389 <... close resumed> )      = 0
21389 close(2)                   = 0
21389 dup2(7, 0)                 = 0
21389 dup2(12, 1)                = 1
21389 dup2(14, 2)                = 2
21389 close(7)                   = 0
21389 close(12)                  = 0
21389 close(14)                  = 0
21389 close(10)                  = 0
21389 close(11)                  = 0
21389 close(13)                  = 0
21389 close(15)                  = 0
21389 fcntl(16, F_SETFD, FD_CLOEXEC) = 0
21389 chdir("/vz/root/101")      = 0
21389 chroot("/vz/root/101")     = 0
21389 setsid()                   = 21389
21389 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21389 rt_sigaction(SIGHUP, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGINT, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGQUIT, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGILL, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGTRAP, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGABRT, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGBUS, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGFPE, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGKILL, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21389 rt_sigaction(SIGUSR1, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGSEGV, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGUSR2, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGPIPE, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGALRM, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGTERM, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGSTKFLT, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGCONT, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGSTOP, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21389 rt_sigaction(SIGTSTP, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGTTIN, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGTTOU, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGURG, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGXCPU, {SIG_DFL}, NULL, 8) = 0

```

```

21389 rt_sigaction(SIGXFSZ, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGVTALRM, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGPROF, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGWINCH, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGIO, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGPWR, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGSYS, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_2, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_3, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_4, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_5, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_6, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_7, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_8, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_9, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_10, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_11, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_12, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_13, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_14, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_15, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_16, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_17, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_18, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_19, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_20, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_21, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_22, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_23, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_24, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_25, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_26, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_27, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_28, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_29, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_30, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_31, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(SIGRT_32, {SIG_DFL}, NULL, 8) = 0
21389 rt_sigaction(65, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21389 getrlimit(RLIMIT_NOFILE, {rlim_cur=1024, rlim_max=1024}) = 0
21389 close(3) = 0
21389 close(5) = 0
21389 close(6) = 0
21389 close(7) = -1 EBADF (Bad file descriptor)
21389 close(8) = 0
21389 close(9) = 0
21389 close(10) = -1 EBADF (Bad file descriptor)
21389 close(11) = -1 EBADF (Bad file descriptor)

```

21389 close(12)	= -1 EBADF (Bad file descriptor)
21389 close(13)	= -1 EBADF (Bad file descriptor)
21389 close(14)	= -1 EBADF (Bad file descriptor)
21389 close(15)	= -1 EBADF (Bad file descriptor)
21389 close(17)	= -1 EBADF (Bad file descriptor)
21389 close(18)	= -1 EBADF (Bad file descriptor)
21389 close(19)	= -1 EBADF (Bad file descriptor)
21389 close(20)	= -1 EBADF (Bad file descriptor)
21389 close(21)	= -1 EBADF (Bad file descriptor)
21389 close(22)	= -1 EBADF (Bad file descriptor)
21389 close(23)	= -1 EBADF (Bad file descriptor)
21389 close(24)	= -1 EBADF (Bad file descriptor)
21389 close(25)	= -1 EBADF (Bad file descriptor)
21389 close(26)	= -1 EBADF (Bad file descriptor)
21389 close(27)	= -1 EBADF (Bad file descriptor)
21389 close(28)	= -1 EBADF (Bad file descriptor)
21389 close(29)	= -1 EBADF (Bad file descriptor)
21389 close(30)	= -1 EBADF (Bad file descriptor)
21389 close(31)	= -1 EBADF (Bad file descriptor)
21389 close(32)	= -1 EBADF (Bad file descriptor)
21389 close(33)	= -1 EBADF (Bad file descriptor)
21389 close(34)	= -1 EBADF (Bad file descriptor)
21389 close(35)	= -1 EBADF (Bad file descriptor)
21389 close(36)	= -1 EBADF (Bad file descriptor)
21389 close(37)	= -1 EBADF (Bad file descriptor)
21389 close(38)	= -1 EBADF (Bad file descriptor)
21389 close(39)	= -1 EBADF (Bad file descriptor)
21389 close(40)	= -1 EBADF (Bad file descriptor)
21389 close(41)	= -1 EBADF (Bad file descriptor)
21389 close(42)	= -1 EBADF (Bad file descriptor)
21389 close(43)	= -1 EBADF (Bad file descriptor)
21389 close(44)	= -1 EBADF (Bad file descriptor)
21389 close(45)	= -1 EBADF (Bad file descriptor)
21389 close(46)	= -1 EBADF (Bad file descriptor)
21389 close(47)	= -1 EBADF (Bad file descriptor)
21389 close(48)	= -1 EBADF (Bad file descriptor)
21389 close(49)	= -1 EBADF (Bad file descriptor)
21389 close(50)	= -1 EBADF (Bad file descriptor)
21389 close(51)	= -1 EBADF (Bad file descriptor)
21389 close(52)	= -1 EBADF (Bad file descriptor)
21389 close(53)	= -1 EBADF (Bad file descriptor)
21389 close(54)	= -1 EBADF (Bad file descriptor)
21389 close(55)	= -1 EBADF (Bad file descriptor)
21389 close(56)	= -1 EBADF (Bad file descriptor)
21389 close(57)	= -1 EBADF (Bad file descriptor)
21389 close(58)	= -1 EBADF (Bad file descriptor)
21389 close(59)	= -1 EBADF (Bad file descriptor)
21389 close(60)	= -1 EBADF (Bad file descriptor)

21389 close(61)	= -1 EBADF (Bad file descriptor)
21389 close(62)	= -1 EBADF (Bad file descriptor)
21389 close(63)	= -1 EBADF (Bad file descriptor)
21389 close(64)	= -1 EBADF (Bad file descriptor)
21389 close(65)	= -1 EBADF (Bad file descriptor)
21389 close(66)	= -1 EBADF (Bad file descriptor)
21389 close(67)	= -1 EBADF (Bad file descriptor)
21389 close(68)	= -1 EBADF (Bad file descriptor)
21389 close(69)	= -1 EBADF (Bad file descriptor)
21389 close(70)	= -1 EBADF (Bad file descriptor)
21389 close(71)	= -1 EBADF (Bad file descriptor)
21389 close(72)	= -1 EBADF (Bad file descriptor)
21389 close(73)	= -1 EBADF (Bad file descriptor)
21389 close(74)	= -1 EBADF (Bad file descriptor)
21389 close(75)	= -1 EBADF (Bad file descriptor)
21389 close(76)	= -1 EBADF (Bad file descriptor)
21389 close(77)	= -1 EBADF (Bad file descriptor)
21389 close(78)	= -1 EBADF (Bad file descriptor)
21389 close(79)	= -1 EBADF (Bad file descriptor)
21389 close(80)	= -1 EBADF (Bad file descriptor)
21389 close(81)	= -1 EBADF (Bad file descriptor)
21389 close(82)	= -1 EBADF (Bad file descriptor)
21389 close(83)	= -1 EBADF (Bad file descriptor)
21389 close(84)	= -1 EBADF (Bad file descriptor)
21389 close(85)	= -1 EBADF (Bad file descriptor)
21389 close(86)	= -1 EBADF (Bad file descriptor)
21389 close(87)	= -1 EBADF (Bad file descriptor)
21389 close(88)	= -1 EBADF (Bad file descriptor)
21389 close(89)	= -1 EBADF (Bad file descriptor)
21389 close(90)	= -1 EBADF (Bad file descriptor)
21389 close(91)	= -1 EBADF (Bad file descriptor)
21389 close(92)	= -1 EBADF (Bad file descriptor)
21389 close(93)	= -1 EBADF (Bad file descriptor)
21389 close(94)	= -1 EBADF (Bad file descriptor)
21389 close(95)	= -1 EBADF (Bad file descriptor)
21389 close(96)	= -1 EBADF (Bad file descriptor)
21389 close(97)	= -1 EBADF (Bad file descriptor)
21389 close(98)	= -1 EBADF (Bad file descriptor)
21389 close(99)	= -1 EBADF (Bad file descriptor)
21389 close(100)	= -1 EBADF (Bad file descriptor)
21389 close(101)	= -1 EBADF (Bad file descriptor)
21389 close(102)	= -1 EBADF (Bad file descriptor)
21389 close(103)	= -1 EBADF (Bad file descriptor)
21389 close(104)	= -1 EBADF (Bad file descriptor)
21389 close(105)	= -1 EBADF (Bad file descriptor)
21389 close(106)	= -1 EBADF (Bad file descriptor)
21389 close(107)	= -1 EBADF (Bad file descriptor)
21389 close(108)	= -1 EBADF (Bad file descriptor)

21389 close(109)	= -1 EBADF (Bad file descriptor)
21389 close(110)	= -1 EBADF (Bad file descriptor)
21389 close(111)	= -1 EBADF (Bad file descriptor)
21389 close(112)	= -1 EBADF (Bad file descriptor)
21389 close(113)	= -1 EBADF (Bad file descriptor)
21389 close(114)	= -1 EBADF (Bad file descriptor)
21389 close(115)	= -1 EBADF (Bad file descriptor)
21389 close(116)	= -1 EBADF (Bad file descriptor)
21389 close(117)	= -1 EBADF (Bad file descriptor)
21389 close(118)	= -1 EBADF (Bad file descriptor)
21389 close(119)	= -1 EBADF (Bad file descriptor)
21389 close(120)	= -1 EBADF (Bad file descriptor)
21389 close(121)	= -1 EBADF (Bad file descriptor)
21389 close(122)	= -1 EBADF (Bad file descriptor)
21389 close(123)	= -1 EBADF (Bad file descriptor)
21389 close(124)	= -1 EBADF (Bad file descriptor)
21389 close(125)	= -1 EBADF (Bad file descriptor)
21389 close(126)	= -1 EBADF (Bad file descriptor)
21389 close(127)	= -1 EBADF (Bad file descriptor)
21389 close(128)	= -1 EBADF (Bad file descriptor)
21389 close(129)	= -1 EBADF (Bad file descriptor)
21389 close(130)	= -1 EBADF (Bad file descriptor)
21389 close(131)	= -1 EBADF (Bad file descriptor)
21389 close(132)	= -1 EBADF (Bad file descriptor)
21389 close(133)	= -1 EBADF (Bad file descriptor)
21389 close(134)	= -1 EBADF (Bad file descriptor)
21389 close(135)	= -1 EBADF (Bad file descriptor)
21389 close(136)	= -1 EBADF (Bad file descriptor)
21389 close(137)	= -1 EBADF (Bad file descriptor)
21389 close(138)	= -1 EBADF (Bad file descriptor)
21389 close(139)	= -1 EBADF (Bad file descriptor)
21389 close(140)	= -1 EBADF (Bad file descriptor)
21389 close(141)	= -1 EBADF (Bad file descriptor)
21389 close(142)	= -1 EBADF (Bad file descriptor)
21389 close(143)	= -1 EBADF (Bad file descriptor)
21389 close(144)	= -1 EBADF (Bad file descriptor)
21389 close(145)	= -1 EBADF (Bad file descriptor)
21389 close(146)	= -1 EBADF (Bad file descriptor)
21389 close(147)	= -1 EBADF (Bad file descriptor)
21389 close(148)	= -1 EBADF (Bad file descriptor)
21389 close(149)	= -1 EBADF (Bad file descriptor)
21389 close(150)	= -1 EBADF (Bad file descriptor)
21389 close(151)	= -1 EBADF (Bad file descriptor)
21389 close(152)	= -1 EBADF (Bad file descriptor)
21389 close(153)	= -1 EBADF (Bad file descriptor)
21389 close(154)	= -1 EBADF (Bad file descriptor)
21389 close(155)	= -1 EBADF (Bad file descriptor)
21389 close(156)	= -1 EBADF (Bad file descriptor)

21389 close(157)	= -1 EBADF (Bad file descriptor)
21389 close(158)	= -1 EBADF (Bad file descriptor)
21389 close(159)	= -1 EBADF (Bad file descriptor)
21389 close(160)	= -1 EBADF (Bad file descriptor)
21389 close(161)	= -1 EBADF (Bad file descriptor)
21389 close(162)	= -1 EBADF (Bad file descriptor)
21389 close(163)	= -1 EBADF (Bad file descriptor)
21389 close(164)	= -1 EBADF (Bad file descriptor)
21389 close(165)	= -1 EBADF (Bad file descriptor)
21389 close(166)	= -1 EBADF (Bad file descriptor)
21389 close(167)	= -1 EBADF (Bad file descriptor)
21389 close(168)	= -1 EBADF (Bad file descriptor)
21389 close(169)	= -1 EBADF (Bad file descriptor)
21389 close(170)	= -1 EBADF (Bad file descriptor)
21389 close(171)	= -1 EBADF (Bad file descriptor)
21389 close(172)	= -1 EBADF (Bad file descriptor)
21389 close(173)	= -1 EBADF (Bad file descriptor)
21389 close(174)	= -1 EBADF (Bad file descriptor)
21389 close(175)	= -1 EBADF (Bad file descriptor)
21389 close(176)	= -1 EBADF (Bad file descriptor)
21389 close(177)	= -1 EBADF (Bad file descriptor)
21389 close(178)	= -1 EBADF (Bad file descriptor)
21389 close(179)	= -1 EBADF (Bad file descriptor)
21389 close(180)	= -1 EBADF (Bad file descriptor)
21389 close(181)	= -1 EBADF (Bad file descriptor)
21389 close(182)	= -1 EBADF (Bad file descriptor)
21389 close(183)	= -1 EBADF (Bad file descriptor)
21389 close(184)	= -1 EBADF (Bad file descriptor)
21389 close(185)	= -1 EBADF (Bad file descriptor)
21389 close(186)	= -1 EBADF (Bad file descriptor)
21389 close(187)	= -1 EBADF (Bad file descriptor)
21389 close(188)	= -1 EBADF (Bad file descriptor)
21389 close(189)	= -1 EBADF (Bad file descriptor)
21389 close(190)	= -1 EBADF (Bad file descriptor)
21389 close(191)	= -1 EBADF (Bad file descriptor)
21389 close(192)	= -1 EBADF (Bad file descriptor)
21389 close(193)	= -1 EBADF (Bad file descriptor)
21389 close(194)	= -1 EBADF (Bad file descriptor)
21389 close(195)	= -1 EBADF (Bad file descriptor)
21389 close(196)	= -1 EBADF (Bad file descriptor)
21389 close(197)	= -1 EBADF (Bad file descriptor)
21389 close(198)	= -1 EBADF (Bad file descriptor)
21389 close(199)	= -1 EBADF (Bad file descriptor)
21389 close(200)	= -1 EBADF (Bad file descriptor)
21389 close(201)	= -1 EBADF (Bad file descriptor)
21389 close(202)	= -1 EBADF (Bad file descriptor)
21389 close(203)	= -1 EBADF (Bad file descriptor)
21389 close(204)	= -1 EBADF (Bad file descriptor)

21389 close(205)	= -1 EBADF (Bad file descriptor)
21389 close(206)	= -1 EBADF (Bad file descriptor)
21389 close(207)	= -1 EBADF (Bad file descriptor)
21389 close(208)	= -1 EBADF (Bad file descriptor)
21389 close(209)	= -1 EBADF (Bad file descriptor)
21389 close(210)	= -1 EBADF (Bad file descriptor)
21389 close(211)	= -1 EBADF (Bad file descriptor)
21389 close(212)	= -1 EBADF (Bad file descriptor)
21389 close(213)	= -1 EBADF (Bad file descriptor)
21389 close(214)	= -1 EBADF (Bad file descriptor)
21389 close(215)	= -1 EBADF (Bad file descriptor)
21389 close(216)	= -1 EBADF (Bad file descriptor)
21389 close(217)	= -1 EBADF (Bad file descriptor)
21389 close(218)	= -1 EBADF (Bad file descriptor)
21389 close(219)	= -1 EBADF (Bad file descriptor)
21389 close(220)	= -1 EBADF (Bad file descriptor)
21389 close(221)	= -1 EBADF (Bad file descriptor)
21389 close(222)	= -1 EBADF (Bad file descriptor)
21389 close(223)	= -1 EBADF (Bad file descriptor)
21389 close(224)	= -1 EBADF (Bad file descriptor)
21389 close(225)	= -1 EBADF (Bad file descriptor)
21389 close(226)	= -1 EBADF (Bad file descriptor)
21389 close(227)	= -1 EBADF (Bad file descriptor)
21389 close(228)	= -1 EBADF (Bad file descriptor)
21389 close(229)	= -1 EBADF (Bad file descriptor)
21389 close(230)	= -1 EBADF (Bad file descriptor)
21389 close(231)	= -1 EBADF (Bad file descriptor)
21389 close(232)	= -1 EBADF (Bad file descriptor)
21389 close(233)	= -1 EBADF (Bad file descriptor)
21389 close(234)	= -1 EBADF (Bad file descriptor)
21389 close(235)	= -1 EBADF (Bad file descriptor)
21389 close(236)	= -1 EBADF (Bad file descriptor)
21389 close(237)	= -1 EBADF (Bad file descriptor)
21389 close(238)	= -1 EBADF (Bad file descriptor)
21389 close(239)	= -1 EBADF (Bad file descriptor)
21389 close(240)	= -1 EBADF (Bad file descriptor)
21389 close(241)	= -1 EBADF (Bad file descriptor)
21389 close(242)	= -1 EBADF (Bad file descriptor)
21389 close(243)	= -1 EBADF (Bad file descriptor)
21389 close(244)	= -1 EBADF (Bad file descriptor)
21389 close(245)	= -1 EBADF (Bad file descriptor)
21389 close(246)	= -1 EBADF (Bad file descriptor)
21389 close(247)	= -1 EBADF (Bad file descriptor)
21389 close(248)	= -1 EBADF (Bad file descriptor)
21389 close(249)	= -1 EBADF (Bad file descriptor)
21389 close(250)	= -1 EBADF (Bad file descriptor)
21389 close(251)	= -1 EBADF (Bad file descriptor)
21389 close(252)	= -1 EBADF (Bad file descriptor)

21389 close(253)	= -1 EBADF (Bad file descriptor)
21389 close(254)	= -1 EBADF (Bad file descriptor)
21389 close(255)	= -1 EBADF (Bad file descriptor)
21389 close(256)	= -1 EBADF (Bad file descriptor)
21389 close(257)	= -1 EBADF (Bad file descriptor)
21389 close(258)	= -1 EBADF (Bad file descriptor)
21389 close(259)	= -1 EBADF (Bad file descriptor)
21389 close(260)	= -1 EBADF (Bad file descriptor)
21389 close(261)	= -1 EBADF (Bad file descriptor)
21389 close(262)	= -1 EBADF (Bad file descriptor)
21389 close(263)	= -1 EBADF (Bad file descriptor)
21389 close(264)	= -1 EBADF (Bad file descriptor)
21389 close(265)	= -1 EBADF (Bad file descriptor)
21389 close(266)	= -1 EBADF (Bad file descriptor)
21389 close(267)	= -1 EBADF (Bad file descriptor)
21389 close(268)	= -1 EBADF (Bad file descriptor)
21389 close(269)	= -1 EBADF (Bad file descriptor)
21389 close(270)	= -1 EBADF (Bad file descriptor)
21389 close(271)	= -1 EBADF (Bad file descriptor)
21389 close(272)	= -1 EBADF (Bad file descriptor)
21389 close(273)	= -1 EBADF (Bad file descriptor)
21389 close(274)	= -1 EBADF (Bad file descriptor)
21389 close(275)	= -1 EBADF (Bad file descriptor)
21389 close(276)	= -1 EBADF (Bad file descriptor)
21389 close(277)	= -1 EBADF (Bad file descriptor)
21389 close(278)	= -1 EBADF (Bad file descriptor)
21389 close(279)	= -1 EBADF (Bad file descriptor)
21389 close(280)	= -1 EBADF (Bad file descriptor)
21389 close(281)	= -1 EBADF (Bad file descriptor)
21389 close(282)	= -1 EBADF (Bad file descriptor)
21389 close(283)	= -1 EBADF (Bad file descriptor)
21389 close(284)	= -1 EBADF (Bad file descriptor)
21389 close(285)	= -1 EBADF (Bad file descriptor)
21389 close(286)	= -1 EBADF (Bad file descriptor)
21389 close(287)	= -1 EBADF (Bad file descriptor)
21389 close(288)	= -1 EBADF (Bad file descriptor)
21389 close(289)	= -1 EBADF (Bad file descriptor)
21389 close(290)	= -1 EBADF (Bad file descriptor)
21389 close(291)	= -1 EBADF (Bad file descriptor)
21389 close(292)	= -1 EBADF (Bad file descriptor)
21389 close(293)	= -1 EBADF (Bad file descriptor)
21389 close(294)	= -1 EBADF (Bad file descriptor)
21389 close(295)	= -1 EBADF (Bad file descriptor)
21389 close(296)	= -1 EBADF (Bad file descriptor)
21389 close(297)	= -1 EBADF (Bad file descriptor)
21389 close(298)	= -1 EBADF (Bad file descriptor)
21389 close(299)	= -1 EBADF (Bad file descriptor)
21389 close(300)	= -1 EBADF (Bad file descriptor)

21389 close(301)	= -1 EBADF (Bad file descriptor)
21389 close(302)	= -1 EBADF (Bad file descriptor)
21389 close(303)	= -1 EBADF (Bad file descriptor)
21389 close(304)	= -1 EBADF (Bad file descriptor)
21389 close(305)	= -1 EBADF (Bad file descriptor)
21389 close(306)	= -1 EBADF (Bad file descriptor)
21389 close(307)	= -1 EBADF (Bad file descriptor)
21389 close(308)	= -1 EBADF (Bad file descriptor)
21389 close(309)	= -1 EBADF (Bad file descriptor)
21389 close(310)	= -1 EBADF (Bad file descriptor)
21389 close(311)	= -1 EBADF (Bad file descriptor)
21389 close(312)	= -1 EBADF (Bad file descriptor)
21389 close(313)	= -1 EBADF (Bad file descriptor)
21389 close(314)	= -1 EBADF (Bad file descriptor)
21389 close(315)	= -1 EBADF (Bad file descriptor)
21389 close(316)	= -1 EBADF (Bad file descriptor)
21389 close(317)	= -1 EBADF (Bad file descriptor)
21389 close(318)	= -1 EBADF (Bad file descriptor)
21389 close(319)	= -1 EBADF (Bad file descriptor)
21389 close(320)	= -1 EBADF (Bad file descriptor)
21389 close(321)	= -1 EBADF (Bad file descriptor)
21389 close(322)	= -1 EBADF (Bad file descriptor)
21389 close(323)	= -1 EBADF (Bad file descriptor)
21389 close(324)	= -1 EBADF (Bad file descriptor)
21389 close(325)	= -1 EBADF (Bad file descriptor)
21389 close(326)	= -1 EBADF (Bad file descriptor)
21389 close(327)	= -1 EBADF (Bad file descriptor)
21389 close(328)	= -1 EBADF (Bad file descriptor)
21389 close(329)	= -1 EBADF (Bad file descriptor)
21389 close(330)	= -1 EBADF (Bad file descriptor)
21389 close(331)	= -1 EBADF (Bad file descriptor)
21389 close(332)	= -1 EBADF (Bad file descriptor)
21389 close(333)	= -1 EBADF (Bad file descriptor)
21389 close(334)	= -1 EBADF (Bad file descriptor)
21389 close(335)	= -1 EBADF (Bad file descriptor)
21389 close(336)	= -1 EBADF (Bad file descriptor)
21389 close(337)	= -1 EBADF (Bad file descriptor)
21389 close(338)	= -1 EBADF (Bad file descriptor)
21389 close(339)	= -1 EBADF (Bad file descriptor)
21389 close(340)	= -1 EBADF (Bad file descriptor)
21389 close(341)	= -1 EBADF (Bad file descriptor)
21389 close(342)	= -1 EBADF (Bad file descriptor)
21389 close(343)	= -1 EBADF (Bad file descriptor)
21389 close(344)	= -1 EBADF (Bad file descriptor)
21389 close(345)	= -1 EBADF (Bad file descriptor)
21389 close(346)	= -1 EBADF (Bad file descriptor)
21389 close(347)	= -1 EBADF (Bad file descriptor)
21389 close(348)	= -1 EBADF (Bad file descriptor)

21389 close(349)	= -1 EBADF (Bad file descriptor)
21389 close(350)	= -1 EBADF (Bad file descriptor)
21389 close(351)	= -1 EBADF (Bad file descriptor)
21389 close(352)	= -1 EBADF (Bad file descriptor)
21389 close(353)	= -1 EBADF (Bad file descriptor)
21389 close(354)	= -1 EBADF (Bad file descriptor)
21389 close(355)	= -1 EBADF (Bad file descriptor)
21389 close(356)	= -1 EBADF (Bad file descriptor)
21389 close(357)	= -1 EBADF (Bad file descriptor)
21389 close(358)	= -1 EBADF (Bad file descriptor)
21389 close(359)	= -1 EBADF (Bad file descriptor)
21389 close(360)	= -1 EBADF (Bad file descriptor)
21389 close(361)	= -1 EBADF (Bad file descriptor)
21389 close(362)	= -1 EBADF (Bad file descriptor)
21389 close(363)	= -1 EBADF (Bad file descriptor)
21389 close(364)	= -1 EBADF (Bad file descriptor)
21389 close(365)	= -1 EBADF (Bad file descriptor)
21389 close(366)	= -1 EBADF (Bad file descriptor)
21389 close(367)	= -1 EBADF (Bad file descriptor)
21389 close(368)	= -1 EBADF (Bad file descriptor)
21389 close(369)	= -1 EBADF (Bad file descriptor)
21389 close(370)	= -1 EBADF (Bad file descriptor)
21389 close(371)	= -1 EBADF (Bad file descriptor)
21389 close(372)	= -1 EBADF (Bad file descriptor)
21389 close(373)	= -1 EBADF (Bad file descriptor)
21389 close(374)	= -1 EBADF (Bad file descriptor)
21389 close(375)	= -1 EBADF (Bad file descriptor)
21389 close(376)	= -1 EBADF (Bad file descriptor)
21389 close(377)	= -1 EBADF (Bad file descriptor)
21389 close(378)	= -1 EBADF (Bad file descriptor)
21389 close(379)	= -1 EBADF (Bad file descriptor)
21389 close(380)	= -1 EBADF (Bad file descriptor)
21389 close(381)	= -1 EBADF (Bad file descriptor)
21389 close(382)	= -1 EBADF (Bad file descriptor)
21389 close(383)	= -1 EBADF (Bad file descriptor)
21389 close(384)	= -1 EBADF (Bad file descriptor)
21389 close(385)	= -1 EBADF (Bad file descriptor)
21389 close(386)	= -1 EBADF (Bad file descriptor)
21389 close(387)	= -1 EBADF (Bad file descriptor)
21389 close(388)	= -1 EBADF (Bad file descriptor)
21389 close(389)	= -1 EBADF (Bad file descriptor)
21389 close(390)	= -1 EBADF (Bad file descriptor)
21389 close(391)	= -1 EBADF (Bad file descriptor)
21389 close(392)	= -1 EBADF (Bad file descriptor)
21389 close(393)	= -1 EBADF (Bad file descriptor)
21389 close(394)	= -1 EBADF (Bad file descriptor)
21389 close(395)	= -1 EBADF (Bad file descriptor)
21389 close(396)	= -1 EBADF (Bad file descriptor)

21389 close(397)	= -1 EBADF (Bad file descriptor)
21389 close(398)	= -1 EBADF (Bad file descriptor)
21389 close(399)	= -1 EBADF (Bad file descriptor)
21389 close(400)	= -1 EBADF (Bad file descriptor)
21389 close(401)	= -1 EBADF (Bad file descriptor)
21389 close(402)	= -1 EBADF (Bad file descriptor)
21389 close(403)	= -1 EBADF (Bad file descriptor)
21389 close(404)	= -1 EBADF (Bad file descriptor)
21389 close(405)	= -1 EBADF (Bad file descriptor)
21389 close(406)	= -1 EBADF (Bad file descriptor)
21389 close(407)	= -1 EBADF (Bad file descriptor)
21389 close(408)	= -1 EBADF (Bad file descriptor)
21389 close(409)	= -1 EBADF (Bad file descriptor)
21389 close(410)	= -1 EBADF (Bad file descriptor)
21389 close(411)	= -1 EBADF (Bad file descriptor)
21389 close(412)	= -1 EBADF (Bad file descriptor)
21389 close(413)	= -1 EBADF (Bad file descriptor)
21389 close(414)	= -1 EBADF (Bad file descriptor)
21389 close(415)	= -1 EBADF (Bad file descriptor)
21389 close(416)	= -1 EBADF (Bad file descriptor)
21389 close(417)	= -1 EBADF (Bad file descriptor)
21389 close(418)	= -1 EBADF (Bad file descriptor)
21389 close(419)	= -1 EBADF (Bad file descriptor)
21389 close(420)	= -1 EBADF (Bad file descriptor)
21389 close(421)	= -1 EBADF (Bad file descriptor)
21389 close(422)	= -1 EBADF (Bad file descriptor)
21389 close(423)	= -1 EBADF (Bad file descriptor)
21389 close(424)	= -1 EBADF (Bad file descriptor)
21389 close(425)	= -1 EBADF (Bad file descriptor)
21389 close(426)	= -1 EBADF (Bad file descriptor)
21389 close(427)	= -1 EBADF (Bad file descriptor)
21389 close(428)	= -1 EBADF (Bad file descriptor)
21389 close(429)	= -1 EBADF (Bad file descriptor)
21389 close(430)	= -1 EBADF (Bad file descriptor)
21389 close(431)	= -1 EBADF (Bad file descriptor)
21389 close(432)	= -1 EBADF (Bad file descriptor)
21389 close(433)	= -1 EBADF (Bad file descriptor)
21389 close(434)	= -1 EBADF (Bad file descriptor)
21389 close(435)	= -1 EBADF (Bad file descriptor)
21389 close(436)	= -1 EBADF (Bad file descriptor)
21389 close(437)	= -1 EBADF (Bad file descriptor)
21389 close(438)	= -1 EBADF (Bad file descriptor)
21389 close(439)	= -1 EBADF (Bad file descriptor)
21389 close(440)	= -1 EBADF (Bad file descriptor)
21389 close(441)	= -1 EBADF (Bad file descriptor)
21389 close(442)	= -1 EBADF (Bad file descriptor)
21389 close(443)	= -1 EBADF (Bad file descriptor)
21389 close(444)	= -1 EBADF (Bad file descriptor)

[illegible]

21389 close(493)	= -1 EBADF (Bad file descriptor)
21389 close(494)	= -1 EBADF (Bad file descriptor)
21389 close(495)	= -1 EBADF (Bad file descriptor)
21389 close(496)	= -1 EBADF (Bad file descriptor)
21389 close(497)	= -1 EBADF (Bad file descriptor)
21389 close(498)	= -1 EBADF (Bad file descriptor)
21389 close(499)	= -1 EBADF (Bad file descriptor)
21389 close(500)	= -1 EBADF (Bad file descriptor)
21389 close(501)	= -1 EBADF (Bad file descriptor)
21389 close(502)	= -1 EBADF (Bad file descriptor)
21389 close(503)	= -1 EBADF (Bad file descriptor)
21389 close(504)	= -1 EBADF (Bad file descriptor)
21389 close(505)	= -1 EBADF (Bad file descriptor)
21389 close(506)	= -1 EBADF (Bad file descriptor)
21389 close(507)	= -1 EBADF (Bad file descriptor)
21389 close(508)	= -1 EBADF (Bad file descriptor)
21389 close(509)	= -1 EBADF (Bad file descriptor)
21389 close(510)	= -1 EBADF (Bad file descriptor)
21389 close(511)	= -1 EBADF (Bad file descriptor)
21389 close(512)	= -1 EBADF (Bad file descriptor)
21389 close(513)	= -1 EBADF (Bad file descriptor)
21389 close(514)	= -1 EBADF (Bad file descriptor)
21389 close(515)	= -1 EBADF (Bad file descriptor)
21389 close(516)	= -1 EBADF (Bad file descriptor)
21389 close(517)	= -1 EBADF (Bad file descriptor)
21389 close(518)	= -1 EBADF (Bad file descriptor)
21389 close(519)	= -1 EBADF (Bad file descriptor)
21389 close(520)	= -1 EBADF (Bad file descriptor)
21389 close(521)	= -1 EBADF (Bad file descriptor)
21389 close(522)	= -1 EBADF (Bad file descriptor)
21389 close(523)	= -1 EBADF (Bad file descriptor)
21389 close(524)	= -1 EBADF (Bad file descriptor)
21389 close(525)	= -1 EBADF (Bad file descriptor)
21389 close(526)	= -1 EBADF (Bad file descriptor)
21389 close(527)	= -1 EBADF (Bad file descriptor)
21389 close(528)	= -1 EBADF (Bad file descriptor)
21389 close(529)	= -1 EBADF (Bad file descriptor)
21389 close(530)	= -1 EBADF (Bad file descriptor)
21389 close(531)	= -1 EBADF (Bad file descriptor)
21389 close(532)	= -1 EBADF (Bad file descriptor)
21389 close(533)	= -1 EBADF (Bad file descriptor)
21389 close(534)	= -1 EBADF (Bad file descriptor)
21389 close(535)	= -1 EBADF (Bad file descriptor)
21389 close(536)	= -1 EBADF (Bad file descriptor)
21389 close(537)	= -1 EBADF (Bad file descriptor)
21389 close(538)	= -1 EBADF (Bad file descriptor)
21389 close(539)	= -1 EBADF (Bad file descriptor)
21389 close(540)	= -1 EBADF (Bad file descriptor)

21389 close(541)	= -1 EBADF (Bad file descriptor)
21389 close(542)	= -1 EBADF (Bad file descriptor)
21389 close(543)	= -1 EBADF (Bad file descriptor)
21389 close(544)	= -1 EBADF (Bad file descriptor)
21389 close(545)	= -1 EBADF (Bad file descriptor)
21389 close(546)	= -1 EBADF (Bad file descriptor)
21389 close(547)	= -1 EBADF (Bad file descriptor)
21389 close(548)	= -1 EBADF (Bad file descriptor)
21389 close(549)	= -1 EBADF (Bad file descriptor)
21389 close(550)	= -1 EBADF (Bad file descriptor)
21389 close(551)	= -1 EBADF (Bad file descriptor)
21389 close(552)	= -1 EBADF (Bad file descriptor)
21389 close(553)	= -1 EBADF (Bad file descriptor)
21389 close(554)	= -1 EBADF (Bad file descriptor)
21389 close(555)	= -1 EBADF (Bad file descriptor)
21389 close(556)	= -1 EBADF (Bad file descriptor)
21389 close(557)	= -1 EBADF (Bad file descriptor)
21389 close(558)	= -1 EBADF (Bad file descriptor)
21389 close(559)	= -1 EBADF (Bad file descriptor)
21389 close(560)	= -1 EBADF (Bad file descriptor)
21389 close(561)	= -1 EBADF (Bad file descriptor)
21389 close(562)	= -1 EBADF (Bad file descriptor)
21389 close(563)	= -1 EBADF (Bad file descriptor)
21389 close(564)	= -1 EBADF (Bad file descriptor)
21389 close(565)	= -1 EBADF (Bad file descriptor)
21389 close(566)	= -1 EBADF (Bad file descriptor)
21389 close(567)	= -1 EBADF (Bad file descriptor)
21389 close(568)	= -1 EBADF (Bad file descriptor)
21389 close(569)	= -1 EBADF (Bad file descriptor)
21389 close(570)	= -1 EBADF (Bad file descriptor)
21389 close(571)	= -1 EBADF (Bad file descriptor)
21389 close(572)	= -1 EBADF (Bad file descriptor)
21389 close(573)	= -1 EBADF (Bad file descriptor)
21389 close(574)	= -1 EBADF (Bad file descriptor)
21389 close(575)	= -1 EBADF (Bad file descriptor)
21389 close(576)	= -1 EBADF (Bad file descriptor)
21389 close(577)	= -1 EBADF (Bad file descriptor)
21389 close(578)	= -1 EBADF (Bad file descriptor)
21389 close(579)	= -1 EBADF (Bad file descriptor)
21389 close(580)	= -1 EBADF (Bad file descriptor)
21389 close(581)	= -1 EBADF (Bad file descriptor)
21389 close(582)	= -1 EBADF (Bad file descriptor)
21389 close(583)	= -1 EBADF (Bad file descriptor)
21389 close(584)	= -1 EBADF (Bad file descriptor)
21389 close(585)	= -1 EBADF (Bad file descriptor)
21389 close(586)	= -1 EBADF (Bad file descriptor)
21389 close(587)	= -1 EBADF (Bad file descriptor)
21389 close(588)	= -1 EBADF (Bad file descriptor)

21389 close(589)	= -1 EBADF (Bad file descriptor)
21389 close(590)	= -1 EBADF (Bad file descriptor)
21389 close(591)	= -1 EBADF (Bad file descriptor)
21389 close(592)	= -1 EBADF (Bad file descriptor)
21389 close(593)	= -1 EBADF (Bad file descriptor)
21389 close(594)	= -1 EBADF (Bad file descriptor)
21389 close(595)	= -1 EBADF (Bad file descriptor)
21389 close(596)	= -1 EBADF (Bad file descriptor)
21389 close(597)	= -1 EBADF (Bad file descriptor)
21389 close(598)	= -1 EBADF (Bad file descriptor)
21389 close(599)	= -1 EBADF (Bad file descriptor)
21389 close(600)	= -1 EBADF (Bad file descriptor)
21389 close(601)	= -1 EBADF (Bad file descriptor)
21389 close(602)	= -1 EBADF (Bad file descriptor)
21389 close(603)	= -1 EBADF (Bad file descriptor)
21389 close(604)	= -1 EBADF (Bad file descriptor)
21389 close(605)	= -1 EBADF (Bad file descriptor)
21389 close(606)	= -1 EBADF (Bad file descriptor)
21389 close(607)	= -1 EBADF (Bad file descriptor)
21389 close(608)	= -1 EBADF (Bad file descriptor)
21389 close(609)	= -1 EBADF (Bad file descriptor)
21389 close(610)	= -1 EBADF (Bad file descriptor)
21389 close(611)	= -1 EBADF (Bad file descriptor)
21389 close(612)	= -1 EBADF (Bad file descriptor)
21389 close(613)	= -1 EBADF (Bad file descriptor)
21389 close(614)	= -1 EBADF (Bad file descriptor)
21389 close(615)	= -1 EBADF (Bad file descriptor)
21389 close(616)	= -1 EBADF (Bad file descriptor)
21389 close(617)	= -1 EBADF (Bad file descriptor)
21389 close(618)	= -1 EBADF (Bad file descriptor)
21389 close(619)	= -1 EBADF (Bad file descriptor)
21389 close(620)	= -1 EBADF (Bad file descriptor)
21389 close(621)	= -1 EBADF (Bad file descriptor)
21389 close(622)	= -1 EBADF (Bad file descriptor)
21389 close(623)	= -1 EBADF (Bad file descriptor)
21389 close(624)	= -1 EBADF (Bad file descriptor)
21389 close(625)	= -1 EBADF (Bad file descriptor)
21389 close(626)	= -1 EBADF (Bad file descriptor)
21389 close(627)	= -1 EBADF (Bad file descriptor)
21389 close(628)	= -1 EBADF (Bad file descriptor)
21389 close(629)	= -1 EBADF (Bad file descriptor)
21389 close(630)	= -1 EBADF (Bad file descriptor)
21389 close(631)	= -1 EBADF (Bad file descriptor)
21389 close(632)	= -1 EBADF (Bad file descriptor)
21389 close(633)	= -1 EBADF (Bad file descriptor)
21389 close(634)	= -1 EBADF (Bad file descriptor)
21389 close(635)	= -1 EBADF (Bad file descriptor)
21389 close(636)	= -1 EBADF (Bad file descriptor)

21389 close(637)	= -1 EBADF (Bad file descriptor)
21389 close(638)	= -1 EBADF (Bad file descriptor)
21389 close(639)	= -1 EBADF (Bad file descriptor)
21389 close(640)	= -1 EBADF (Bad file descriptor)
21389 close(641)	= -1 EBADF (Bad file descriptor)
21389 close(642)	= -1 EBADF (Bad file descriptor)
21389 close(643)	= -1 EBADF (Bad file descriptor)
21389 close(644)	= -1 EBADF (Bad file descriptor)
21389 close(645)	= -1 EBADF (Bad file descriptor)
21389 close(646)	= -1 EBADF (Bad file descriptor)
21389 close(647)	= -1 EBADF (Bad file descriptor)
21389 close(648)	= -1 EBADF (Bad file descriptor)
21389 close(649)	= -1 EBADF (Bad file descriptor)
21389 close(650)	= -1 EBADF (Bad file descriptor)
21389 close(651)	= -1 EBADF (Bad file descriptor)
21389 close(652)	= -1 EBADF (Bad file descriptor)
21389 close(653)	= -1 EBADF (Bad file descriptor)
21389 close(654)	= -1 EBADF (Bad file descriptor)
21389 close(655)	= -1 EBADF (Bad file descriptor)
21389 close(656)	= -1 EBADF (Bad file descriptor)
21389 close(657)	= -1 EBADF (Bad file descriptor)
21389 close(658)	= -1 EBADF (Bad file descriptor)
21389 close(659)	= -1 EBADF (Bad file descriptor)
21389 close(660)	= -1 EBADF (Bad file descriptor)
21389 close(661)	= -1 EBADF (Bad file descriptor)
21389 close(662)	= -1 EBADF (Bad file descriptor)
21389 close(663)	= -1 EBADF (Bad file descriptor)
21389 close(664)	= -1 EBADF (Bad file descriptor)
21389 close(665)	= -1 EBADF (Bad file descriptor)
21389 close(666)	= -1 EBADF (Bad file descriptor)
21389 close(667)	= -1 EBADF (Bad file descriptor)
21389 close(668)	= -1 EBADF (Bad file descriptor)
21389 close(669)	= -1 EBADF (Bad file descriptor)
21389 close(670)	= -1 EBADF (Bad file descriptor)
21389 close(671)	= -1 EBADF (Bad file descriptor)
21389 close(672)	= -1 EBADF (Bad file descriptor)
21389 close(673)	= -1 EBADF (Bad file descriptor)
21389 close(674)	= -1 EBADF (Bad file descriptor)
21389 close(675)	= -1 EBADF (Bad file descriptor)
21389 close(676)	= -1 EBADF (Bad file descriptor)
21389 close(677)	= -1 EBADF (Bad file descriptor)
21389 close(678)	= -1 EBADF (Bad file descriptor)
21389 close(679)	= -1 EBADF (Bad file descriptor)
21389 close(680)	= -1 EBADF (Bad file descriptor)
21389 close(681)	= -1 EBADF (Bad file descriptor)
21389 close(682)	= -1 EBADF (Bad file descriptor)
21389 close(683)	= -1 EBADF (Bad file descriptor)
21389 close(684)	= -1 EBADF (Bad file descriptor)

21389 close(685)	= -1 EBADF (Bad file descriptor)
21389 close(686)	= -1 EBADF (Bad file descriptor)
21389 close(687)	= -1 EBADF (Bad file descriptor)
21389 close(688)	= -1 EBADF (Bad file descriptor)
21389 close(689)	= -1 EBADF (Bad file descriptor)
21389 close(690)	= -1 EBADF (Bad file descriptor)
21389 close(691)	= -1 EBADF (Bad file descriptor)
21389 close(692)	= -1 EBADF (Bad file descriptor)
21389 close(693)	= -1 EBADF (Bad file descriptor)
21389 close(694)	= -1 EBADF (Bad file descriptor)
21389 close(695)	= -1 EBADF (Bad file descriptor)
21389 close(696)	= -1 EBADF (Bad file descriptor)
21389 close(697)	= -1 EBADF (Bad file descriptor)
21389 close(698)	= -1 EBADF (Bad file descriptor)
21389 close(699)	= -1 EBADF (Bad file descriptor)
21389 close(700)	= -1 EBADF (Bad file descriptor)
21389 close(701)	= -1 EBADF (Bad file descriptor)
21389 close(702)	= -1 EBADF (Bad file descriptor)
21389 close(703)	= -1 EBADF (Bad file descriptor)
21389 close(704)	= -1 EBADF (Bad file descriptor)
21389 close(705)	= -1 EBADF (Bad file descriptor)
21389 close(706)	= -1 EBADF (Bad file descriptor)
21389 close(707)	= -1 EBADF (Bad file descriptor)
21389 close(708)	= -1 EBADF (Bad file descriptor)
21389 close(709)	= -1 EBADF (Bad file descriptor)
21389 close(710)	= -1 EBADF (Bad file descriptor)
21389 close(711)	= -1 EBADF (Bad file descriptor)
21389 close(712)	= -1 EBADF (Bad file descriptor)
21389 close(713)	= -1 EBADF (Bad file descriptor)
21389 close(714)	= -1 EBADF (Bad file descriptor)
21389 close(715)	= -1 EBADF (Bad file descriptor)
21389 close(716)	= -1 EBADF (Bad file descriptor)
21389 close(717)	= -1 EBADF (Bad file descriptor)
21389 close(718)	= -1 EBADF (Bad file descriptor)
21389 close(719)	= -1 EBADF (Bad file descriptor)
21389 close(720)	= -1 EBADF (Bad file descriptor)
21389 close(721)	= -1 EBADF (Bad file descriptor)
21389 close(722)	= -1 EBADF (Bad file descriptor)
21389 close(723)	= -1 EBADF (Bad file descriptor)
21389 close(724)	= -1 EBADF (Bad file descriptor)
21389 close(725)	= -1 EBADF (Bad file descriptor)
21389 close(726)	= -1 EBADF (Bad file descriptor)
21389 close(727)	= -1 EBADF (Bad file descriptor)
21389 close(728)	= -1 EBADF (Bad file descriptor)
21389 close(729)	= -1 EBADF (Bad file descriptor)
21389 close(730)	= -1 EBADF (Bad file descriptor)
21389 close(731)	= -1 EBADF (Bad file descriptor)
21389 close(732)	= -1 EBADF (Bad file descriptor)

21389 close(733)	= -1 EBADF (Bad file descriptor)
21389 close(734)	= -1 EBADF (Bad file descriptor)
21389 close(735)	= -1 EBADF (Bad file descriptor)
21389 close(736)	= -1 EBADF (Bad file descriptor)
21389 close(737)	= -1 EBADF (Bad file descriptor)
21389 close(738)	= -1 EBADF (Bad file descriptor)
21389 close(739)	= -1 EBADF (Bad file descriptor)
21389 close(740)	= -1 EBADF (Bad file descriptor)
21389 close(741)	= -1 EBADF (Bad file descriptor)
21389 close(742)	= -1 EBADF (Bad file descriptor)
21389 close(743)	= -1 EBADF (Bad file descriptor)
21389 close(744)	= -1 EBADF (Bad file descriptor)
21389 close(745)	= -1 EBADF (Bad file descriptor)
21389 close(746)	= -1 EBADF (Bad file descriptor)
21389 close(747)	= -1 EBADF (Bad file descriptor)
21389 close(748)	= -1 EBADF (Bad file descriptor)
21389 close(749)	= -1 EBADF (Bad file descriptor)
21389 close(750)	= -1 EBADF (Bad file descriptor)
21389 close(751)	= -1 EBADF (Bad file descriptor)
21389 close(752)	= -1 EBADF (Bad file descriptor)
21389 close(753)	= -1 EBADF (Bad file descriptor)
21389 close(754)	= -1 EBADF (Bad file descriptor)
21389 close(755)	= -1 EBADF (Bad file descriptor)
21389 close(756)	= -1 EBADF (Bad file descriptor)
21389 close(757)	= -1 EBADF (Bad file descriptor)
21389 close(758)	= -1 EBADF (Bad file descriptor)
21389 close(759)	= -1 EBADF (Bad file descriptor)
21389 close(760)	= -1 EBADF (Bad file descriptor)
21389 close(761)	= -1 EBADF (Bad file descriptor)
21389 close(762)	= -1 EBADF (Bad file descriptor)
21389 close(763)	= -1 EBADF (Bad file descriptor)
21389 close(764)	= -1 EBADF (Bad file descriptor)
21389 close(765)	= -1 EBADF (Bad file descriptor)
21389 close(766)	= -1 EBADF (Bad file descriptor)
21389 close(767)	= -1 EBADF (Bad file descriptor)
21389 close(768)	= -1 EBADF (Bad file descriptor)
21389 close(769)	= -1 EBADF (Bad file descriptor)
21389 close(770)	= -1 EBADF (Bad file descriptor)
21389 close(771)	= -1 EBADF (Bad file descriptor)
21389 close(772)	= -1 EBADF (Bad file descriptor)
21389 close(773)	= -1 EBADF (Bad file descriptor)
21389 close(774)	= -1 EBADF (Bad file descriptor)
21389 close(775)	= -1 EBADF (Bad file descriptor)
21389 close(776)	= -1 EBADF (Bad file descriptor)
21389 close(777)	= -1 EBADF (Bad file descriptor)
21389 close(778)	= -1 EBADF (Bad file descriptor)
21389 close(779)	= -1 EBADF (Bad file descriptor)
21389 close(780)	= -1 EBADF (Bad file descriptor)

21389 close(781)	= -1 EBADF (Bad file descriptor)
21389 close(782)	= -1 EBADF (Bad file descriptor)
21389 close(783)	= -1 EBADF (Bad file descriptor)
21389 close(784)	= -1 EBADF (Bad file descriptor)
21389 close(785)	= -1 EBADF (Bad file descriptor)
21389 close(786)	= -1 EBADF (Bad file descriptor)
21389 close(787)	= -1 EBADF (Bad file descriptor)
21389 close(788)	= -1 EBADF (Bad file descriptor)
21389 close(789)	= -1 EBADF (Bad file descriptor)
21389 close(790)	= -1 EBADF (Bad file descriptor)
21389 close(791)	= -1 EBADF (Bad file descriptor)
21389 close(792)	= -1 EBADF (Bad file descriptor)
21389 close(793)	= -1 EBADF (Bad file descriptor)
21389 close(794)	= -1 EBADF (Bad file descriptor)
21389 close(795)	= -1 EBADF (Bad file descriptor)
21389 close(796)	= -1 EBADF (Bad file descriptor)
21389 close(797)	= -1 EBADF (Bad file descriptor)
21389 close(798)	= -1 EBADF (Bad file descriptor)
21389 close(799)	= -1 EBADF (Bad file descriptor)
21389 close(800)	= -1 EBADF (Bad file descriptor)
21389 close(801)	= -1 EBADF (Bad file descriptor)
21389 close(802)	= -1 EBADF (Bad file descriptor)
21389 close(803)	= -1 EBADF (Bad file descriptor)
21389 close(804)	= -1 EBADF (Bad file descriptor)
21389 close(805)	= -1 EBADF (Bad file descriptor)
21389 close(806)	= -1 EBADF (Bad file descriptor)
21389 close(807)	= -1 EBADF (Bad file descriptor)
21389 close(808)	= -1 EBADF (Bad file descriptor)
21389 close(809)	= -1 EBADF (Bad file descriptor)
21389 close(810)	= -1 EBADF (Bad file descriptor)
21389 close(811)	= -1 EBADF (Bad file descriptor)
21389 close(812)	= -1 EBADF (Bad file descriptor)
21389 close(813)	= -1 EBADF (Bad file descriptor)
21389 close(814)	= -1 EBADF (Bad file descriptor)
21389 close(815)	= -1 EBADF (Bad file descriptor)
21389 close(816)	= -1 EBADF (Bad file descriptor)
21389 close(817)	= -1 EBADF (Bad file descriptor)
21389 close(818)	= -1 EBADF (Bad file descriptor)
21389 close(819)	= -1 EBADF (Bad file descriptor)
21389 close(820)	= -1 EBADF (Bad file descriptor)
21389 close(821)	= -1 EBADF (Bad file descriptor)
21389 close(822)	= -1 EBADF (Bad file descriptor)
21389 close(823)	= -1 EBADF (Bad file descriptor)
21389 close(824)	= -1 EBADF (Bad file descriptor)
21389 close(825)	= -1 EBADF (Bad file descriptor)
21389 close(826)	= -1 EBADF (Bad file descriptor)
21389 close(827)	= -1 EBADF (Bad file descriptor)
21389 close(828)	= -1 EBADF (Bad file descriptor)

21389 close(829)	= -1 EBADF (Bad file descriptor)
21389 close(830)	= -1 EBADF (Bad file descriptor)
21389 close(831)	= -1 EBADF (Bad file descriptor)
21389 close(832)	= -1 EBADF (Bad file descriptor)
21389 close(833)	= -1 EBADF (Bad file descriptor)
21389 close(834)	= -1 EBADF (Bad file descriptor)
21389 close(835)	= -1 EBADF (Bad file descriptor)
21389 close(836)	= -1 EBADF (Bad file descriptor)
21389 close(837)	= -1 EBADF (Bad file descriptor)
21389 close(838)	= -1 EBADF (Bad file descriptor)
21389 close(839)	= -1 EBADF (Bad file descriptor)
21389 close(840)	= -1 EBADF (Bad file descriptor)
21389 close(841)	= -1 EBADF (Bad file descriptor)
21389 close(842)	= -1 EBADF (Bad file descriptor)
21389 close(843)	= -1 EBADF (Bad file descriptor)
21389 close(844)	= -1 EBADF (Bad file descriptor)
21389 close(845)	= -1 EBADF (Bad file descriptor)
21389 close(846)	= -1 EBADF (Bad file descriptor)
21389 close(847)	= -1 EBADF (Bad file descriptor)
21389 close(848)	= -1 EBADF (Bad file descriptor)
21389 close(849)	= -1 EBADF (Bad file descriptor)
21389 close(850)	= -1 EBADF (Bad file descriptor)
21389 close(851)	= -1 EBADF (Bad file descriptor)
21389 close(852)	= -1 EBADF (Bad file descriptor)
21389 close(853)	= -1 EBADF (Bad file descriptor)
21389 close(854)	= -1 EBADF (Bad file descriptor)
21389 close(855)	= -1 EBADF (Bad file descriptor)
21389 close(856)	= -1 EBADF (Bad file descriptor)
21389 close(857)	= -1 EBADF (Bad file descriptor)
21389 close(858)	= -1 EBADF (Bad file descriptor)
21389 close(859)	= -1 EBADF (Bad file descriptor)
21389 close(860)	= -1 EBADF (Bad file descriptor)
21389 close(861)	= -1 EBADF (Bad file descriptor)
21389 close(862)	= -1 EBADF (Bad file descriptor)
21389 close(863)	= -1 EBADF (Bad file descriptor)
21389 close(864)	= -1 EBADF (Bad file descriptor)
21389 close(865)	= -1 EBADF (Bad file descriptor)
21389 close(866)	= -1 EBADF (Bad file descriptor)
21389 close(867)	= -1 EBADF (Bad file descriptor)
21389 close(868)	= -1 EBADF (Bad file descriptor)
21389 close(869)	= -1 EBADF (Bad file descriptor)
21389 close(870)	= -1 EBADF (Bad file descriptor)
21389 close(871)	= -1 EBADF (Bad file descriptor)
21389 close(872)	= -1 EBADF (Bad file descriptor)
21389 close(873)	= -1 EBADF (Bad file descriptor)
21389 close(874)	= -1 EBADF (Bad file descriptor)
21389 close(875)	= -1 EBADF (Bad file descriptor)
21389 close(876)	= -1 EBADF (Bad file descriptor)

21389 close(877)	= -1 EBADF (Bad file descriptor)
21389 close(878)	= -1 EBADF (Bad file descriptor)
21389 close(879)	= -1 EBADF (Bad file descriptor)
21389 close(880)	= -1 EBADF (Bad file descriptor)
21389 close(881)	= -1 EBADF (Bad file descriptor)
21389 close(882)	= -1 EBADF (Bad file descriptor)
21389 close(883)	= -1 EBADF (Bad file descriptor)
21389 close(884)	= -1 EBADF (Bad file descriptor)
21389 close(885)	= -1 EBADF (Bad file descriptor)
21389 close(886)	= -1 EBADF (Bad file descriptor)
21389 close(887)	= -1 EBADF (Bad file descriptor)
21389 close(888)	= -1 EBADF (Bad file descriptor)
21389 close(889)	= -1 EBADF (Bad file descriptor)
21389 close(890)	= -1 EBADF (Bad file descriptor)
21389 close(891)	= -1 EBADF (Bad file descriptor)
21389 close(892)	= -1 EBADF (Bad file descriptor)
21389 close(893)	= -1 EBADF (Bad file descriptor)
21389 close(894)	= -1 EBADF (Bad file descriptor)
21389 close(895)	= -1 EBADF (Bad file descriptor)
21389 close(896)	= -1 EBADF (Bad file descriptor)
21389 close(897)	= -1 EBADF (Bad file descriptor)
21389 close(898)	= -1 EBADF (Bad file descriptor)
21389 close(899)	= -1 EBADF (Bad file descriptor)
21389 close(900)	= -1 EBADF (Bad file descriptor)
21389 close(901)	= -1 EBADF (Bad file descriptor)
21389 close(902)	= -1 EBADF (Bad file descriptor)
21389 close(903)	= -1 EBADF (Bad file descriptor)
21389 close(904)	= -1 EBADF (Bad file descriptor)
21389 close(905)	= -1 EBADF (Bad file descriptor)
21389 close(906)	= -1 EBADF (Bad file descriptor)
21389 close(907)	= -1 EBADF (Bad file descriptor)
21389 close(908)	= -1 EBADF (Bad file descriptor)
21389 close(909)	= -1 EBADF (Bad file descriptor)
21389 close(910)	= -1 EBADF (Bad file descriptor)
21389 close(911)	= -1 EBADF (Bad file descriptor)
21389 close(912)	= -1 EBADF (Bad file descriptor)
21389 close(913)	= -1 EBADF (Bad file descriptor)
21389 close(914)	= -1 EBADF (Bad file descriptor)
21389 close(915)	= -1 EBADF (Bad file descriptor)
21389 close(916)	= -1 EBADF (Bad file descriptor)
21389 close(917)	= -1 EBADF (Bad file descriptor)
21389 close(918)	= -1 EBADF (Bad file descriptor)
21389 close(919)	= -1 EBADF (Bad file descriptor)
21389 close(920)	= -1 EBADF (Bad file descriptor)
21389 close(921)	= -1 EBADF (Bad file descriptor)
21389 close(922)	= -1 EBADF (Bad file descriptor)
21389 close(923)	= -1 EBADF (Bad file descriptor)
21389 close(924)	= -1 EBADF (Bad file descriptor)

21389 close(925)	= -1 EBADF (Bad file descriptor)
21389 close(926)	= -1 EBADF (Bad file descriptor)
21389 close(927)	= -1 EBADF (Bad file descriptor)
21389 close(928)	= -1 EBADF (Bad file descriptor)
21389 close(929)	= -1 EBADF (Bad file descriptor)
21389 close(930)	= -1 EBADF (Bad file descriptor)
21389 close(931)	= -1 EBADF (Bad file descriptor)
21389 close(932)	= -1 EBADF (Bad file descriptor)
21389 close(933)	= -1 EBADF (Bad file descriptor)
21389 close(934)	= -1 EBADF (Bad file descriptor)
21389 close(935)	= -1 EBADF (Bad file descriptor)
21389 close(936)	= -1 EBADF (Bad file descriptor)
21389 close(937)	= -1 EBADF (Bad file descriptor)
21389 close(938)	= -1 EBADF (Bad file descriptor)
21389 close(939)	= -1 EBADF (Bad file descriptor)
21389 close(940)	= -1 EBADF (Bad file descriptor)
21389 close(941)	= -1 EBADF (Bad file descriptor)
21389 close(942)	= -1 EBADF (Bad file descriptor)
21389 close(943)	= -1 EBADF (Bad file descriptor)
21389 close(944)	= -1 EBADF (Bad file descriptor)
21389 close(945)	= -1 EBADF (Bad file descriptor)
21389 close(946)	= -1 EBADF (Bad file descriptor)
21389 close(947)	= -1 EBADF (Bad file descriptor)
21389 close(948)	= -1 EBADF (Bad file descriptor)
21389 close(949)	= -1 EBADF (Bad file descriptor)
21389 close(950)	= -1 EBADF (Bad file descriptor)
21389 close(951)	= -1 EBADF (Bad file descriptor)
21389 close(952)	= -1 EBADF (Bad file descriptor)
21389 close(953)	= -1 EBADF (Bad file descriptor)
21389 close(954)	= -1 EBADF (Bad file descriptor)
21389 close(955)	= -1 EBADF (Bad file descriptor)
21389 close(956)	= -1 EBADF (Bad file descriptor)
21389 close(957)	= -1 EBADF (Bad file descriptor)
21389 close(958)	= -1 EBADF (Bad file descriptor)
21389 close(959)	= -1 EBADF (Bad file descriptor)
21389 close(960)	= -1 EBADF (Bad file descriptor)
21389 close(961)	= -1 EBADF (Bad file descriptor)
21389 close(962)	= -1 EBADF (Bad file descriptor)
21389 close(963)	= -1 EBADF (Bad file descriptor)
21389 close(964)	= -1 EBADF (Bad file descriptor)
21389 close(965)	= -1 EBADF (Bad file descriptor)
21389 close(966)	= -1 EBADF (Bad file descriptor)
21389 close(967)	= -1 EBADF (Bad file descriptor)
21389 close(968)	= -1 EBADF (Bad file descriptor)
21389 close(969)	= -1 EBADF (Bad file descriptor)
21389 close(970)	= -1 EBADF (Bad file descriptor)
21389 close(971)	= -1 EBADF (Bad file descriptor)
21389 close(972)	= -1 EBADF (Bad file descriptor)

21389 close(973)	= -1 EBADF (Bad file descriptor)
21389 close(974)	= -1 EBADF (Bad file descriptor)
21389 close(975)	= -1 EBADF (Bad file descriptor)
21389 close(976)	= -1 EBADF (Bad file descriptor)
21389 close(977)	= -1 EBADF (Bad file descriptor)
21389 close(978)	= -1 EBADF (Bad file descriptor)
21389 close(979)	= -1 EBADF (Bad file descriptor)
21389 close(980)	= -1 EBADF (Bad file descriptor)
21389 close(981)	= -1 EBADF (Bad file descriptor)
21389 close(982)	= -1 EBADF (Bad file descriptor)
21389 close(983)	= -1 EBADF (Bad file descriptor)
21389 close(984)	= -1 EBADF (Bad file descriptor)
21389 close(985)	= -1 EBADF (Bad file descriptor)
21389 close(986)	= -1 EBADF (Bad file descriptor)
21389 close(987)	= -1 EBADF (Bad file descriptor)
21389 close(988)	= -1 EBADF (Bad file descriptor)
21389 close(989)	= -1 EBADF (Bad file descriptor)
21389 close(990)	= -1 EBADF (Bad file descriptor)
21389 close(991)	= -1 EBADF (Bad file descriptor)
21389 close(992)	= -1 EBADF (Bad file descriptor)
21389 close(993)	= -1 EBADF (Bad file descriptor)
21389 close(994)	= -1 EBADF (Bad file descriptor)
21389 close(995)	= -1 EBADF (Bad file descriptor)
21389 close(996)	= -1 EBADF (Bad file descriptor)
21389 close(997)	= -1 EBADF (Bad file descriptor)
21389 close(998)	= -1 EBADF (Bad file descriptor)
21389 close(999)	= -1 EBADF (Bad file descriptor)
21389 close(1000)	= -1 EBADF (Bad file descriptor)
21389 close(1001)	= -1 EBADF (Bad file descriptor)
21389 close(1002)	= -1 EBADF (Bad file descriptor)
21389 close(1003)	= -1 EBADF (Bad file descriptor)
21389 close(1004)	= -1 EBADF (Bad file descriptor)
21389 close(1005)	= -1 EBADF (Bad file descriptor)
21389 close(1006)	= -1 EBADF (Bad file descriptor)
21389 close(1007)	= -1 EBADF (Bad file descriptor)
21389 close(1008)	= -1 EBADF (Bad file descriptor)
21389 close(1009)	= -1 EBADF (Bad file descriptor)
21389 close(1010)	= -1 EBADF (Bad file descriptor)
21389 close(1011)	= -1 EBADF (Bad file descriptor)
21389 close(1012)	= -1 EBADF (Bad file descriptor)
21389 close(1013)	= -1 EBADF (Bad file descriptor)
21389 close(1014)	= -1 EBADF (Bad file descriptor)
21389 close(1015)	= -1 EBADF (Bad file descriptor)
21389 close(1016)	= -1 EBADF (Bad file descriptor)
21389 close(1017)	= -1 EBADF (Bad file descriptor)
21389 close(1018)	= -1 EBADF (Bad file descriptor)
21389 close(1019)	= -1 EBADF (Bad file descriptor)
21389 close(1020)	= -1 EBADF (Bad file descriptor)

```

21389 close(1021)          = -1 EBADF (Bad file descriptor)
21389 close(1022)          = -1 EBADF (Bad file descriptor)
21389 close(1023)          = -1 EBADF (Bad file descriptor)
21389 ioctl(4, 0x400c2e05, 0x7fbfffe830) = 101
21389 stat("/sbin/init", 0x7fbfffe770) = -1 ENOENT (No such file or directory)
21389 close(4)              = 0
21389 execve("/bin/bash", ["bash"], [/* 3 vars */]) = -1 ENOENT (No such file or directory)
21389 execve("/bin/sh", ["bash"], [/* 3 vars */]) = -1 ENOENT (No such file or directory)
21389 write(16, "\0\0\0", 4 <unfinished ...>
21388 <... read resumed> "\0\0\0", 4) = 4
21389 <... write resumed> )      = 4
21388 close(15 <unfinished ...>
21389 exit_group(47)          = ?
21388 <... close resumed> )      = 0
21388 close(16)              = -1 EBADF (Bad file descriptor)
21388 close(11)              = 0
21388 close(12)              = -1 EBADF (Bad file descriptor)
21388 --- SIGCHLD (Child exited) @ 0 (0) ---
21388 rt_sigreturn(0x11)      = -1 EBADF (Bad file descriptor)
21388 close(13)              = 0
21388 close(14)              = -1 EBADF (Bad file descriptor)
21388 close(7)               = -1 EBADF (Bad file descriptor)
21388 close(10)              = 0
21388 exit_group(4)          = ?
21363 <... read resumed> 0x7fbfffeb94, 4) = ? ERESTARTSYS (To be restarted)
21359 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 4}], 0, NULL) = 21388
21363 --- SIGCHLD (Child exited) @ 0 (0) ---
21359 --- SIGCHLD (Child exited) @ 0 (0) ---
21363 read(7, <unfinished ...>
21359 stat("/usr/sbin/vzquota", {st_mode=S_IFREG|0755, st_size=57096, ...}) = 0
21359 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 pipe([7, 10])          = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21390
21390 open("/dev/null", O_WRONLY <unfinished ...>
21359 wait4(21390, <unfinished ...>
21390 <... open resumed> )      = 11
21390 dup2(11, 0)              = 0
21390 dup2(11, 1)              = 1
21390 dup2(11, 2)              = 2
21390 execve("/usr/sbin/vzquota", ["/usr/sbin/vzquota", "stat", "101", "-f"], [/* 3 vars */]) = 0
21390 uname({sys="Linux", node="andromeda", ...}) = 0
21390 brk(0)                   = 0x50d000
21390 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21390 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)

```

```

21390 open("/etc/ld.so.cache", O_RDONLY) = 12
21390 fstat(12, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21390 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 12, 0) = 0x2a95557000
21390 close(12) = 0
21390 open("/lib64/tls/libc.so.6", O_RDONLY) = 12
21390 read(12, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21390 fstat(12, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21390 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 12, 0) = 0x3d9d500000
21390 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21390 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 12, 0x12b000) = 0x3d9d72b000
21390 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21390 close(12) = 0
21390 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21390 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21390 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21390 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21390 munmap(0x2a95557000, 103387) = 0
21390 open("/dev/vzctl", O_RDWR) = 12
21390 ioctl(12, 0xc0182b02, 0x7fbffbb0) = 0
21390 close(12) = 0
21390 fstat(1, {st_mode=S_IFCHR|0666, st_rdev=makedev(1, 3), ...}) = 0
21390 ioctl(1, SNDCTL_TMR_TIMEBASE or TCGETS, 0x7fbffbb260) = -1 ENOTTY (Inappropriate
ioctl for device)
21390 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21390 write(1, " resource usage "..., 201) = 201
21390 exit_group(0) = ?
21359 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21390
21359 --- SIGCHLD (Child exited) @ 0 (0) ---
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 stat("/usr/sbin/vzquota", {st_mode=S_IFREG|0755, st_size=57096, ...}) = 0
21359 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21391
21359 wait4(21391, <unfinished ...>
21391 open("/dev/null", O_WRONLY) = 11
21391 dup2(11, 0) = 0
21391 execve("/usr/sbin/vzquota", ["vzquota", "setlimit", "101", "-b", "16000000", "-B", "16777216",
"-i", "600000", "-l", "660000", "-e", "0", "-n", "0"], [/* 3 vars */]) = 0
21391 uname({sys="Linux", node="andromeda", ...}) = 0
21391 brk(0) = 0x50d000

```

```

21391 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21391 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21391 open("/etc/ld.so.cache", O_RDONLY) = 12
21391 fstat(12, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21391 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 12, 0) = 0x2a95557000
21391 close(12) = 0
21391 open("/lib64/tls/libc.so.6", O_RDONLY) = 12
21391 read(12, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21391 fstat(12, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21391 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 12, 0) = 0x3d9d500000
21391 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21391 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 12, 0x12b000) = 0x3d9d72b000
21391 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21391 close(12) = 0
21391 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21391 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21391 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21391 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21391 munmap(0x2a9557000, 103387) = 0
21391 open("/var/vzquota/quota.101", O_RDWR) = 12
21391 flock(12, LOCK_EX|LOCK_NB) = 0
21391 pread(12, "\\274\334\376\1\0\0\0", 8, 0) = 8
21391 lseek(12, 0, SEEK_END) = 183
21391 pread(12, "\224|w\213cjQv", 8, 175) = 8
21391 lseek(12, 0, SEEK_END) = 183
21391 brk(0) = 0x50d000
21391 brk(0x53e000) = 0x53e000
21391 pread(12, "\\274\334\376\1\0\0\0\0\220\1\0\4\0\0\0\0\220\221\320"..., 175, 0) = 175
21391 brk(0x52e000) = 0x52e000
21391 pread(12, "\\274\334\376\1\0\0\0", 8, 0) = 8
21391 pread(12, "\0\220\1\0\4\0\0\0\0\220\221\320\3\0\0\0\0\0\0\0\0\0\0"..., 80, 8) = 80
21391 pread(12, "\17\0\0\0\0\0\0\0", 8, 88) = 8
21391 pread(12, "/vz/private/101", 15, 96) = 15
21391 pread(12, "\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"..., 64, 111) = 64
21391 lseek(12, 0, SEEK_END) = 183
21391 pread(12, "\224|w\213cjQv", 8, 175) = 8
21391 open("/dev/vzctl", O_RDWR) = 13
21391 ioctl(13, 0xc0182b02, 0x7fbffbb30) = 0
21391 close(13) = 0
21391 open("/dev/vzctl", O_RDWR) = 13
21391 ioctl(13, 0xc0182b02, 0x7fbffbb40) = 0
21391 close(13) = 0

```

Page 135 of 165 ---- Generated from [OpenVZ Forum](#)

```

21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21393
21359 nanosleep({0, 500000000}, <unfinished ...>
21393 chdir("/vz/root/101")      = 0
21393 chroot("/vz/root/101")     = 0
21393 setsid()                    = 21393
21393 rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
21393 rt_sigaction(SIGHUP, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGINT, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGQUIT, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGILL, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGTRAP, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGABRT, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGBUS, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGFPE, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGKILL, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21393 rt_sigaction(SIGUSR1, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGSEGV, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGUSR2, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGPIPE, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGALRM, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGTERM, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGSTKFLT, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGCONT, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGSTOP, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21393 rt_sigaction(SIGTSTP, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGTTIN, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGTTOU, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGURG, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGXCPU, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGXFSZ, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGVTALRM, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGPROF, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGWINCH, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGIO, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGPWR, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGSYS, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_2, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_3, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_4, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_5, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_6, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_7, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_8, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_9, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_10, {SIG_DFL}, NULL, 8) = 0

```

```

21393 rt_sigaction(SIGRT_11, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_12, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_13, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_14, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_15, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_16, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_17, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_18, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_19, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_20, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_21, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_22, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_23, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_24, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_25, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_26, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_27, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_28, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_29, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_30, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_31, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(SIGRT_32, {SIG_DFL}, NULL, 8) = 0
21393 rt_sigaction(65, {SIG_DFL}, NULL, 8) = -1 EINVAL (Invalid argument)
21393 syscall_501(0x65, 0, 0xfffffffffc0, 0, 0, 0x7bfffec0, 0x7bfffec20, 0x7bfffec20,
0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20,
0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20,
0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20, 0x7bfffec20,
0x7bfffec20, 0x7bfffec20, 0x7bfffec20) = 0
21393 getrlimit(RLIMIT_NOFILE, {rlim_cur=1024, rlim_max=1024}) = 0
21393 open("/dev/null", O_RDWR) = -1 ENOENT (No such file or directory)
21393 close(0) = 0
21393 close(1) = 0
21393 close(2) = 0
21393 close(3) = 0
21393 close(5) = 0
21393 close(6) = 0
21393 close(7) = 0
21393 close(8) = -1 EBADF (Bad file descriptor)
21393 close(9) = 0
21393 close(10) = 0
21393 close(11) = -1 EBADF (Bad file descriptor)
21393 close(12) = -1 EBADF (Bad file descriptor)
21393 close(13) = -1 EBADF (Bad file descriptor)
21393 close(14) = -1 EBADF (Bad file descriptor)
21393 close(15) = -1 EBADF (Bad file descriptor)
21393 close(16) = -1 EBADF (Bad file descriptor)
21393 close(17) = -1 EBADF (Bad file descriptor)
21393 close(18) = -1 EBADF (Bad file descriptor)

```

21393 close(19)	= -1 EBADF (Bad file descriptor)
21393 close(20)	= -1 EBADF (Bad file descriptor)
21393 close(21)	= -1 EBADF (Bad file descriptor)
21393 close(22)	= -1 EBADF (Bad file descriptor)
21393 close(23)	= -1 EBADF (Bad file descriptor)
21393 close(24)	= -1 EBADF (Bad file descriptor)
21393 close(25)	= -1 EBADF (Bad file descriptor)
21393 close(26)	= -1 EBADF (Bad file descriptor)
21393 close(27)	= -1 EBADF (Bad file descriptor)
21393 close(28)	= -1 EBADF (Bad file descriptor)
21393 close(29)	= -1 EBADF (Bad file descriptor)
21393 close(30)	= -1 EBADF (Bad file descriptor)
21393 close(31)	= -1 EBADF (Bad file descriptor)
21393 close(32)	= -1 EBADF (Bad file descriptor)
21393 close(33)	= -1 EBADF (Bad file descriptor)
21393 close(34)	= -1 EBADF (Bad file descriptor)
21393 close(35)	= -1 EBADF (Bad file descriptor)
21393 close(36)	= -1 EBADF (Bad file descriptor)
21393 close(37)	= -1 EBADF (Bad file descriptor)
21393 close(38)	= -1 EBADF (Bad file descriptor)
21393 close(39)	= -1 EBADF (Bad file descriptor)
21393 close(40)	= -1 EBADF (Bad file descriptor)
21393 close(41)	= -1 EBADF (Bad file descriptor)
21393 close(42)	= -1 EBADF (Bad file descriptor)
21393 close(43)	= -1 EBADF (Bad file descriptor)
21393 close(44)	= -1 EBADF (Bad file descriptor)
21393 close(45)	= -1 EBADF (Bad file descriptor)
21393 close(46)	= -1 EBADF (Bad file descriptor)
21393 close(47)	= -1 EBADF (Bad file descriptor)
21393 close(48)	= -1 EBADF (Bad file descriptor)
21393 close(49)	= -1 EBADF (Bad file descriptor)
21393 close(50)	= -1 EBADF (Bad file descriptor)
21393 close(51)	= -1 EBADF (Bad file descriptor)
21393 close(52)	= -1 EBADF (Bad file descriptor)
21393 close(53)	= -1 EBADF (Bad file descriptor)
21393 close(54)	= -1 EBADF (Bad file descriptor)
21393 close(55)	= -1 EBADF (Bad file descriptor)
21393 close(56)	= -1 EBADF (Bad file descriptor)
21393 close(57)	= -1 EBADF (Bad file descriptor)
21393 close(58)	= -1 EBADF (Bad file descriptor)
21393 close(59)	= -1 EBADF (Bad file descriptor)
21393 close(60)	= -1 EBADF (Bad file descriptor)
21393 close(61)	= -1 EBADF (Bad file descriptor)
21393 close(62)	= -1 EBADF (Bad file descriptor)
21393 close(63)	= -1 EBADF (Bad file descriptor)
21393 close(64)	= -1 EBADF (Bad file descriptor)
21393 close(65)	= -1 EBADF (Bad file descriptor)
21393 close(66)	= -1 EBADF (Bad file descriptor)

21393 close(67)	= -1 EBADF (Bad file descriptor)
21393 close(68)	= -1 EBADF (Bad file descriptor)
21393 close(69)	= -1 EBADF (Bad file descriptor)
21393 close(70)	= -1 EBADF (Bad file descriptor)
21393 close(71)	= -1 EBADF (Bad file descriptor)
21393 close(72)	= -1 EBADF (Bad file descriptor)
21393 close(73)	= -1 EBADF (Bad file descriptor)
21393 close(74)	= -1 EBADF (Bad file descriptor)
21393 close(75)	= -1 EBADF (Bad file descriptor)
21393 close(76)	= -1 EBADF (Bad file descriptor)
21393 close(77)	= -1 EBADF (Bad file descriptor)
21393 close(78)	= -1 EBADF (Bad file descriptor)
21393 close(79)	= -1 EBADF (Bad file descriptor)
21393 close(80)	= -1 EBADF (Bad file descriptor)
21393 close(81)	= -1 EBADF (Bad file descriptor)
21393 close(82)	= -1 EBADF (Bad file descriptor)
21393 close(83)	= -1 EBADF (Bad file descriptor)
21393 close(84)	= -1 EBADF (Bad file descriptor)
21393 close(85)	= -1 EBADF (Bad file descriptor)
21393 close(86)	= -1 EBADF (Bad file descriptor)
21393 close(87)	= -1 EBADF (Bad file descriptor)
21393 close(88)	= -1 EBADF (Bad file descriptor)
21393 close(89)	= -1 EBADF (Bad file descriptor)
21393 close(90)	= -1 EBADF (Bad file descriptor)
21393 close(91)	= -1 EBADF (Bad file descriptor)
21393 close(92)	= -1 EBADF (Bad file descriptor)
21393 close(93)	= -1 EBADF (Bad file descriptor)
21393 close(94)	= -1 EBADF (Bad file descriptor)
21393 close(95)	= -1 EBADF (Bad file descriptor)
21393 close(96)	= -1 EBADF (Bad file descriptor)
21393 close(97)	= -1 EBADF (Bad file descriptor)
21393 close(98)	= -1 EBADF (Bad file descriptor)
21393 close(99)	= -1 EBADF (Bad file descriptor)
21393 close(100)	= -1 EBADF (Bad file descriptor)
21393 close(101)	= -1 EBADF (Bad file descriptor)
21393 close(102)	= -1 EBADF (Bad file descriptor)
21393 close(103)	= -1 EBADF (Bad file descriptor)
21393 close(104)	= -1 EBADF (Bad file descriptor)
21393 close(105)	= -1 EBADF (Bad file descriptor)
21393 close(106)	= -1 EBADF (Bad file descriptor)
21393 close(107)	= -1 EBADF (Bad file descriptor)
21393 close(108)	= -1 EBADF (Bad file descriptor)
21393 close(109)	= -1 EBADF (Bad file descriptor)
21393 close(110)	= -1 EBADF (Bad file descriptor)
21393 close(111)	= -1 EBADF (Bad file descriptor)
21393 close(112)	= -1 EBADF (Bad file descriptor)
21393 close(113)	= -1 EBADF (Bad file descriptor)
21393 close(114)	= -1 EBADF (Bad file descriptor)

[illegible]

21393 close(163)	= -1 EBADF (Bad file descriptor)
21393 close(164)	= -1 EBADF (Bad file descriptor)
21393 close(165)	= -1 EBADF (Bad file descriptor)
21393 close(166)	= -1 EBADF (Bad file descriptor)
21393 close(167)	= -1 EBADF (Bad file descriptor)
21393 close(168)	= -1 EBADF (Bad file descriptor)
21393 close(169)	= -1 EBADF (Bad file descriptor)
21393 close(170)	= -1 EBADF (Bad file descriptor)
21393 close(171)	= -1 EBADF (Bad file descriptor)
21393 close(172)	= -1 EBADF (Bad file descriptor)
21393 close(173)	= -1 EBADF (Bad file descriptor)
21393 close(174)	= -1 EBADF (Bad file descriptor)
21393 close(175)	= -1 EBADF (Bad file descriptor)
21393 close(176)	= -1 EBADF (Bad file descriptor)
21393 close(177)	= -1 EBADF (Bad file descriptor)
21393 close(178)	= -1 EBADF (Bad file descriptor)
21393 close(179)	= -1 EBADF (Bad file descriptor)
21393 close(180)	= -1 EBADF (Bad file descriptor)
21393 close(181)	= -1 EBADF (Bad file descriptor)
21393 close(182)	= -1 EBADF (Bad file descriptor)
21393 close(183)	= -1 EBADF (Bad file descriptor)
21393 close(184)	= -1 EBADF (Bad file descriptor)
21393 close(185)	= -1 EBADF (Bad file descriptor)
21393 close(186)	= -1 EBADF (Bad file descriptor)
21393 close(187)	= -1 EBADF (Bad file descriptor)
21393 close(188)	= -1 EBADF (Bad file descriptor)
21393 close(189)	= -1 EBADF (Bad file descriptor)
21393 close(190)	= -1 EBADF (Bad file descriptor)
21393 close(191)	= -1 EBADF (Bad file descriptor)
21393 close(192)	= -1 EBADF (Bad file descriptor)
21393 close(193)	= -1 EBADF (Bad file descriptor)
21393 close(194)	= -1 EBADF (Bad file descriptor)
21393 close(195)	= -1 EBADF (Bad file descriptor)
21393 close(196)	= -1 EBADF (Bad file descriptor)
21393 close(197)	= -1 EBADF (Bad file descriptor)
21393 close(198)	= -1 EBADF (Bad file descriptor)
21393 close(199)	= -1 EBADF (Bad file descriptor)
21393 close(200)	= -1 EBADF (Bad file descriptor)
21393 close(201)	= -1 EBADF (Bad file descriptor)
21393 close(202)	= -1 EBADF (Bad file descriptor)
21393 close(203)	= -1 EBADF (Bad file descriptor)
21393 close(204)	= -1 EBADF (Bad file descriptor)
21393 close(205)	= -1 EBADF (Bad file descriptor)
21393 close(206)	= -1 EBADF (Bad file descriptor)
21393 close(207)	= -1 EBADF (Bad file descriptor)
21393 close(208)	= -1 EBADF (Bad file descriptor)
21393 close(209)	= -1 EBADF (Bad file descriptor)
21393 close(210)	= -1 EBADF (Bad file descriptor)

21393 close(211)	= -1 EBADF (Bad file descriptor)
21393 close(212)	= -1 EBADF (Bad file descriptor)
21393 close(213)	= -1 EBADF (Bad file descriptor)
21393 close(214)	= -1 EBADF (Bad file descriptor)
21393 close(215)	= -1 EBADF (Bad file descriptor)
21393 close(216)	= -1 EBADF (Bad file descriptor)
21393 close(217)	= -1 EBADF (Bad file descriptor)
21393 close(218)	= -1 EBADF (Bad file descriptor)
21393 close(219)	= -1 EBADF (Bad file descriptor)
21393 close(220)	= -1 EBADF (Bad file descriptor)
21393 close(221)	= -1 EBADF (Bad file descriptor)
21393 close(222)	= -1 EBADF (Bad file descriptor)
21393 close(223)	= -1 EBADF (Bad file descriptor)
21393 close(224)	= -1 EBADF (Bad file descriptor)
21393 close(225)	= -1 EBADF (Bad file descriptor)
21393 close(226)	= -1 EBADF (Bad file descriptor)
21393 close(227)	= -1 EBADF (Bad file descriptor)
21393 close(228)	= -1 EBADF (Bad file descriptor)
21393 close(229)	= -1 EBADF (Bad file descriptor)
21393 close(230)	= -1 EBADF (Bad file descriptor)
21393 close(231)	= -1 EBADF (Bad file descriptor)
21393 close(232)	= -1 EBADF (Bad file descriptor)
21393 close(233)	= -1 EBADF (Bad file descriptor)
21393 close(234)	= -1 EBADF (Bad file descriptor)
21393 close(235)	= -1 EBADF (Bad file descriptor)
21393 close(236)	= -1 EBADF (Bad file descriptor)
21393 close(237)	= -1 EBADF (Bad file descriptor)
21393 close(238)	= -1 EBADF (Bad file descriptor)
21393 close(239)	= -1 EBADF (Bad file descriptor)
21393 close(240)	= -1 EBADF (Bad file descriptor)
21393 close(241)	= -1 EBADF (Bad file descriptor)
21393 close(242)	= -1 EBADF (Bad file descriptor)
21393 close(243)	= -1 EBADF (Bad file descriptor)
21393 close(244)	= -1 EBADF (Bad file descriptor)
21393 close(245)	= -1 EBADF (Bad file descriptor)
21393 close(246)	= -1 EBADF (Bad file descriptor)
21393 close(247)	= -1 EBADF (Bad file descriptor)
21393 close(248)	= -1 EBADF (Bad file descriptor)
21393 close(249)	= -1 EBADF (Bad file descriptor)
21393 close(250)	= -1 EBADF (Bad file descriptor)
21393 close(251)	= -1 EBADF (Bad file descriptor)
21393 close(252)	= -1 EBADF (Bad file descriptor)
21393 close(253)	= -1 EBADF (Bad file descriptor)
21393 close(254)	= -1 EBADF (Bad file descriptor)
21393 close(255)	= -1 EBADF (Bad file descriptor)
21393 close(256)	= -1 EBADF (Bad file descriptor)
21393 close(257)	= -1 EBADF (Bad file descriptor)
21393 close(258)	= -1 EBADF (Bad file descriptor)

21393 close(259)	= -1 EBADF (Bad file descriptor)
21393 close(260)	= -1 EBADF (Bad file descriptor)
21393 close(261)	= -1 EBADF (Bad file descriptor)
21393 close(262)	= -1 EBADF (Bad file descriptor)
21393 close(263)	= -1 EBADF (Bad file descriptor)
21393 close(264)	= -1 EBADF (Bad file descriptor)
21393 close(265)	= -1 EBADF (Bad file descriptor)
21393 close(266)	= -1 EBADF (Bad file descriptor)
21393 close(267)	= -1 EBADF (Bad file descriptor)
21393 close(268)	= -1 EBADF (Bad file descriptor)
21393 close(269)	= -1 EBADF (Bad file descriptor)
21393 close(270)	= -1 EBADF (Bad file descriptor)
21393 close(271)	= -1 EBADF (Bad file descriptor)
21393 close(272)	= -1 EBADF (Bad file descriptor)
21393 close(273)	= -1 EBADF (Bad file descriptor)
21393 close(274)	= -1 EBADF (Bad file descriptor)
21393 close(275)	= -1 EBADF (Bad file descriptor)
21393 close(276)	= -1 EBADF (Bad file descriptor)
21393 close(277)	= -1 EBADF (Bad file descriptor)
21393 close(278)	= -1 EBADF (Bad file descriptor)
21393 close(279)	= -1 EBADF (Bad file descriptor)
21393 close(280)	= -1 EBADF (Bad file descriptor)
21393 close(281)	= -1 EBADF (Bad file descriptor)
21393 close(282)	= -1 EBADF (Bad file descriptor)
21393 close(283)	= -1 EBADF (Bad file descriptor)
21393 close(284)	= -1 EBADF (Bad file descriptor)
21393 close(285)	= -1 EBADF (Bad file descriptor)
21393 close(286)	= -1 EBADF (Bad file descriptor)
21393 close(287)	= -1 EBADF (Bad file descriptor)
21393 close(288)	= -1 EBADF (Bad file descriptor)
21393 close(289)	= -1 EBADF (Bad file descriptor)
21393 close(290)	= -1 EBADF (Bad file descriptor)
21393 close(291)	= -1 EBADF (Bad file descriptor)
21393 close(292)	= -1 EBADF (Bad file descriptor)
21393 close(293)	= -1 EBADF (Bad file descriptor)
21393 close(294)	= -1 EBADF (Bad file descriptor)
21393 close(295)	= -1 EBADF (Bad file descriptor)
21393 close(296)	= -1 EBADF (Bad file descriptor)
21393 close(297)	= -1 EBADF (Bad file descriptor)
21393 close(298)	= -1 EBADF (Bad file descriptor)
21393 close(299)	= -1 EBADF (Bad file descriptor)
21393 close(300)	= -1 EBADF (Bad file descriptor)
21393 close(301)	= -1 EBADF (Bad file descriptor)
21393 close(302)	= -1 EBADF (Bad file descriptor)
21393 close(303)	= -1 EBADF (Bad file descriptor)
21393 close(304)	= -1 EBADF (Bad file descriptor)
21393 close(305)	= -1 EBADF (Bad file descriptor)
21393 close(306)	= -1 EBADF (Bad file descriptor)

21393 close(307)	= -1 EBADF (Bad file descriptor)
21393 close(308)	= -1 EBADF (Bad file descriptor)
21393 close(309)	= -1 EBADF (Bad file descriptor)
21393 close(310)	= -1 EBADF (Bad file descriptor)
21393 close(311)	= -1 EBADF (Bad file descriptor)
21393 close(312)	= -1 EBADF (Bad file descriptor)
21393 close(313)	= -1 EBADF (Bad file descriptor)
21393 close(314)	= -1 EBADF (Bad file descriptor)
21393 close(315)	= -1 EBADF (Bad file descriptor)
21393 close(316)	= -1 EBADF (Bad file descriptor)
21393 close(317)	= -1 EBADF (Bad file descriptor)
21393 close(318)	= -1 EBADF (Bad file descriptor)
21393 close(319)	= -1 EBADF (Bad file descriptor)
21393 close(320)	= -1 EBADF (Bad file descriptor)
21393 close(321)	= -1 EBADF (Bad file descriptor)
21393 close(322)	= -1 EBADF (Bad file descriptor)
21393 close(323)	= -1 EBADF (Bad file descriptor)
21393 close(324)	= -1 EBADF (Bad file descriptor)
21393 close(325)	= -1 EBADF (Bad file descriptor)
21393 close(326)	= -1 EBADF (Bad file descriptor)
21393 close(327)	= -1 EBADF (Bad file descriptor)
21393 close(328)	= -1 EBADF (Bad file descriptor)
21393 close(329)	= -1 EBADF (Bad file descriptor)
21393 close(330)	= -1 EBADF (Bad file descriptor)
21393 close(331)	= -1 EBADF (Bad file descriptor)
21393 close(332)	= -1 EBADF (Bad file descriptor)
21393 close(333)	= -1 EBADF (Bad file descriptor)
21393 close(334)	= -1 EBADF (Bad file descriptor)
21393 close(335)	= -1 EBADF (Bad file descriptor)
21393 close(336)	= -1 EBADF (Bad file descriptor)
21393 close(337)	= -1 EBADF (Bad file descriptor)
21393 close(338)	= -1 EBADF (Bad file descriptor)
21393 close(339)	= -1 EBADF (Bad file descriptor)
21393 close(340)	= -1 EBADF (Bad file descriptor)
21393 close(341)	= -1 EBADF (Bad file descriptor)
21393 close(342)	= -1 EBADF (Bad file descriptor)
21393 close(343)	= -1 EBADF (Bad file descriptor)
21393 close(344)	= -1 EBADF (Bad file descriptor)
21393 close(345)	= -1 EBADF (Bad file descriptor)
21393 close(346)	= -1 EBADF (Bad file descriptor)
21393 close(347)	= -1 EBADF (Bad file descriptor)
21393 close(348)	= -1 EBADF (Bad file descriptor)
21393 close(349)	= -1 EBADF (Bad file descriptor)
21393 close(350)	= -1 EBADF (Bad file descriptor)
21393 close(351)	= -1 EBADF (Bad file descriptor)
21393 close(352)	= -1 EBADF (Bad file descriptor)
21393 close(353)	= -1 EBADF (Bad file descriptor)
21393 close(354)	= -1 EBADF (Bad file descriptor)

21393 close(355)	= -1 EBADF (Bad file descriptor)
21393 close(356)	= -1 EBADF (Bad file descriptor)
21393 close(357)	= -1 EBADF (Bad file descriptor)
21393 close(358)	= -1 EBADF (Bad file descriptor)
21393 close(359)	= -1 EBADF (Bad file descriptor)
21393 close(360)	= -1 EBADF (Bad file descriptor)
21393 close(361)	= -1 EBADF (Bad file descriptor)
21393 close(362)	= -1 EBADF (Bad file descriptor)
21393 close(363)	= -1 EBADF (Bad file descriptor)
21393 close(364)	= -1 EBADF (Bad file descriptor)
21393 close(365)	= -1 EBADF (Bad file descriptor)
21393 close(366)	= -1 EBADF (Bad file descriptor)
21393 close(367)	= -1 EBADF (Bad file descriptor)
21393 close(368)	= -1 EBADF (Bad file descriptor)
21393 close(369)	= -1 EBADF (Bad file descriptor)
21393 close(370)	= -1 EBADF (Bad file descriptor)
21393 close(371)	= -1 EBADF (Bad file descriptor)
21393 close(372)	= -1 EBADF (Bad file descriptor)
21393 close(373)	= -1 EBADF (Bad file descriptor)
21393 close(374)	= -1 EBADF (Bad file descriptor)
21393 close(375)	= -1 EBADF (Bad file descriptor)
21393 close(376)	= -1 EBADF (Bad file descriptor)
21393 close(377)	= -1 EBADF (Bad file descriptor)
21393 close(378)	= -1 EBADF (Bad file descriptor)
21393 close(379)	= -1 EBADF (Bad file descriptor)
21393 close(380)	= -1 EBADF (Bad file descriptor)
21393 close(381)	= -1 EBADF (Bad file descriptor)
21393 close(382)	= -1 EBADF (Bad file descriptor)
21393 close(383)	= -1 EBADF (Bad file descriptor)
21393 close(384)	= -1 EBADF (Bad file descriptor)
21393 close(385)	= -1 EBADF (Bad file descriptor)
21393 close(386)	= -1 EBADF (Bad file descriptor)
21393 close(387)	= -1 EBADF (Bad file descriptor)
21393 close(388)	= -1 EBADF (Bad file descriptor)
21393 close(389)	= -1 EBADF (Bad file descriptor)
21393 close(390)	= -1 EBADF (Bad file descriptor)
21393 close(391)	= -1 EBADF (Bad file descriptor)
21393 close(392)	= -1 EBADF (Bad file descriptor)
21393 close(393)	= -1 EBADF (Bad file descriptor)
21393 close(394)	= -1 EBADF (Bad file descriptor)
21393 close(395)	= -1 EBADF (Bad file descriptor)
21393 close(396)	= -1 EBADF (Bad file descriptor)
21393 close(397)	= -1 EBADF (Bad file descriptor)
21393 close(398)	= -1 EBADF (Bad file descriptor)
21393 close(399)	= -1 EBADF (Bad file descriptor)
21393 close(400)	= -1 EBADF (Bad file descriptor)
21393 close(401)	= -1 EBADF (Bad file descriptor)
21393 close(402)	= -1 EBADF (Bad file descriptor)

21393 close(403)	= -1 EBADF (Bad file descriptor)
21393 close(404)	= -1 EBADF (Bad file descriptor)
21393 close(405)	= -1 EBADF (Bad file descriptor)
21393 close(406)	= -1 EBADF (Bad file descriptor)
21393 close(407)	= -1 EBADF (Bad file descriptor)
21393 close(408)	= -1 EBADF (Bad file descriptor)
21393 close(409)	= -1 EBADF (Bad file descriptor)
21393 close(410)	= -1 EBADF (Bad file descriptor)
21393 close(411)	= -1 EBADF (Bad file descriptor)
21393 close(412)	= -1 EBADF (Bad file descriptor)
21393 close(413)	= -1 EBADF (Bad file descriptor)
21393 close(414)	= -1 EBADF (Bad file descriptor)
21393 close(415)	= -1 EBADF (Bad file descriptor)
21393 close(416)	= -1 EBADF (Bad file descriptor)
21393 close(417)	= -1 EBADF (Bad file descriptor)
21393 close(418)	= -1 EBADF (Bad file descriptor)
21393 close(419)	= -1 EBADF (Bad file descriptor)
21393 close(420)	= -1 EBADF (Bad file descriptor)
21393 close(421)	= -1 EBADF (Bad file descriptor)
21393 close(422)	= -1 EBADF (Bad file descriptor)
21393 close(423)	= -1 EBADF (Bad file descriptor)
21393 close(424)	= -1 EBADF (Bad file descriptor)
21393 close(425)	= -1 EBADF (Bad file descriptor)
21393 close(426)	= -1 EBADF (Bad file descriptor)
21393 close(427)	= -1 EBADF (Bad file descriptor)
21393 close(428)	= -1 EBADF (Bad file descriptor)
21393 close(429)	= -1 EBADF (Bad file descriptor)
21393 close(430)	= -1 EBADF (Bad file descriptor)
21393 close(431)	= -1 EBADF (Bad file descriptor)
21393 close(432)	= -1 EBADF (Bad file descriptor)
21393 close(433)	= -1 EBADF (Bad file descriptor)
21393 close(434)	= -1 EBADF (Bad file descriptor)
21393 close(435)	= -1 EBADF (Bad file descriptor)
21393 close(436)	= -1 EBADF (Bad file descriptor)
21393 close(437)	= -1 EBADF (Bad file descriptor)
21393 close(438)	= -1 EBADF (Bad file descriptor)
21393 close(439)	= -1 EBADF (Bad file descriptor)
21393 close(440)	= -1 EBADF (Bad file descriptor)
21393 close(441)	= -1 EBADF (Bad file descriptor)
21393 close(442)	= -1 EBADF (Bad file descriptor)
21393 close(443)	= -1 EBADF (Bad file descriptor)
21393 close(444)	= -1 EBADF (Bad file descriptor)
21393 close(445)	= -1 EBADF (Bad file descriptor)
21393 close(446)	= -1 EBADF (Bad file descriptor)
21393 close(447)	= -1 EBADF (Bad file descriptor)
21393 close(448)	= -1 EBADF (Bad file descriptor)
21393 close(449)	= -1 EBADF (Bad file descriptor)
21393 close(450)	= -1 EBADF (Bad file descriptor)

[illegible]

21393 close(499)	= -1 EBADF (Bad file descriptor)
21393 close(500)	= -1 EBADF (Bad file descriptor)
21393 close(501)	= -1 EBADF (Bad file descriptor)
21393 close(502)	= -1 EBADF (Bad file descriptor)
21393 close(503)	= -1 EBADF (Bad file descriptor)
21393 close(504)	= -1 EBADF (Bad file descriptor)
21393 close(505)	= -1 EBADF (Bad file descriptor)
21393 close(506)	= -1 EBADF (Bad file descriptor)
21393 close(507)	= -1 EBADF (Bad file descriptor)
21393 close(508)	= -1 EBADF (Bad file descriptor)
21393 close(509)	= -1 EBADF (Bad file descriptor)
21393 close(510)	= -1 EBADF (Bad file descriptor)
21393 close(511)	= -1 EBADF (Bad file descriptor)
21393 close(512)	= -1 EBADF (Bad file descriptor)
21393 close(513)	= -1 EBADF (Bad file descriptor)
21393 close(514)	= -1 EBADF (Bad file descriptor)
21393 close(515)	= -1 EBADF (Bad file descriptor)
21393 close(516)	= -1 EBADF (Bad file descriptor)
21393 close(517)	= -1 EBADF (Bad file descriptor)
21393 close(518)	= -1 EBADF (Bad file descriptor)
21393 close(519)	= -1 EBADF (Bad file descriptor)
21393 close(520)	= -1 EBADF (Bad file descriptor)
21393 close(521)	= -1 EBADF (Bad file descriptor)
21393 close(522)	= -1 EBADF (Bad file descriptor)
21393 close(523)	= -1 EBADF (Bad file descriptor)
21393 close(524)	= -1 EBADF (Bad file descriptor)
21393 close(525)	= -1 EBADF (Bad file descriptor)
21393 close(526)	= -1 EBADF (Bad file descriptor)
21393 close(527)	= -1 EBADF (Bad file descriptor)
21393 close(528)	= -1 EBADF (Bad file descriptor)
21393 close(529)	= -1 EBADF (Bad file descriptor)
21393 close(530)	= -1 EBADF (Bad file descriptor)
21393 close(531)	= -1 EBADF (Bad file descriptor)
21393 close(532)	= -1 EBADF (Bad file descriptor)
21393 close(533)	= -1 EBADF (Bad file descriptor)
21393 close(534)	= -1 EBADF (Bad file descriptor)
21393 close(535)	= -1 EBADF (Bad file descriptor)
21393 close(536)	= -1 EBADF (Bad file descriptor)
21393 close(537)	= -1 EBADF (Bad file descriptor)
21393 close(538)	= -1 EBADF (Bad file descriptor)
21393 close(539)	= -1 EBADF (Bad file descriptor)
21393 close(540)	= -1 EBADF (Bad file descriptor)
21393 close(541)	= -1 EBADF (Bad file descriptor)
21393 close(542)	= -1 EBADF (Bad file descriptor)
21393 close(543)	= -1 EBADF (Bad file descriptor)
21393 close(544)	= -1 EBADF (Bad file descriptor)
21393 close(545)	= -1 EBADF (Bad file descriptor)
21393 close(546)	= -1 EBADF (Bad file descriptor)

21393 close(547)	= -1 EBADF (Bad file descriptor)
21393 close(548)	= -1 EBADF (Bad file descriptor)
21393 close(549)	= -1 EBADF (Bad file descriptor)
21393 close(550)	= -1 EBADF (Bad file descriptor)
21393 close(551)	= -1 EBADF (Bad file descriptor)
21393 close(552)	= -1 EBADF (Bad file descriptor)
21393 close(553)	= -1 EBADF (Bad file descriptor)
21393 close(554)	= -1 EBADF (Bad file descriptor)
21393 close(555)	= -1 EBADF (Bad file descriptor)
21393 close(556)	= -1 EBADF (Bad file descriptor)
21393 close(557)	= -1 EBADF (Bad file descriptor)
21393 close(558)	= -1 EBADF (Bad file descriptor)
21393 close(559)	= -1 EBADF (Bad file descriptor)
21393 close(560)	= -1 EBADF (Bad file descriptor)
21393 close(561)	= -1 EBADF (Bad file descriptor)
21393 close(562)	= -1 EBADF (Bad file descriptor)
21393 close(563)	= -1 EBADF (Bad file descriptor)
21393 close(564)	= -1 EBADF (Bad file descriptor)
21393 close(565)	= -1 EBADF (Bad file descriptor)
21393 close(566)	= -1 EBADF (Bad file descriptor)
21393 close(567)	= -1 EBADF (Bad file descriptor)
21393 close(568)	= -1 EBADF (Bad file descriptor)
21393 close(569)	= -1 EBADF (Bad file descriptor)
21393 close(570)	= -1 EBADF (Bad file descriptor)
21393 close(571)	= -1 EBADF (Bad file descriptor)
21393 close(572)	= -1 EBADF (Bad file descriptor)
21393 close(573)	= -1 EBADF (Bad file descriptor)
21393 close(574)	= -1 EBADF (Bad file descriptor)
21393 close(575)	= -1 EBADF (Bad file descriptor)
21393 close(576)	= -1 EBADF (Bad file descriptor)
21393 close(577)	= -1 EBADF (Bad file descriptor)
21393 close(578)	= -1 EBADF (Bad file descriptor)
21393 close(579)	= -1 EBADF (Bad file descriptor)
21393 close(580)	= -1 EBADF (Bad file descriptor)
21393 close(581)	= -1 EBADF (Bad file descriptor)
21393 close(582)	= -1 EBADF (Bad file descriptor)
21393 close(583)	= -1 EBADF (Bad file descriptor)
21393 close(584)	= -1 EBADF (Bad file descriptor)
21393 close(585)	= -1 EBADF (Bad file descriptor)
21393 close(586)	= -1 EBADF (Bad file descriptor)
21393 close(587)	= -1 EBADF (Bad file descriptor)
21393 close(588)	= -1 EBADF (Bad file descriptor)
21393 close(589)	= -1 EBADF (Bad file descriptor)
21393 close(590)	= -1 EBADF (Bad file descriptor)
21393 close(591)	= -1 EBADF (Bad file descriptor)
21393 close(592)	= -1 EBADF (Bad file descriptor)
21393 close(593)	= -1 EBADF (Bad file descriptor)
21393 close(594)	= -1 EBADF (Bad file descriptor)

21393 close(595)	= -1 EBADF (Bad file descriptor)
21393 close(596)	= -1 EBADF (Bad file descriptor)
21393 close(597)	= -1 EBADF (Bad file descriptor)
21393 close(598)	= -1 EBADF (Bad file descriptor)
21393 close(599)	= -1 EBADF (Bad file descriptor)
21393 close(600)	= -1 EBADF (Bad file descriptor)
21393 close(601)	= -1 EBADF (Bad file descriptor)
21393 close(602)	= -1 EBADF (Bad file descriptor)
21393 close(603)	= -1 EBADF (Bad file descriptor)
21393 close(604)	= -1 EBADF (Bad file descriptor)
21393 close(605)	= -1 EBADF (Bad file descriptor)
21393 close(606)	= -1 EBADF (Bad file descriptor)
21393 close(607)	= -1 EBADF (Bad file descriptor)
21393 close(608)	= -1 EBADF (Bad file descriptor)
21393 close(609)	= -1 EBADF (Bad file descriptor)
21393 close(610)	= -1 EBADF (Bad file descriptor)
21393 close(611)	= -1 EBADF (Bad file descriptor)
21393 close(612)	= -1 EBADF (Bad file descriptor)
21393 close(613)	= -1 EBADF (Bad file descriptor)
21393 close(614)	= -1 EBADF (Bad file descriptor)
21393 close(615)	= -1 EBADF (Bad file descriptor)
21393 close(616)	= -1 EBADF (Bad file descriptor)
21393 close(617)	= -1 EBADF (Bad file descriptor)
21393 close(618)	= -1 EBADF (Bad file descriptor)
21393 close(619)	= -1 EBADF (Bad file descriptor)
21393 close(620)	= -1 EBADF (Bad file descriptor)
21393 close(621)	= -1 EBADF (Bad file descriptor)
21393 close(622)	= -1 EBADF (Bad file descriptor)
21393 close(623)	= -1 EBADF (Bad file descriptor)
21393 close(624)	= -1 EBADF (Bad file descriptor)
21393 close(625)	= -1 EBADF (Bad file descriptor)
21393 close(626)	= -1 EBADF (Bad file descriptor)
21393 close(627)	= -1 EBADF (Bad file descriptor)
21393 close(628)	= -1 EBADF (Bad file descriptor)
21393 close(629)	= -1 EBADF (Bad file descriptor)
21393 close(630)	= -1 EBADF (Bad file descriptor)
21393 close(631)	= -1 EBADF (Bad file descriptor)
21393 close(632)	= -1 EBADF (Bad file descriptor)
21393 close(633)	= -1 EBADF (Bad file descriptor)
21393 close(634)	= -1 EBADF (Bad file descriptor)
21393 close(635)	= -1 EBADF (Bad file descriptor)
21393 close(636)	= -1 EBADF (Bad file descriptor)
21393 close(637)	= -1 EBADF (Bad file descriptor)
21393 close(638)	= -1 EBADF (Bad file descriptor)
21393 close(639)	= -1 EBADF (Bad file descriptor)
21393 close(640)	= -1 EBADF (Bad file descriptor)
21393 close(641)	= -1 EBADF (Bad file descriptor)
21393 close(642)	= -1 EBADF (Bad file descriptor)

[illegible]

21393 close(691)	= -1 EBADF (Bad file descriptor)
21393 close(692)	= -1 EBADF (Bad file descriptor)
21393 close(693)	= -1 EBADF (Bad file descriptor)
21393 close(694)	= -1 EBADF (Bad file descriptor)
21393 close(695)	= -1 EBADF (Bad file descriptor)
21393 close(696)	= -1 EBADF (Bad file descriptor)
21393 close(697)	= -1 EBADF (Bad file descriptor)
21393 close(698)	= -1 EBADF (Bad file descriptor)
21393 close(699)	= -1 EBADF (Bad file descriptor)
21393 close(700)	= -1 EBADF (Bad file descriptor)
21393 close(701)	= -1 EBADF (Bad file descriptor)
21393 close(702)	= -1 EBADF (Bad file descriptor)
21393 close(703)	= -1 EBADF (Bad file descriptor)
21393 close(704)	= -1 EBADF (Bad file descriptor)
21393 close(705)	= -1 EBADF (Bad file descriptor)
21393 close(706)	= -1 EBADF (Bad file descriptor)
21393 close(707)	= -1 EBADF (Bad file descriptor)
21393 close(708)	= -1 EBADF (Bad file descriptor)
21393 close(709)	= -1 EBADF (Bad file descriptor)
21393 close(710)	= -1 EBADF (Bad file descriptor)
21393 close(711)	= -1 EBADF (Bad file descriptor)
21393 close(712)	= -1 EBADF (Bad file descriptor)
21393 close(713)	= -1 EBADF (Bad file descriptor)
21393 close(714)	= -1 EBADF (Bad file descriptor)
21393 close(715)	= -1 EBADF (Bad file descriptor)
21393 close(716)	= -1 EBADF (Bad file descriptor)
21393 close(717)	= -1 EBADF (Bad file descriptor)
21393 close(718)	= -1 EBADF (Bad file descriptor)
21393 close(719)	= -1 EBADF (Bad file descriptor)
21393 close(720)	= -1 EBADF (Bad file descriptor)
21393 close(721)	= -1 EBADF (Bad file descriptor)
21393 close(722)	= -1 EBADF (Bad file descriptor)
21393 close(723)	= -1 EBADF (Bad file descriptor)
21393 close(724)	= -1 EBADF (Bad file descriptor)
21393 close(725)	= -1 EBADF (Bad file descriptor)
21393 close(726)	= -1 EBADF (Bad file descriptor)
21393 close(727)	= -1 EBADF (Bad file descriptor)
21393 close(728)	= -1 EBADF (Bad file descriptor)
21393 close(729)	= -1 EBADF (Bad file descriptor)
21393 close(730)	= -1 EBADF (Bad file descriptor)
21393 close(731)	= -1 EBADF (Bad file descriptor)
21393 close(732)	= -1 EBADF (Bad file descriptor)
21393 close(733)	= -1 EBADF (Bad file descriptor)
21393 close(734)	= -1 EBADF (Bad file descriptor)
21393 close(735)	= -1 EBADF (Bad file descriptor)
21393 close(736)	= -1 EBADF (Bad file descriptor)
21393 close(737)	= -1 EBADF (Bad file descriptor)
21393 close(738)	= -1 EBADF (Bad file descriptor)

21393 close(739)	= -1 EBADF (Bad file descriptor)
21393 close(740)	= -1 EBADF (Bad file descriptor)
21393 close(741)	= -1 EBADF (Bad file descriptor)
21393 close(742)	= -1 EBADF (Bad file descriptor)
21393 close(743)	= -1 EBADF (Bad file descriptor)
21393 close(744)	= -1 EBADF (Bad file descriptor)
21393 close(745)	= -1 EBADF (Bad file descriptor)
21393 close(746)	= -1 EBADF (Bad file descriptor)
21393 close(747)	= -1 EBADF (Bad file descriptor)
21393 close(748)	= -1 EBADF (Bad file descriptor)
21393 close(749)	= -1 EBADF (Bad file descriptor)
21393 close(750)	= -1 EBADF (Bad file descriptor)
21393 close(751)	= -1 EBADF (Bad file descriptor)
21393 close(752)	= -1 EBADF (Bad file descriptor)
21393 close(753)	= -1 EBADF (Bad file descriptor)
21393 close(754)	= -1 EBADF (Bad file descriptor)
21393 close(755)	= -1 EBADF (Bad file descriptor)
21393 close(756)	= -1 EBADF (Bad file descriptor)
21393 close(757)	= -1 EBADF (Bad file descriptor)
21393 close(758)	= -1 EBADF (Bad file descriptor)
21393 close(759)	= -1 EBADF (Bad file descriptor)
21393 close(760)	= -1 EBADF (Bad file descriptor)
21393 close(761)	= -1 EBADF (Bad file descriptor)
21393 close(762)	= -1 EBADF (Bad file descriptor)
21393 close(763)	= -1 EBADF (Bad file descriptor)
21393 close(764)	= -1 EBADF (Bad file descriptor)
21393 close(765)	= -1 EBADF (Bad file descriptor)
21393 close(766)	= -1 EBADF (Bad file descriptor)
21393 close(767)	= -1 EBADF (Bad file descriptor)
21393 close(768)	= -1 EBADF (Bad file descriptor)
21393 close(769)	= -1 EBADF (Bad file descriptor)
21393 close(770)	= -1 EBADF (Bad file descriptor)
21393 close(771)	= -1 EBADF (Bad file descriptor)
21393 close(772)	= -1 EBADF (Bad file descriptor)
21393 close(773)	= -1 EBADF (Bad file descriptor)
21393 close(774)	= -1 EBADF (Bad file descriptor)
21393 close(775)	= -1 EBADF (Bad file descriptor)
21393 close(776)	= -1 EBADF (Bad file descriptor)
21393 close(777)	= -1 EBADF (Bad file descriptor)
21393 close(778)	= -1 EBADF (Bad file descriptor)
21393 close(779)	= -1 EBADF (Bad file descriptor)
21393 close(780)	= -1 EBADF (Bad file descriptor)
21393 close(781)	= -1 EBADF (Bad file descriptor)
21393 close(782)	= -1 EBADF (Bad file descriptor)
21393 close(783)	= -1 EBADF (Bad file descriptor)
21393 close(784)	= -1 EBADF (Bad file descriptor)
21393 close(785)	= -1 EBADF (Bad file descriptor)
21393 close(786)	= -1 EBADF (Bad file descriptor)

21393 close(787)	= -1 EBADF (Bad file descriptor)
21393 close(788)	= -1 EBADF (Bad file descriptor)
21393 close(789)	= -1 EBADF (Bad file descriptor)
21393 close(790)	= -1 EBADF (Bad file descriptor)
21393 close(791)	= -1 EBADF (Bad file descriptor)
21393 close(792)	= -1 EBADF (Bad file descriptor)
21393 close(793)	= -1 EBADF (Bad file descriptor)
21393 close(794)	= -1 EBADF (Bad file descriptor)
21393 close(795)	= -1 EBADF (Bad file descriptor)
21393 close(796)	= -1 EBADF (Bad file descriptor)
21393 close(797)	= -1 EBADF (Bad file descriptor)
21393 close(798)	= -1 EBADF (Bad file descriptor)
21393 close(799)	= -1 EBADF (Bad file descriptor)
21393 close(800)	= -1 EBADF (Bad file descriptor)
21393 close(801)	= -1 EBADF (Bad file descriptor)
21393 close(802)	= -1 EBADF (Bad file descriptor)
21393 close(803)	= -1 EBADF (Bad file descriptor)
21393 close(804)	= -1 EBADF (Bad file descriptor)
21393 close(805)	= -1 EBADF (Bad file descriptor)
21393 close(806)	= -1 EBADF (Bad file descriptor)
21393 close(807)	= -1 EBADF (Bad file descriptor)
21393 close(808)	= -1 EBADF (Bad file descriptor)
21393 close(809)	= -1 EBADF (Bad file descriptor)
21393 close(810)	= -1 EBADF (Bad file descriptor)
21393 close(811)	= -1 EBADF (Bad file descriptor)
21393 close(812)	= -1 EBADF (Bad file descriptor)
21393 close(813)	= -1 EBADF (Bad file descriptor)
21393 close(814)	= -1 EBADF (Bad file descriptor)
21393 close(815)	= -1 EBADF (Bad file descriptor)
21393 close(816)	= -1 EBADF (Bad file descriptor)
21393 close(817)	= -1 EBADF (Bad file descriptor)
21393 close(818)	= -1 EBADF (Bad file descriptor)
21393 close(819)	= -1 EBADF (Bad file descriptor)
21393 close(820)	= -1 EBADF (Bad file descriptor)
21393 close(821)	= -1 EBADF (Bad file descriptor)
21393 close(822)	= -1 EBADF (Bad file descriptor)
21393 close(823)	= -1 EBADF (Bad file descriptor)
21393 close(824)	= -1 EBADF (Bad file descriptor)
21393 close(825)	= -1 EBADF (Bad file descriptor)
21393 close(826)	= -1 EBADF (Bad file descriptor)
21393 close(827)	= -1 EBADF (Bad file descriptor)
21393 close(828)	= -1 EBADF (Bad file descriptor)
21393 close(829)	= -1 EBADF (Bad file descriptor)
21393 close(830)	= -1 EBADF (Bad file descriptor)
21393 close(831)	= -1 EBADF (Bad file descriptor)
21393 close(832)	= -1 EBADF (Bad file descriptor)
21393 close(833)	= -1 EBADF (Bad file descriptor)
21393 close(834)	= -1 EBADF (Bad file descriptor)

[illegible]

21393 close(883)	= -1 EBADF (Bad file descriptor)
21393 close(884)	= -1 EBADF (Bad file descriptor)
21393 close(885)	= -1 EBADF (Bad file descriptor)
21393 close(886)	= -1 EBADF (Bad file descriptor)
21393 close(887)	= -1 EBADF (Bad file descriptor)
21393 close(888)	= -1 EBADF (Bad file descriptor)
21393 close(889)	= -1 EBADF (Bad file descriptor)
21393 close(890)	= -1 EBADF (Bad file descriptor)
21393 close(891)	= -1 EBADF (Bad file descriptor)
21393 close(892)	= -1 EBADF (Bad file descriptor)
21393 close(893)	= -1 EBADF (Bad file descriptor)
21393 close(894)	= -1 EBADF (Bad file descriptor)
21393 close(895)	= -1 EBADF (Bad file descriptor)
21393 close(896)	= -1 EBADF (Bad file descriptor)
21393 close(897)	= -1 EBADF (Bad file descriptor)
21393 close(898)	= -1 EBADF (Bad file descriptor)
21393 close(899)	= -1 EBADF (Bad file descriptor)
21393 close(900)	= -1 EBADF (Bad file descriptor)
21393 close(901)	= -1 EBADF (Bad file descriptor)
21393 close(902)	= -1 EBADF (Bad file descriptor)
21393 close(903)	= -1 EBADF (Bad file descriptor)
21393 close(904)	= -1 EBADF (Bad file descriptor)
21393 close(905)	= -1 EBADF (Bad file descriptor)
21393 close(906)	= -1 EBADF (Bad file descriptor)
21393 close(907)	= -1 EBADF (Bad file descriptor)
21393 close(908)	= -1 EBADF (Bad file descriptor)
21393 close(909)	= -1 EBADF (Bad file descriptor)
21393 close(910)	= -1 EBADF (Bad file descriptor)
21393 close(911)	= -1 EBADF (Bad file descriptor)
21393 close(912)	= -1 EBADF (Bad file descriptor)
21393 close(913)	= -1 EBADF (Bad file descriptor)
21393 close(914)	= -1 EBADF (Bad file descriptor)
21393 close(915)	= -1 EBADF (Bad file descriptor)
21393 close(916)	= -1 EBADF (Bad file descriptor)
21393 close(917)	= -1 EBADF (Bad file descriptor)
21393 close(918)	= -1 EBADF (Bad file descriptor)
21393 close(919)	= -1 EBADF (Bad file descriptor)
21393 close(920)	= -1 EBADF (Bad file descriptor)
21393 close(921)	= -1 EBADF (Bad file descriptor)
21393 close(922)	= -1 EBADF (Bad file descriptor)
21393 close(923)	= -1 EBADF (Bad file descriptor)
21393 close(924)	= -1 EBADF (Bad file descriptor)
21393 close(925)	= -1 EBADF (Bad file descriptor)
21393 close(926)	= -1 EBADF (Bad file descriptor)
21393 close(927)	= -1 EBADF (Bad file descriptor)
21393 close(928)	= -1 EBADF (Bad file descriptor)
21393 close(929)	= -1 EBADF (Bad file descriptor)
21393 close(930)	= -1 EBADF (Bad file descriptor)

[illegible]

```
21393 close(979) = -1 EBADF (Bad file descriptor)
21393 close(980) = -1 EBADF (Bad file descriptor)
21393 close(981) = -1 EBADF (Bad file descriptor)
21393 close(982) = -1 EBADF (Bad file descriptor)
21393 close(983) = -1 EBADF (Bad file descriptor)
21393 close(984) = -1 EBADF (Bad file descriptor)
21393 close(985) = -1 EBADF (Bad file descriptor)
21393 close(986) = -1 EBADF (Bad file descriptor)
21393 close(987) = -1 EBADF (Bad file descriptor)
21393 close(988) = -1 EBADF (Bad file descriptor)
21393 close(989) = -1 EBADF (Bad file descriptor)
21393 close(990) = -1 EBADF (Bad file descriptor)
21393 close(991) = -1 EBADF (Bad file descriptor)
21393 close(992) = -1 EBADF (Bad file descriptor)
21393 close(993) = -1 EBADF (Bad file descriptor)
21393 close(994) = -1 EBADF (Bad file descriptor)
21393 close(995) = -1 EBADF (Bad file descriptor)
21393 close(996) = -1 EBADF (Bad file descriptor)
21393 close(997) = -1 EBADF (Bad file descriptor)
21393 close(998) = -1 EBADF (Bad file descriptor)
21393 close(999) = -1 EBADF (Bad file descriptor)
21393 close(1000) = -1 EBADF (Bad file descriptor)
21393 close(1001) = -1 EBADF (Bad file descriptor)
21393 close(1002) = -1 EBADF (Bad file descriptor)
21393 close(1003) = -1 EBADF (Bad file descriptor)
21393 close(1004) = -1 EBADF (Bad file descriptor)
21393 close(1005) = -1 EBADF (Bad file descriptor)
21393 close(1006) = -1 EBADF (Bad file descriptor)
21393 close(1007) = -1 EBADF (Bad file descriptor)
21393 close(1008) = -1 EBADF (Bad file descriptor)
21393 close(1009) = -1 EBADF (Bad file descriptor)
21393 close(1010) = -1 EBADF (Bad file descriptor)
21393 close(1011) = -1 EBADF (Bad file descriptor)
21393 close(1012) = -1 EBADF (Bad file descriptor)
21393 close(1013) = -1 EBADF (Bad file descriptor)
21393 close(1014) = -1 EBADF (Bad file descriptor)
21393 close(1015) = -1 EBADF (Bad file descriptor)
21393 close(1016) = -1 EBADF (Bad file descriptor)
21393 close(1017) = -1 EBADF (Bad file descriptor)
21393 close(1018) = -1 EBADF (Bad file descriptor)
21393 close(1019) = -1 EBADF (Bad file descriptor)
21393 close(1020) = -1 EBADF (Bad file descriptor)
21393 close(1021) = -1 EBADF (Bad file descriptor)
21393 close(1022) = -1 EBADF (Bad file descriptor)
21393 close(1023) = -1 EBADF (Bad file descriptor)
21393 ioctl(4, 0x400c2e05, 0x7fbfffeb90) = -1 EBUSY (Device or resource busy)
21393 rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
21393 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
```



```

21394 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21394 munmap(0x2a95557000, 103387) = 0
21394 open("/dev/vzctl", O_RDWR) = 13
21394 ioctl(13, 0xc0182b02, 0x7fbffbb0) = 0
21394 close(13) = 0
21394 fstat(1, {st_mode=S_IFCHR|0666, st_rdev=makedev(1, 3), ...}) = 0
21394 ioctl(1, SNDCTL_TMR_TIMEBASE or TCGETS, 0x7fbfffb260) = -1 ENOTTY (Inappropriate
ioctl for device)
21394 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21394 write(1, " resource usage "..., 201) = 201
21394 exit_group(0) = ?
21359 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21394
21359 --- SIGCHLD (Child exited) @ 0 (0) ---
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 stat("/usr/sbin/vzquota", {st_mode=S_IFREG|0755, st_size=57096, ...}) = 0
21359 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21395
21359 wait4(21395, <unfinished ...>
21395 open("/dev/null", O_WRONLY) = 12
21395 dup2(12, 0) = 0
21395 execve("/usr/sbin/vzquota", ["vzquota", "setlimit", "101", "-b", "16000000", "-B", "16777216",
"-i", "600000", "-l", "660000", "-e", "0", "-n", "0"], [/ 3 vars *]) = 0
21395 uname({sys="Linux", node="andromeda", ...}) = 0
21395 brk(0) = 0x50d000
21395 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21395 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21395 open("/etc/ld.so.cache", O_RDONLY) = 13
21395 fstat(13, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21395 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 13, 0) = 0x2a95557000
21395 close(13) = 0
21395 open("/lib64/tls/libc.so.6", O_RDONLY) = 13
21395 read(13, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"... , 832) = 832
21395 fstat(13, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21395 mmap(0x3d9d50000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 13, 0) = 0x3d9d50000
21395 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21395 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 13, 0x12b000) = 0x3d9d72b000
21395 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21395 close(13) = 0
21395 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000

```

Page 161 of 165 ---- Generated from [OpenVZ Forum](#)

```

21359 lstat("/vz/root/101", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21359 fstat(12, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a9567c000
21359 read(12, "/dev/root / ext3 rw 0 0\nnone /de"..., 1024) = 644
21359 close(12) = 0
21359 munmap(0x2a9567c000, 4096) = 0
21359 open("/proc/mounts", O_RDONLY) = 12
21359 lstat("/vz", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21359 lstat("/vz/root", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21359 lstat("/vz/root/101", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
21359 fstat(12, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
21359 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a9567c000
21359 read(12, "/dev/root / ext3 rw 0 0\nnone /de"..., 1024) = 644
21359 close(12) = 0
21359 munmap(0x2a9567c000, 4096) = 0
21359 ioctl(4, 0x400c2e05, 0x7fbffec20) = -1 ESRCH (No such process)
21359 stat("/etc/vz/conf/vps.umount", 0x7fbfffe980) = -1 ENOENT (No such file or directory)
21359 stat("/etc/vz/conf/101.umount", 0x7fbfffe980) = -1 ENOENT (No such file or directory)
21359 umount("/vz/root/101", 0) = 0
21359 umount("/vz/root/101", 0) = -1 EINVAL (Invalid argument)
21359 stat("/usr/sbin/vzquota", {st_mode=S_IFREG|0755, st_size=57096, ...}) = 0
21359 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 pipe([12, 13]) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21396
21359 wait4(21396, <unfinished ...>
21396 open("/dev/null", O_WRONLY) = 14
21396 dup2(14, 0) = 0
21396 dup2(14, 1) = 1
21396 dup2(14, 2) = 2
21396 execve("/usr/sbin/vzquota", ["/usr/sbin/vzquota", "stat", "101", "-f"], [/* 3 vars */]) = 0
21396 uname({sys="Linux", node="andromeda", ...}) = 0
21396 brk(0) = 0x50d000
21396 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21396 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21396 open("/etc/ld.so.cache", O_RDONLY) = 15
21396 fstat(15, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21396 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 15, 0) = 0x2a95557000
21396 close(15) = 0
21396 open("/lib64/tls/libc.so.6", O_RDONLY) = 15
21396 read(15, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
21396 fstat(15, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
21396 mmap(0x3d9d500000, 2310088, PROT_READ|PROT_EXEC,

```

```

MAP_PRIVATE|MAP_DENYWRITE, 15, 0) = 0x3d9d500000
21396 mprotect(0x3d9d62b000, 1085384, PROT_NONE) = 0
21396 mmap(0x3d9d72b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 15, 0x12b000) = 0x3d9d72b000
21396 mmap(0x3d9d730000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3d9d730000
21396 close(15) = 0
21396 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95571000
21396 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95572000
21396 mprotect(0x3d9d72b000, 8192, PROT_READ) = 0
21396 arch_prctl(ARCH_SET_FS, 0x2a95571b00) = 0
21396 munmap(0x2a95557000, 103387) = 0
21396 open("/dev/vzctl", O_RDWR) = 15
21396 ioctl(15, 0xc0182b02, 0x7fbffbb0) = 0
21396 close(15) = 0
21396 fstat(1, {st_mode=S_IFCHR|0666, st_rdev=makedev(1, 3), ...}) = 0
21396 ioctl(1, SNDCTL_TMR_TIMEBASE or TCGETS, 0x7fbffbb260) = -1 ENOTTY (Inappropriate
ioctl for device)
21396 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95557000
21396 write(1, " resource usage "..., 201) = 201
21396 exit_group(0) = ?
21359 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21396
21359 --- SIGCHLD (Child exited) @ 0 (0) ---
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 stat("/usr/sbin/vzquota", {st_mode=S_IFREG|0755, st_size=57096, ...}) = 0
21359 rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 8) = 0
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 clone(child_stack=0,
flags=CLONE_CHILD_CLEARPID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95695e50) = 21397
21359 wait4(21397, <unfinished ...>
21397 open("/dev/null", O_WRONLY) = 14
21397 dup2(14, 0) = 0
21397 execve("/usr/sbin/vzquota", ["/usr/sbin/vzquota", "off", "101"], [/* 3 vars */]) = 0
21397 uname({sys="Linux", node="andromeda", ...}) = 0
21397 brk(0) = 0x50d000
21397 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS,
-1, 0) = 0x2a95556000
21397 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
21397 open("/etc/ld.so.cache", O_RDONLY) = 15
21397 fstat(15, {st_mode=S_IFREG|0644, st_size=103387, ...}) = 0
21397 mmap(NULL, 103387, PROT_READ, MAP_PRIVATE, 15, 0) = 0x2a95557000
21397 close(15) = 0
21397 open("/lib64/tls/libc.so.6", O_RDONLY) = 15
21397 read(15, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"... , 832) = 832

```

Page 164 of 165 ---- Generated from [OpenVZ Forum](#)

```

21397 close(16)                = 0
21397 pwrite(15, "\\274\334\376\0\0\0\0", 8, 0) = 8
21397 pwrite(15, "\0\0\0\0\4\0\0\0\0\0\220\320\3\0\0\0\0\0\0\0\0\0\0\0\210"..., 80, 8) = 80
21397 pwrite(15, "\17\0\0\0\0\0\0\0", 8, 88) = 8
21397 pwrite(15, "/vz/private/101", 15, 96) = 15
21397 pwrite(15, "\0\0\0\0\0\0\0\0\0000\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"..., 64, 111) = 64
21397 ftruncate(15, 175)       = 0
21397 lseek(15, 0, SEEK_END)   = 175
21397 pwrite(15, "\0\0\0\0\0\0\0\0", 8, 175) = 8
21397 lseek(15, 0, SEEK_END)   = 183
21397 pread(15, "\\274\334\376\0\0\0\0\0\0\0\0\0\4\0\0\0\0\0\0\220\320\3\0"..., 175, 0) = 175
21397 pwrite(15, "\0|w\213\206eQv", 8, 175) = 8
21397 flock(15, LOCK_UN)       = 0
21397 close(15)                = 0
21397 exit_group(0)            = ?
21359 <... wait4 resumed> [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0, NULL) = 21397
21359 --- SIGCHLD (Child exited) @ 0 (0) ---
21359 rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 8) = 0
21359 write(1, "VE is unmounted\n", 16) = 16
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
21359 write(3, "2006-12-13T09:11:36-0600 vzctl :\"..., 58) = 58
21359 close(7)                  = 0
21359 close(8)                  = 0
21359 close(9)                  = 0
21359 close(10)                 = 0
21359 unlink("/vz/lock/101.lck") = 0
21359 close(4)                  = 0
21359 close(3)                  = 0
21359 munmap(0x2a9567a000, 4096) = 0
21359 exit_group(47)            = ?
21393 <... nanosleep resumed> {1, 0}) = 0
21393 ioctl(4, 0x400c2e05, 0x7fbfffeb90) = -1 ESRCH (No such process)
21393 exit_group(0)            = ?

```

---