Subject: [PATCH] SUNRPC: search for service transports in network namespace context
Posted by Stanislav Kinsbursky on Fri, 20 Jan 2012 12:50:53 GMT
View Forum Message <> Reply to Message

Service transports are parametrized by network namespace. And thus lookup of
transport instance have to take network namespace into account.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

---
 fs/lockd/svc.c | 2 +-
 fs/nfsd/nfsctl.c | 4 ++--
 include/linux/sunrpc/svc_xprt.h | 3 ++-
 net/sunrpc/svc_xprt.c | 6 +++++-
 4 files changed, 10 insertions(+), 5 deletions(-)

```
diff --git a/fs/lockd/svc.c b/fs/lockd/svc.c
index c061b9a..ff379ff 100644
--- a/fs/lockd/svc.c
+++ b/fs/lockd/svc.c
@@ -193,7 +193,7 @@ static int create_lockd_listener(struct svc_serv *serv, const char *name,
 {
  struct svc_xprt *xprt;

- xprt = svc_find_xprt(serv, name, family, 0);
+ xprt = svc_find_xprt(serv, name, &init_net, family, 0);
  if (xprt == NULL)
   return svc_create_xprt(serv, name, &init_net, family, port,
       SVC_SOCK_DEFAULTS);
diff --git a/fs/nfsd/nfsctl.c b/fs/nfsd/nfsctl.c
index 330352d..64c24af 100644
--- a/fs/nfsd/nfsctl.c
+++ b/fs/nfsd/nfsctl.c
@@ -722,7 +722,7 @@ static ssize_t __write_ports_addxprt(char *buf)
  nfsd_serv->sv_nrthreads--;
  return 0;
 out_close:
- xprt = svc_find_xprt(nfsd_serv, transport, PF_INET, port);
+ xprt = svc_find_xprt(nfsd_serv, transport, &init_net, PF_INET, port);
  if (xprt != NULL) {
   svc_close_xprt(xprt);
   svc_xprt_put(xprt);
@@ -748,7 +748,7 @@ static ssize_t __write_ports_delxprt(char *buf)
  if (port < 1 || port > USHRT_MAX || nfsd_serv == NULL)
   return -EINVAL;

- xprt = svc_find_xprt(nfsd_serv, transport, AF_UNSPEC, port);
```

```
+ xprt = svc_find_xprt(nfsd_serv, transport, &init_net, AF_UNSPEC, port);
  if (xprt == NULL)
   return -ENOTCONN;

diff --git a/include/linux/sunrpc/svc_xprt.h b/include/linux/sunrpc/svc_xprt.h
index dfa9009..b3f64b1 100644
--- a/include/linux/sunrpc/svc_xprt.h
+++ b/include/linux/sunrpc/svc_xprt.h
@@ -121,7 +121,8 @@ void svc_close_xprt(struct svc_xprt *xprt);
 int svc_port_is_privileged(struct sockaddr *sin);
 int svc_print_xprts(char *buf, int maxlen);
 struct svc_xprt *svc_find_xprt(struct svc_serv *serv, const char *xcl_name,
-    const sa_family_t af, const unsigned short port);
+    struct net *net, const sa_family_t af,
+    const unsigned short port);
 int svc_xprt_names(struct svc_serv *serv, char *buf, const int buflen);

 static inline void svc_xprt_get(struct svc_xprt *xprt)
diff --git a/net/sunrpc/svc_xprt.c b/net/sunrpc/svc_xprt.c
index 74cb0d8..de1e1a8 100644
--- a/net/sunrpc/svc_xprt.c
+++ b/net/sunrpc/svc_xprt.c
@@ -1089,6 +1089,7 @@ static struct svc_deferred_req *svc_deferred_dequeue(struct svc_xprt
*xprt)
  * svc_find_xprt - find an RPC transport instance
  * @serv: pointer to svc_serv to search
  * @xcl_name: C string containing transport's class name
+ * @net: owner net pointer
  * @af: Address family of transport's local address
  * @port: transport's IP port number
  *
@@ -1101,7 +1102,8 @@ static struct svc_deferred_req *svc_deferred_dequeue(struct svc_xprt
*xprt)
  * service's list that has a matching class name.
  */
 struct svc_xprt *svc_find_xprt(struct svc_serv *serv, const char *xcl_name,
-          const sa_family_t af, const unsigned short port)
+          struct net *net, const sa_family_t af,
+          const unsigned short port)
 {
  struct svc_xprt *xprt;
  struct svc_xprt *found = NULL;
@@ -1112,6 +1114,8 @@ struct svc_xprt *svc_find_xprt(struct svc_serv *serv, const char
*xcl_name,

  spin_lock_bh(&serv->sv_lock);
  list_for_each_entry(xprt, &serv->sv_permsocks, xpt_list) {
+  if (xprt->xpt_net != net)
```

```
+   continue;
   if (strcmp(xprt->xpt_class->xcl_name, xcl_name))
    continue;
   if (af != AF_UNSPEC && af != xprt->xpt_local.ss_family)
```

Subject: Re: [PATCH] SUNRPC: search for service transports in network namespace context
Posted by bfields on Fri, 20 Jan 2012 21:23:28 GMT
View Forum Message <> Reply to Message

On Fri, Jan 20, 2012 at 04:50:53PM +0400, Stanislav Kinsbursky wrote:
> Service transports are parametrized by network namespace. And thus lookup of
> transport instance have to take network namespace into account.
>
> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

Looks OK to me.

Acked-by: J. Bruce Fields <bfields@redhat.com>

--b.