

---

Subject: \*SOLVED\* Reboot within VPS on Gentoo Template

Posted by [skatewhale](#) on Fri, 15 Sep 2006 04:35:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Have anyone figured out a way to let the VPS with Gentoo Template to reboot when typed in reboot from the VPS shell?

When I typed in reboot in the VPS's shell, the vps stops, but it never came backup. I had to restart it from the SSH of my root account on the phsycial node.

VPS with fedora or centos, or even openSUSE template seems to be working fine. My cron reboot file is set to cron every minute.

any ideas on what files I had to add/edit in Gentoo template to enable reboot command within the VPS?

Thanks for any help!

---

---

Subject: Re: Reboot within VPS on Gentoo Template

Posted by [Vasily Tarasov](#) on Mon, 18 Sep 2006 07:29:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

/reboot file should be created in VE when VE goes to runlevel 6.

For gentoo template you can add creation of /reboot file to /etc/init.d/reboot.sh file:

```
--- /etc/init.d/reboot.sh.backup    2006-09-17 18:17:30.000000000 +0000
```

```
+++ /etc/init.d/reboot.sh          2006-09-17 18:18:46.000000000 +0000
```

```
@@ -1,6 +1,8 @@
```

```
# Copyright 1999-2005 Gentoo Foundation
```

```
# Distributed under the terms of the GNU General Public License v2
```

```
+touch /reboot
```

```
+
```

```
/sbin/reboot -dp
```

```
# hmm, if the above failed, that's kind of odd ...
```

---

---

Subject: Re: Reboot within VPS on Gentoo Template

Posted by [Inverted](#) on Thu, 21 Sep 2006 06:32:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I added this to my Gentoo VE and it still doesn't start back up...

- Inverted

---

---

Subject: Re: Reboot within VPS on Gentoo Template  
Posted by [Vasily Tarasov](#) on Thu, 21 Sep 2006 06:47:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Can you provide me temporary access to the node?  
If yes - then PM me login information.

I guess you forgot something small and it's really troublesome to determine it without access...

BTW, does cron work?

Thanks!

---

---

Subject: Re: \*SOLVED\* Reboot within VPS on Gentoo Template  
Posted by [swindmill](#) on Wed, 25 Apr 2007 03:57:02 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

How exactly was this solved?

---

---

Subject: Re: \*SOLVED\* Reboot within VPS on Gentoo Template  
Posted by [Vasily Tarasov](#) on Wed, 25 Apr 2007 07:58:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

If you wish, you can give me an access to the node and I'll take a look at it. I don't remember now how it was solved previous time.

Vasily.

---

---

Subject: Re: \*SOLVED\* Reboot within VPS on Gentoo Template  
Posted by [swindmill](#) on Wed, 25 Apr 2007 14:49:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I ended up moving /sbin/reboot to /sbin/reboot2 and creating a symbolic link from /etc/init.d/reboot.sh to /sbin/reboot

I then edited the /etc/init.d/reboot.sh script to touch /reboot and execute /sbin/reboot2 instead of /sbin/reboot

This seems to work.

---

See any possible problems with solving it this way?

---

---

Subject: Re: **\*SOLVED\*** Reboot within VPS on Gentoo Template

Posted by [Santhosh](#) on Wed, 01 Jan 2014 17:05:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

You would need to update the vzctl version of the host-node to >4.1

---