Subject: Add veid argument to vznetcfg
Posted by kfh on Fri, 06 Oct 2006 11:43:57 GMT
View Forum Message <> Reply to Message

Hi list,

As I need the VEID number when bringing up veth interface,
I changed init to VEID.
(I have a vlan and bridge for each VE)

vznetcfg init veth <dev>
vznetcfg <veid> veth <dev>

Best regards,

Segtel A/S

File Attachments

1) veth.c.patch, downloaded 441 times

Subject: Re: Add veid argument to vznetcfg
Posted by Igor Sukhih on Fri, 06 Oct 2006 12:45:40 GMT
View Forum Message <> Reply to Message

> Hi list,
>
> As I need the VEID number when bringing up veth interface,
> I changed init to VEID.
> (I have a vlan and bridge for each VE)
>
> vznetcfg init veth <dev>
> vznetcfg <veid> veth <dev>
>
> Best regards,

> Segtel A/S
>
> ---------- ----------
>
> --- a/src/lib/veth.c 2006-10-06 13:09:00.268275416 +0200
> +++ b/src/lib/veth.c 2006-10-06 13:10:50.765528528 +0200
> @@ -93,7 +92,9 @@
> static int run_vznetcfg(envid_t veid, veth_dev *dev)
> {
> int ret;
> - char *argv[] = {VZNETCFG, "init", "veth", NULL, NULL};

> + char veidstr[12];
> + sprintf(veidstr, "%d", veid);
> + char *argv[] = {VZNETCFG, veidstr, "veth", NULL, NULL};
>
> if (stat_file(VZNETCFG) != 1)
> return 0;
>
> ---------- ----------
>
Is it Ok for you if I'll pass it in the environment
VEID=xxx
--
  Igor.

Subject: Re: Add veid argument to vznetcfg
Posted by kfh on Fri, 06 Oct 2006 12:50:59 GMT
View Forum Message <> Reply to Message

On Friday den 6. October 2006 14:45, Igor Sukhih wrote:

> > Hi list,
> >
> > As I need the VEID number when bringing up veth interface,
> > I changed init to VEID.
> > (I have a vlan and bridge for each VE)
> >
> > vznetcfg init veth <dev>
> > vznetcfg <veid> veth <dev>
> >
> > Best regards,

> > Segtel A/S
> >
> > ---------- ----------
> >
> > --- a/src/lib/veth.c 2006-10-06 13:09:00.268275416 +0200
> > +++ b/src/lib/veth.c 2006-10-06 13:10:50.765528528 +0200
> > @@ -93,7 +92,9 @@
> > static int run_vznetcfg(envid_t veid, veth_dev *dev)
> > {
> > int ret;
> > - char *argv[] = {VZNETCFG, "init", "veth", NULL, NULL};
> > + char veidstr[12];
> > + sprintf(veidstr, "%d", veid);
> > + char *argv[] = {VZNETCFG, veidstr, "veth", NULL, NULL};
> >
> > if (stat_file(VZNETCFG) != 1)

> > return 0;
> >
>
> Is it Ok for you if I'll pass it in the environment
> VEID=xxx
> --
> Igor.

Yes, feel free.

Regards,
Kristian.

Subject: Re: Add veid argument to vznetcfg
Posted by Mishin Dmitry on Mon, 09 Oct 2006 12:44:53 GMT
View Forum Message <> Reply to Message

> >
> > Is it Ok for you if I'll pass it in the environment
> > VEID=xxx
> > --
> > Igor.
>
> Yes, feel free.
Applied, check it:
http://git.openvz.org/?p=vzctl;a=commit;h=559ad7305c3a87244aa279654348f47b3e329f69

>
> Regards,
> Kristian.
>
--
Thanks,
Dmitry.

Subject: Re: Add veid argument to vznetcfg
Posted by kfh on Mon, 09 Oct 2006 13:52:33 GMT
View Forum Message <> Reply to Message

On Monday den 9. October 2006 14:44, Dmitry Mishin wrote:

> > > Is it Ok for you if I'll pass it in the environment
> > > VEID=xxx
> > > --

> > > Igor.
> >
> > Yes, feel free.
>
> Applied, check it:
> http://git.openvz.org/?p=vzctl;a=commit;h=
> 559ad7305c3a87244aa279654348f47b3e329f69

Fine, works for me

Regards,
Kristian.