Subject: [RFC][PATCH 0/6] Allow unsharing pid namespace
Posted by Sukadev Bhattiprolu on Sat, 10 Mar 2007 03:56:55 GMT
View Forum Message <> Reply to Message

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Subject: [RFC][PATCH 0/6] Allow unsharing pid namespace.

This patchset defines a struct pid_nr and uses this to allow
processes to unshare their pid namespace.

struct pid_nr will hold [pid value, namespace] pair for each
struct pid* in use. The pid value used will be different for
each namespace the struct pid* is in use.

A list of pid_nrs will be added to struct pid and used by the
kernel when using pid values(through pid_nr()).

[PATCH 1/6]:
 Add struct pid_nr and associated helper functions.

[PATCH 2/6]:
 Reimplement the pid_nr() function using struct pid_nr.
 i.e pid_nr() should return the pid_t of a process
 depending on the pid namespace of the caller.

[PATCH 3/6]:
 Attach a list of struct pid_nrs to the struct pid.

[PATCH 4/6]:
 Statically allocate/initialize a struct pid_nr for
 swapper process.

[PATCH 5/6]:
 Define helper functions used to unshare pid namespace.

[PATCH 6/6]:
 Implement unsharing of pid namespace.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Signed-off-by: Cedric Le Goater <clg@fr.ibm.com>
Cc: Dave Hansen <haveblue@us.ibm.com>
Cc: Serge Hallyn <serue@us.ibm.com>
Cc: containers@lists.osdl.org

_____
Containers mailing list
Containers@lists.osdl.org

Subject: Re: [RFC][PATCH 0/6] Allow unsharing pid namespace
Posted by ebiederm on Sun, 11 Mar 2007 11:29:19 GMT
View Forum Message <> Reply to Message

sukadev@us.ibm.com writes:

> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
> Subject: [RFC][PATCH 0/6] Allow unsharing pid namespace.
>
> This patchset defines a struct pid_nr and uses this to allow
> processes to unshare their pid namespace.
>
> struct pid_nr will hold [pid value, namespace] pair for each
> struct pid* in use. The pid value used will be different for
> each namespace the struct pid* is in use.
>
> A list of pid_nrs will be added to struct pid and used by the
> kernel when using pid values(through pid_nr()).
>
>
> [PATCH 1/6]:
> Add struct pid_nr and associated helper functions.
>
> [PATCH 2/6]:
> Reimplement the pid_nr() function using struct pid_nr.
> i.e pid_nr() should return the pid_t of a process
> depending on the pid namespace of the caller.
>
> [PATCH 3/6]:
> Attach a list of struct pid_nrs to the struct pid.
>
> [PATCH 4/6]:
> Statically allocate/initialize a struct pid_nr for
> swapper process.
>
> [PATCH 5/6]:
> Define helper functions used to unshare pid namespace.
>
> [PATCH 6/6]:
> Implement unsharing of pid namespace.

You are missing anything to do with fixing the lookup in the pid hash
table. That is a huge omission and unacceptable.

Eric

_____

Containers mailing list
Containers@lists.osdl.org
https://lists.osdl.org/mailman/listinfo/containers