Subject: [RFC][PATCH] Remove copy_pid_ns()
Posted by Sukadev Bhattiprolu on Sat, 10 Mar 2007 04:03:35 GMT
View Forum Message <> Reply to Message

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Subject: [RFC][PATCH]

Remove copy_pid_ns() as its no longer needed.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Cc: Cedric Le Goater <clg@fr.ibm.com>
Cc: Dave Hansen <haveblue@us.ibm.com>
Cc: Serge Hallyn <serue@us.ibm.com>
Cc: containers@lists.osdl.org
---
 include/linux/pid_namespace.h | 1 -
 kernel/pid.c | 12 ------------
 2 files changed, 13 deletions(-)

Index: lx26-20-mm2b/include/linux/pid_namespace.h
===
--- lx26-20-mm2b.orig/include/linux/pid_namespace.h 2007-03-09 19:01:09.000000000 -0800
+++ lx26-20-mm2b/include/linux/pid_namespace.h 2007-03-09 19:02:05.000000000 -0800
@@ -31,7 +31,6 @@ static inline void get_pid_ns(struct pid

 extern int unshare_pid_ns(unsigned long unshare_ns_flags,
    struct pid_nr **new_pid_nr);
-extern int copy_pid_ns(int flags, struct task_struct *tsk);
 extern void free_pid_ns(struct kref *kref);
 extern struct pid_namespace *pid_ns(struct pid * pid);

Index: lx26-20-mm2b/kernel/pid.c
===
--- lx26-20-mm2b.orig/kernel/pid.c 2007-03-09 19:01:09.000000000 -0800
+++ lx26-20-mm2b/kernel/pid.c 2007-03-09 19:02:05.000000000 -0800
@@ -579,18 +579,6 @@ int unshare_pid_ns(unsigned long unshare
  return 0;
 }

-int copy_pid_ns(int flags, struct task_struct *tsk)
-{
- struct pid_namespace *old_ns = task_pid_ns(tsk);
- int err = 0;
-
- if (!old_ns)
- return 0;
-
- get_pid_ns(old_ns);

```
- return err;
-}
-
 void free_pid_ns(struct kref *kref)
 {
  struct pid_namespace *ns;
```

_____

Containers mailing list
Containers@lists.osdl.org
https://lists.osdl.org/mailman/listinfo/containers

Subject: Re: [RFC][PATCH 5/5] Remove copy_pid_ns()
Posted by Sukadev Bhattiprolu on Sat, 10 Mar 2007 04:08:49 GMT
View Forum Message <> Reply to Message

This is actually PATCH 5/5.

sukadev@us.ibm.com [sukadev@us.ibm.com] wrote:

```
| From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
| Subject: [RFC][PATCH 5/5] Remove copy_pid_ns()
|
| Remove copy_pid_ns() as its no longer needed.
|
| Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
| Cc: Cedric Le Goater <clg@fr.ibm.com>
| Cc: Dave Hansen <haveblue@us.ibm.com>
| Cc: Serge Hallyn <serue@us.ibm.com>
| Cc: containers@lists.osdl.org
| ---
|  include/linux/pid_namespace.h |    1 -
|  kernel/pid.c                  |   12 ------------
|  2 files changed, 13 deletions(-)
|
| Index: lx26-20-mm2b/include/linux/pid_namespace.h
| ===================================================================
| --- lx26-20-mm2b.orig/include/linux/pid_namespace.h 2007-03-09 19:01:09.000000000 -0800
| +++ lx26-20-mm2b/include/linux/pid_namespace.h 2007-03-09 19:02:05.000000000 -0800
| @@ -31,7 +31,6 @@ static inline void get_pid_ns(struct pid
|
|  extern int unshare_pid_ns(unsigned long unshare_ns_flags,
|     struct pid_nr **new_pid_nr);
| -extern int copy_pid_ns(int flags, struct task_struct *tsk);
|  extern void free_pid_ns(struct kref *kref);
|  extern struct pid_namespace *pid_ns(struct pid * pid);
|
| Index: lx26-20-mm2b/kernel/pid.c
```

```
| ===================================================================
| --- lx26-20-mm2b.orig/kernel/pid.c 2007-03-09 19:01:09.000000000 -0800
| +++ lx26-20-mm2b/kernel/pid.c 2007-03-09 19:02:05.000000000 -0800
| @@ -579,18 +579,6 @@ int unshare_pid_ns(unsigned long unshare
|   return 0;
|  }
|
| -int copy_pid_ns(int flags, struct task_struct *tsk)
| -{
| - struct pid_namespace *old_ns = task_pid_ns(tsk);
| - int err = 0;
| -
| - if (!old_ns)
| -  return 0;
| -
| - get_pid_ns(old_ns);
| - return err;
| -}
| -
|  void free_pid_ns(struct kref *kref)
|  {
|   struct pid_namespace *ns;
| _______________________________________________
| Containers mailing list
| Containers@lists.osdl.org
| https://lists.osdl.org/mailman/listinfo/containers

_______________________________________________
Containers mailing list
Containers@lists.osdl.org
https://lists.osdl.org/mailman/listinfo/containers
```