Subject: VPS Start Script
Posted by nick_chang on Thu, 11 Dec 2008 03:59:38 GMT
View Forum Message <> Reply to Message

Dear All

I follow this document(http://wiki.openvz.org/Virtual_Ethernet_device) to change VPS network name.

But if I restart VPS. All setting recovery to old setting.

I don't know VPS start process.

How can tell me this process for VPS??

I want to write start and shutdown script to change this setting.

Thanks

BR
Nick

Subject: Re: VPS Start Script
Posted by maratrus on Thu, 11 Dec 2008 09:08:37 GMT
View Forum Message <> Reply to Message

Hello,

what in particular do you have in mind?
To save VEs parameters use --save option of vzctl utility.

Subject: Re: VPS Start Script
Posted by nick_chang on Thu, 11 Dec 2008 09:34:52 GMT
View Forum Message <> Reply to Message

Hello

Configure devices in CT0

[host-node]# ifconfig veth101.0 0
[host-node]# echo 1 > /proc/sys/net/ipv4/conf/veth101.0/forwarding
[host-node]# echo 1 > /proc/sys/net/ipv4/conf/veth101.0/proxy_arp
[host-node]# echo 1 > /proc/sys/net/ipv4/conf/eth0/forwarding
[host-node]# echo 1 > /proc/sys/net/ipv4/conf/eth0/proxy_arp

How to save in CT0??

If VPS restart, all setting don't save in VPS and CT0

Nick

Subject: Re: VPS Start Script
Posted by maratrus on Thu, 11 Dec 2008 12:12:42 GMT
View Forum Message <> Reply to Message

http://wiki.openvz.org/w/index.php?title=Virtual_Ethernet_device&diff=5990&oldid=5989#Making_a_veth-device_persi stent

---