
Subject:

Posted by [linelect](#) on Sat, 16 May 2009 12:24:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

VE is mounted

Adding IP address (es): IP_adress

arp send: IP_adress is detected on another computer: 00:1 a: 2f: 5b: 48:1 b

vps-net_add WARNING: arp send-c 1-w 1-D-e IP_adress eth0 FAILED

arp send: IP_adress is detected on another computer: 00:1 a: 2f: 5b: 48:1 b

vps-net_add WARNING: arp send-c 1-w 1-D-e IP_adress eth1 FAILED

vps-net_add WARNING: Function proxy_arp for eth1 is set to 0. Enable with 'sysctl-w net.ipv4.conf.eth1.proxy_arp = 1'. See /usr/share/doc/vzctl/README.Debian.

Setting CPU units: 1000

Configure meminfo: 65536

Set hostname: dreamhostname

VE start in progress ...

Subject: Re:

Posted by [sa10](#) on Mon, 18 May 2009 08:27:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

"IP_adress is detected on another computer"

Subject: Re:

Posted by [linelect](#) on Thu, 21 May 2009 13:00:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

VPS

Subject: Re:

Posted by [sa10](#) on Thu, 21 May 2009 13:09:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

vps-net_add WARNING: Function proxy_arp for eth1 is set to 0. Enable with 'sysctl-w net.ipv4.conf.eth1.proxy_arp = 1'. See /usr/share/doc/vzctl/README.Debian.