Subject: [solved] Containers not respoding to their ips
Posted by dedicados on Thu, 03 Sep 2009 17:20:40 GMT
View Forum Message <> Reply to Message

hi guys, i have a problem, i add more ips to one of the servers, and when i create a new container with that ip, the ip still sending me to the main server.

then i do a network restart and all go off. containers still up and running but cant enter becase all ips still sending me to the main server.

how to fix that??

Quote:

```
[root@ns ~]# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:00:BC:1A:6E:2C
          inet addr:2.3.1.8  Bcast:2.3.1.255  Mask:255.255.255.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:756821 errors:0 dropped:0 overruns:0 frame:0
          TX packets:123780 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:54765859 (52.2 MiB)  TX bytes:11514941 (10.9 MiB)
          Interrupt:177

eth0:0    Link encap:Ethernet  HWaddr 00:00:1A:1A:6E:2C
          inet addr:6.1.1.8  Bcast:6.1.1.8  Mask:255.255.255.248
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          Interrupt:177
....
MORE
....

eth0:29   Link encap:Ethernet  HWaddr 00:00:1A:1A:6E:2C
          inet addr:4.3.1.1  Bcast:4.3.1.1  Mask:255.255.255.248
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          Interrupt:177

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:8 errors:0 dropped:0 overruns:0 frame:0
          TX packets:8 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:560 (560.0 b)  TX bytes:560 (560.0 b)
```

```
venet0    Link encap:UNSPEC  HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
          UP BROADCAST POINTOPOINT RUNNING NOARP  MTU:1500  Metric:1
          RX packets:573 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:37742 (36.8 KiB)  TX bytes:0 (0.0 b)
```

PS change ips for security.

Subject: Re: Containers not respoding to their ips
Posted by dedicados on Thu, 03 Sep 2009 20:12:58 GMT
View Forum Message <> Reply to Message

```
[root@ns]# ifup venet0

Determining IP information for venet0... failed.
[root@ns]#
```

Subject: Re: Containers not respoding to their ips
Posted by curx on Thu, 03 Sep 2009 20:26:11 GMT
View Forum Message <> Reply to Message

reHi, (follow your pm)

are you trying to give your HardwareNode (ct0) via eth0:X "aliasing" a new ip and in the same way to your container ???
that doesnt work in venet0 , so disconfigure your eth0:29 (in your example) and add it only to your container :

```
# ifdown eth0:29

# vzctl stop <CTID with the IP of eth0:29>
(wait 5min or start manual the vpsnetclean script :
/usr/share/vzctl/scripts/vpsnetclean )

# vzctl start <CTID>
( so the routing and arp entries are setup )

Bye,
Thorsten
```

Subject: Re: Containers not respoding to their ips
Posted by dedicados on Thu, 03 Sep 2009 21:30:12 GMT
View Forum Message <> Reply to Message

ok, erased all ips, except the main.

stop container

do the clean script

start container.

is that how i had to do the thing?

Subject: Re: Containers not respoding to their ips
Posted by dedicados on Thu, 03 Sep 2009 21:54:24 GMT
View Forum Message <> Reply to Message

ALL WORKS

THANKS BRO!!!!

Subject: Re: Containers not respoding to their ips
Posted by curx on Fri, 04 Sep 2009 06:04:48 GMT
View Forum Message <> Reply to Message

perfect, please edit the "Title" of this thread to "[solved] ..."

bye,
Thorsten