Posted by gralex on Wed, 31 Mar 2010 09:08:04 GMT
View Forum Message <> Reply to Message

```
eth0      Link encap:Ethernet  HWaddr 00:18:51:46:05:14
          inet addr:195.xxx.xxx.7  Bcast:195.xxx.xxx.15  Mask:255.255.255.240
          inet6 addr: fe80::218:51ff:fe46:514/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:20360 errors:0 dropped:0 overruns:0 frame:0
          TX packets:20540 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:7820921 (7.4 MiB)  TX bytes:8543646 (8.1 MiB)


#
# DHCP Server Configuration file.
#   see /usr/share/doc/dhcp*/dhcpd.conf.sample
#
option domain-name "xxx.ru";
option domain-name-servers 128.xxx.xxx.185, 204.xxx.xxx.10;
option routers 195.xxx.xxx.1;
ddns-update-style none;
server-name "DHCPserver";
server-identifier 195.xxx.xxx.7;
default-lease-time 600;
max-lease-time 7200;
authoritative;
log-facility local7;
allow booting;
allow bootp;

subnet 195.xxx.xxx.0 netmask 255.255.255.240 {
   option subnet-mask 255.255.255.240;
   option broadcast-address 195.xxx.xxx.15;
   range 195.xxx.xxx.11 195.xxx.xxx.14;
   # next-server 195.xxx.xxx.1;

   # Linux
```

```
    filename "pxelinux.0";

    ## FreeBSD
    # filename "pxeboot";
    # option root-path "/var/freebsdboot"; # NFS root path
}
```

```
DEVICE=eth0
BOOTPROTO=dhcp
HWADDR=00:15:17:b4:0f:78
ONBOOT=yes
```

```
veth121.0 Link encap:Ethernet  HWaddr 00:18:51:F1:A0:AB
          inet6 addr: fe80::218:51ff:fef1:a0ab/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:20850 errors:0 dropped:0 overruns:0 frame:0
          TX packets:20615 errors:0 dropped:2 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:8592032 (8.1 MiB)  TX bytes:7848031 (7.4 MiB)

vzbr0     Link encap:Ethernet  HWaddr 00:18:51:F1:A0:AB
          inet6 addr: fe80::218:51ff:fef1:a0ab/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:28655 errors:0 dropped:0 overruns:0 frame:0
          TX packets:29274 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:9059162 (8.6 MiB)  TX bytes:11460552 (10.9 MiB)
```

Posted by gralex on Wed, 31 Mar 2010 10:46:51 GMT
View Forum Message <> Reply to Message

# tcpdump -nni eth0 udp and port 67 or 68
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth0, link-type EN10MB (Ethernet), capture size 96 bytes
17:44:46.340824 IP 0.0.0.0.68 > 255.255.255.255.67: BOOTP/DHCP, Request from 00:15:17:b4:0f:7a, length: 300
17:44:57.340941 IP 0.0.0.0.68 > 255.255.255.255.67: BOOTP/DHCP, Request from 00:15:17:b4:0f:7a, length: 300

# tcpdump -nni vzbr0 udp and port 67 or 68
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on vzbr0, link-type EN10MB (Ethernet), capture size 96 bytes

0 packets captured
0 packets received by filter
0 packets dropped by kernel

Posted by gralex on Wed, 31 Mar 2010 11:38:39 GMT
View Forum Message <> Reply to Message

DHCP?

http://forum.openvz.org/index.php?t=msg&th=5225&#msg _26543

brctl addif vzbr0 eth0

---

Posted by sHaggY_caT on Fri, 02 Apr 2010 11:49:14 GMT
View Forum Message <> Reply to Message

---

Posted by gralex on Fri, 02 Apr 2010 15:07:29 GMT
View Forum Message <> Reply to Message

Posted by sHaggY_caT on Fri, 02 Apr 2010 15:41:25 GMT
View Forum Message <> Reply to Message

Posted by gralex on Fri, 02 Apr 2010 16:43:36 GMT
View Forum Message <> Reply to Message

Posted by sHaggY_caT on Fri, 02 Apr 2010 16:52:01 GMT
View Forum Message <> Reply to Message

gralex wrote on Fri, 02 April 2010 11:43

Posted by gralex on Fri, 02 Apr 2010 17:07:09 GMT
View Forum Message <> Reply to Message

Posted by gralex on Sun, 04 Apr 2010 06:37:51 GMT
View Forum Message <> Reply to Message

Posted by RXL_ on Sun, 04 Apr 2010 07:56:29 GMT
View Forum Message <> Reply to Message

ifcfg-br0:
DEVICE=br0
TYPE=bridge
ONBOOT=yes
IPADDR=10.2.0.1
NETMASK=255.255.255.0

ifcfg-eth0:
DEVICE=eth0
ONBOOT=yes
BRIDGE=br0

Posted by sHaggY_caT on Sun, 04 Apr 2010 08:07:06 GMT
View Forum Message <> Reply to Message

[root@kvm-test01 ~]# cat /etc/sysconfig/network-scripts/ifcfg-eth0
DEVICE=eth0
HWADDR=00:19:66:B2:FB:68
ONBOOT=yes
BRIDGE=virbr1
[root@kvm-test01 ~]# cat /etc/sysconfig/network-scripts/ifcfg-
ifcfg-eth0  ifcfg-lo  ifcfg-virbr1
[root@kvm-test01 ~]# cat /etc/sysconfig/network-scripts/ifcfg-virbr1
DEVICE=virbr1
TYPE=Bridge
ONBOOT=yes
BOOTPROTO=static
IPADDR=10.0.5.129
NETMASK=255.255.255.0
DNS1=10.0.5.17
[root@kvm-test01 ~]#

Posted by sHaggY_caT on Sun, 04 Apr 2010 08:08:37 GMT
View Forum Message <> Reply to Message

2 RXL_

Posted by RXL_ on Sun, 04 Apr 2010 16:05:42 GMT
View Forum Message <> Reply to Message

sHaggY_caT wrote on Sun, 04 April 2010 12:082 RXL_

Posted by gralex on Sun, 04 Apr 2010 16:39:00 GMT
View Forum Message <> Reply to Message

Posted by RXL_ on Sun, 04 Apr 2010 16:58:47 GMT
View Forum Message <> Reply to Message

/etc/sysconfig/network-scripts/route-${DEVICE}

Posted by gralex on Mon, 05 Apr 2010 12:56:15 GMT
View Forum Message <> Reply to Message