Posted by esetnod on Sat, 25 Sep 2010 09:21:47 GMT
View Forum Message <> Reply to Message

Posted by RXL_ on Sat, 25 Sep 2010 19:00:56 GMT
View Forum Message <> Reply to Message

Posted by esetnod on Sun, 26 Sep 2010 08:26:14 GMT
View Forum Message <> Reply to Message

Posted by RXL_ on Sun, 26 Sep 2010 14:13:03 GMT

Posted by esetnod on Mon, 27 Sep 2010 09:02:26 GMT

vzctl set 101 --devnodes sdb:rw --save

vzctl exec 101 ls /dev/sd*
/dev/sdb

fdisk -l /dev/sdb
/dev/sdb1 .....

ls /dev/sd*
/dev/sdb

Posted by RXL_ on Mon, 27 Sep 2010 17:58:46 GMT

man vzctl

Quote:
--devices b|c:major:minor|all:[r][w][q]|none
Give the container an access to a block or character device designated by its major and minor numbers.
Device file have to be created manually.

vzctl set 101 --devices b:9:all:rw --save

Posted by esetnod on Wed, 29 Sep 2010 09:58:22 GMT
View Forum Message <> Reply to Message

Posted by RXL_ on Thu, 30 Sep 2010 06:08:47 GMT
View Forum Message <> Reply to Message