
Subject: Re: [RFC][PATCH] memory controller per zone patches take 2 [2/10] add
nid/zid function for page_cgrop

Posted by [Balbir Singh](#) on Sat, 17 Nov 2007 09:15:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

KAMEZAWA Hiroyuki wrote:

```
> Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>
> mm/memcontrol.c | 10 ++++++++
> 1 file changed, 10 insertions(+)
>
> Index: linux-2.6.24-rc2-mm1/mm/memcontrol.c
> =====
> --- linux-2.6.24-rc2-mm1.orig/mm/memcontrol.c
> +++ linux-2.6.24-rc2-mm1/mm/memcontrol.c
> @@ -135,6 +135,16 @@ struct page_cgroup {
> #define PAGE_CGROUP_FLAG_CACHE (0x1) /* charged as cache */
> #define PAGE_CGROUP_FLAG_ACTIVE (0x2) /* page is active in this cgroup */
>
> +static inline int page_cgroup_nid(struct page_cgroup *pc)
> +{
> +    return page_to_nid(pc->page);
> +}
> +
> +static inline int page_cgroup_zid(struct page_cgroup *pc)
> +{
> +    return page_zonenum(pc->page);
```

page_zonenum returns zone_type, isn't it better we carry the type through to the caller?

```
> +}
> +
> enum {
>     MEM_CGROUP_TYPE_UNSPEC = 0,
>     MEM_CGROUP_TYPE_MAPPED,
```

--
Warm Regards,

Balbir Singh

Linux Technology Center

IBM, ISTL

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
