

---

Subject: problems with second container and venet  
Posted by [buxul](#) on Sat, 18 Jun 2011 16:23:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm new with openvz and installed it now on a debian squeeze machine (Kernel linux-image-2.6.32-5-openvz-amd64 and vzctl 3.0.24-12).

I started with a first machine and set a public IP to it. All went right.

Now I created a second container and set another public IP to it. But this machine can't get any contact beside it's subnet.

Hosts /etc/sysctl.conf

```
net.ipv4.conf.all.rp_filter=1
net.ipv4.icmp_echo_ignore_broadcasts=1
net.ipv4.conf.default.forwarding=1
net.ipv4.conf.default.proxy_arp = 0
net.ipv4.ip_forward=1
kernel.sysrq = 1
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
net.ipv4.conf.eth0.proxy_arp=1
```

Hosts ifconfig

```
eth0  Link encap:Ethernet HWaddr 40:61:86:2b:81:a0
      inet addr:100.100.100.162 Bcast:100.100.100.191 Mask:255.255.255.224
      inet6 addr: fe80::4261:86ff:fe2b:81a0/64 Scope:Link
      UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
      RX packets:443435 errors:0 dropped:0 overruns:0 frame:0
      TX packets:270292 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:568883238 (542.5 MiB) TX bytes:33049351 (31.5 MiB)
      Interrupt:29 Base address:0x4000
```

```
lo    Link encap:Local Loopback
      inet addr:127.0.0.1 Mask:255.0.0.0
      inet6 addr: ::1/128 Scope:Host
      UP LOOPBACK RUNNING MTU:16436 Metric:1
      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)
```

```
venet0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
      UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
```

RX packets:210597 errors:0 dropped:0 overruns:0 frame:0  
TX packets:358576 errors:0 dropped:0 overruns:0 carrier:0  
collisions:0 txqueuelen:0  
RX bytes:22844885 (21.7 MiB) TX bytes:478399318 (456.2 MiB)

## VEs ifconfig

```
lo    Link encap:Local Loopback
      inet addr:127.0.0.1  Mask:255.0.0.0
      inet6 addr: ::1/128 Scope:Host
      UP LOOPBACK RUNNING MTU:16436 Metric:1
      RX packets:8 errors:0 dropped:0 overruns:0 frame:0
      TX packets:8 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:568 (568.0 B) TX bytes:568 (568.0 B)

venet0  Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
      inet addr:127.0.0.1  P-t-P:127.0.0.1 Bcast:0.0.0.0 Mask:255.255.255.255
      UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
      TX packets:31 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:0 (0.0 B) TX bytes:2292 (2.2 KiB)

venet0:0  Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
      inet addr:100.100.100.172 P-t-P:100.100.100.172 Bcast:0.0.0.0 Mask:255.255.255.255
      UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
```

## Hosts routes:

```
100.100.100.172 dev venet0 scope link
100.100.100.185 dev venet0 scope link
100.100.100.160/27 via 100.100.100.161 dev eth0
100.100.100.160/27 dev eth0 proto kernel scope link src 100.100.100.162
default via 100.100.100.161 dev eth0
broadcast 100.100.100.191 dev eth0 table local proto kernel scope link src 100.100.100.162
broadcast 127.255.255.255 dev lo table local proto kernel scope link src 127.0.0.1
local 100.100.100.162 dev eth0 table local proto kernel scope host src 100.100.100.162
broadcast 127.0.0.0 dev lo table local proto kernel scope link src 127.0.0.1
broadcast 100.100.100.160 dev eth0 table local proto kernel scope link src 100.100.100.162
local 127.0.0.1 dev lo table local proto kernel scope host src 127.0.0.1
local 127.0.0.0/8 dev lo table local proto kernel scope host src 127.0.0.1
fe80::/64 dev eth0 proto kernel metric 256 mtu 1500 advmss 1440 hoplimit 4294967295
unreachable default dev lo table unspec proto kernel metric -1 error -101 hoplimit 255
local ::1 via :: dev lo table local proto none metric 0 mtu 16436 advmss 16376 hoplimit
4294967295
```

```
local fe80::4261:86ff:fe2b:81a0 via :: dev lo table local proto none metric 0 mtu 16436 advmss
16376 hoplimit 4294967295
ff00::/8 dev eth0 table local metric 256 mtu 1500 advmss 1440 hoplimit 4294967295
unreachable default dev lo table unspec proto kernel metric -1 error -101 hoplimit 255
```

VEs routes:

```
192.0.2.1 dev venet0 scope link
default via 192.0.2.1 dev venet0 src 100.100.100.172
broadcast 127.255.255.255 dev lo table local proto kernel scope link src 127.0.0.1
local 100.100.100.172 dev venet0 table local proto kernel scope host src 100.100.100.172
broadcast 127.0.0.0 dev lo table local proto kernel scope link src 127.0.0.1
local 127.0.0.1 dev lo table local proto kernel scope host src 127.0.0.1
local 127.0.0.1 dev venet0 table local proto kernel scope host src 127.0.0.1
local 127.0.0.0/8 dev lo table local proto kernel scope host src 127.0.0.1
unreachable default dev lo table unspec proto kernel metric -1 error -101 hoplimit 255
local ::1 via :: dev lo table local proto none metric 0 mtu 16436 advmss 16376 hoplimit
4294967295
unreachable default dev lo table unspec proto kernel metric -1 error -101 hoplimit 255
```

Can you help me and tell me what I made wrong.

Greetings  
Buxul

---