
Subject: Re: [PATCH] event: fix TP_printk() argument in sched_switch
Posted by [Steven Rostedt](#) on Wed, 02 Nov 2011 23:07:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Thu, 2011-11-03 at 01:40 +0300, Andrew Vagin wrote:

> process_arg(...) can't parse "__entry->prev_state & (TASK_STATE_MAX-1)",
> because a complicated argument should be within brackets.

No it is fine, the userspace tool is broken.

>
> Without this patch "perf report" prints following errors:
> \$./perf record -ag -e sched:sched_switch
> ...
> \$./perf report
> Warning: Error: expected type 5 but read 4
> Warning: Error: expected type 4 but read 0
> Fatal: bad op token {
>
> Signed-off-by: Andrew Vagin <avagin@openvz.org>

NACK!

This is a perf userspace bug, not a kernel one. Please fix the userspace tool instead.

Note, the new version of libparseevent handles this case without issue.
Perf just needs to be updated.

-- Steve

> ---
> include/trace/events/sched.h | 2 +-
> 1 files changed, 1 insertions(+), 1 deletions(-)
>
> diff --git a/include/trace/events/sched.h b/include/trace/events/sched.h
> index 959ff18..1838237 100644
> --- a/include/trace/events/sched.h
> +++ b/include/trace/events/sched.h
> @@ -140,7 +140,7 @@ TRACE_EVENT(sched_switch,
> TP_printk("prev_comm=%s prev_pid=%d prev_prio=%d prev_state=%s%s ==>
next_comm=%s next_pid=%d next_prio=%d",
> __entry->prev_comm, __entry->prev_pid, __entry->prev_prio,
> __entry->prev_state & (TASK_STATE_MAX-1) ?
> - __print_flags(__entry->prev_state & (TASK_STATE_MAX-1), "|",
> + __print_flags((__entry->prev_state & (TASK_STATE_MAX-1)), "|",
> { 1, "S" }, { 2, "D" }, { 4, "T" }, { 8, "t" },
> { 16, "Z" }, { 32, "X" }, { 64, "x" },

> { 128, "W" }) : "R",

Subject: Re: [PATCH] event: fix TP_printk() argument in sched_switch

Posted by [avagin](#) on Thu, 03 Nov 2011 12:57:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

> NACK!

>

> This is a perf userspace bug, not a kernel one. Please fix the userspace
> tool instead.

>

> Note, the new version of libparsevent handles this case without issue.

> Perf just needs to be updated.

I don't understand. I've got

git://git.kernel.org/pub/scm/linux/kernel/git/rostedt/trace- cmd.git

and it reports the same error. Where am I wrong?

./trace-cmd report 2> log

```
<idle>-0 [001] 1516333.292126: sched_switch: [FAILED TO  
PARSE] prev_comm=kworker/0:0 prev_pid=0 prev_prio=120 prev_state=0x0  
next_comm=trace-cmd next_pid=2900 next_prio=120
```

cat log

trace-cmd: No such file or directory

Error: expected type 5 but read 4

Error: expected type 4 but read 0

failed to read event print fmt for sched_switch

trace-cmd: Received SIGINT

Subject: Re: [PATCH] event: fix TP_printk() argument in sched_switch

Posted by [Steven Rostedt](#) on Thu, 03 Nov 2011 14:02:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Thu, 2011-11-03 at 16:57 +0400, Andrew Vagin wrote:

> > NACK!

> >

> > This is a perf userspace bug, not a kernel one. Please fix the userspace
> > tool instead.

> >

> > Note, the new version of libparsevent handles this case without issue.

> > Perf just needs to be updated.

> I don't understand. I've got

> git://git.kernel.org/pub/scm/linux/kernel/git/rostedt/trace- cmd.git

> and it reports the same error. Where am I wrong?

```
>
> # ./trace-cmd report 2> log
>
> <idle>-0 [001] 1516333.292126: sched_switch: [FAILED TO
> PARSE] prev_comm=kworker/0:0 prev_pid=0 prev_prio=120 prev_state=0x0
> next_comm=trace-cmd next_pid=2900 next_prio=120
```

Ah, I tested on a kernel without the updated format field.

But I still stand that the tool is broken and not the kernel.

I'll update both trace-cmd and perf to handle this breakage. Sad that I still need to update two locations :(

-- Steve

```
>
> # cat log
> trace-cmd: No such file or directory
> Error: expected type 5 but read 4
> Error: expected type 4 but read 0
> failed to read event print fmt for sched_switch
> trace-cmd: Received SIGINT
```

Subject: Re: [PATCH] event: fix TP_printk() argument in sched_switch
Posted by [Steven Rostedt](#) on Thu, 03 Nov 2011 14:15:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Thu, 2011-11-03 at 16:57 +0400, Andrew Vagin wrote:

```
> > NACK!
> >
> > This is a perf userspace bug, not a kernel one. Please fix the userspace
> > tool instead.
> >
> > Note, the new version of libparseevent handles this case without issue.
> > Perf just needs to be updated.
> I don't understand. I've got
> git://git.kernel.org/pub/scm/linux/kernel/git/rostedt/trace-cmd.git
> and it reports the same error. Where am I wrong?
>
> # ./trace-cmd report 2> log
>
> <idle>-0 [001] 1516333.292126: sched_switch: [FAILED TO
> PARSE] prev_comm=kworker/0:0 prev_pid=0 prev_prio=120 prev_state=0x0
> next_comm=trace-cmd next_pid=2900 next_prio=120
>
```

```
> # cat log
> trace-cmd: No such file or directory
> Error: expected type 5 but read 4
> Error: expected type 4 but read 0
> failed to read event print fmt for sched_switch
> trace-cmd: Received SIGINT
```

Add the below patch to trace-cmd and see if it fixes the issue. I'll start working on something that fixes perf too.

Thanks,

-- Steve

```
diff --git a/parse-events.c b/parse-events.c
index 2dbd47b..8ed018d 100644
--- a/parse-events.c
+++ b/parse-events.c
@@ -2167,6 +2167,10 @@ process_flags(struct event_format *event, struct print_arg *arg, char
**tok)
    field = alloc_arg();

    type = process_arg(event, field, &token);
+ /* Handle operations in the first argument */
+ while (type == EVENT_OP) {
+ type = process_op(event, field, &token);
+ }
    if (test_type_token(type, token, EVENT_DELIM, ","))
        goto out_free;
    free_token(token);
```

Subject: Re: [PATCH] event: fix TP_printk() argument in sched_switch
Posted by [Steven Rostedt](#) on Thu, 03 Nov 2011 14:19:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Wed, 2011-11-02 at 19:07 -0400, Steven Rostedt wrote:

```
> On Thu, 2011-11-03 at 01:40 +0300, Andrew Vagin wrote:
> > process_arg(...) can't parse "__entry->prev_state & (TASK_STATE_MAX-1)",
> > because a complicated argument should be within brackets.
>
> No it is fine, the userspace tool is broken.
>
> >
> > Without this patch "perf report" prints following errors:
> > $ ./perf record -ag -e sched:sched_switch
> > ...
```

```
> > $ ./perf report
> > Warning: Error: expected type 5 but read 4
> > Warning: Error: expected type 4 but read 0
> > Fatal: bad op token {
> >
> > Signed-off-by: Andrew Vagin <avagin@openvz.org>
>
> NACK!
>
> This is a perf userspace bug, not a kernel one. Please fix the userspace
> tool instead.
>
> Note, the new version of libparseevent handles this case without issue.
> Perf just needs to be updated.
>
```

Can you try this patch on perf. It's untested (not even compiled tested)

-- Steve

```
diff --git a/tools/perf/util/trace-event-parse.c b/tools/perf/util/trace-event-parse.c
index 0a7ed5b..6c164dc 100644
--- a/tools/perf/util/trace-event-parse.c
+++ b/tools/perf/util/trace-event-parse.c
@@ -1537,6 +1537,8 @@ process_flags(struct event *event, struct print_arg *arg, char **tok)
     field = malloc_or_die(sizeof(*field));

     type = process_arg(event, field, &token);
+ while (type == EVENT_OP)
+ type = process_op(event, field, &token);
     if (test_type_token(type, token, EVENT_DELIM, ","))
         goto out_free;
```

Subject: Re: [PATCH] event: fix TP_printk() argument in sched_switch
Posted by [avagin](#) on Thu, 03 Nov 2011 21:36:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Steve,

```
>
> Can you try this patch on perf. It's untested (not even compiled tested)
It looks like it works now. Thanks.
>
> -- Steve
>
> diff --git a/tools/perf/util/trace-event-parse.c b/tools/perf/util/trace-event-parse.c
> index 0a7ed5b..6c164dc 100644
```

```
> --- a/tools/perf/util/trace-event-parse.c
> +++ b/tools/perf/util/trace-event-parse.c
> @@ -1537,6 +1537,8 @@ process_flags(struct event *event, struct print_arg *arg, char **tok)
>     field = malloc_or_die(sizeof(*field));
>
>     type = process_arg(event, field,&token);
> + while (type == EVENT_OP)
> + type = process_op(event, field,&token);
>     if (test_type_token(type, token, EVENT_DELIM, ","))
>         goto out_free;
>
>
>
> --
> To unsubscribe from this list: send the line "unsubscribe linux-kernel" in
> the body of a message to majordomo@vger.kernel.org
> More majordomo info at http://vger.kernel.org/majordomo-info.html
> Please read the FAQ at http://www.tux.org/lkml/
```
