
Subject: 2.6.24 (on amd64)

Posted by [Dariush Pietrzak](#) on Thu, 31 Jan 2008 09:57:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I just tried building 2.6.24 with vz from git, and it builds nicely (when I disable CPT), but trying to boot it - it fails when 'initiating processor 0' (and machine restarts).

Are such failures interesting and should be reported, or do you prefer reports from your own testing team and external reports should be only sent for official releases?

--

Key fingerprint = 40D0 9FFB 9939 7320 8294 05E0 BCC7 02C4 75CC 50D9
Total Existance Failure

Subject: Re: 2.6.24 (on amd64)

Posted by [dev](#) on Thu, 31 Jan 2008 10:10:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Your reports are needed very much and we very appreciate any feedback from users.

Can you please provide some more info such as .config file you used to build kernel?
Maybe something else specific you have done/configured?

Dariush Pietrzak wrote:

> Hi,

> I just tried building 2.6.24 with vz from git, and it builds nicely (when
> I disable CPT), but trying to boot it - it fails when 'initiating processor
> 0' (and machine restarts).

> Are such failures interesting and should be reported, or do you prefer
> reports from your own testing team and external reports should be only
> sent for official releases?

>

Subject: Re: 2.6.24 (on amd64)

Posted by [Dariush Pietrzak](#) on Thu, 31 Jan 2008 10:48:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

> Can you please provide some more info such as .config file you used to build kernel?
attached and also available at <http://kuszelas.eu/~eyck/config-2.6.24>

> Maybe something else specific you have done/configured?
can't recall anything exotic, with the same config and clean 2.6.24

machine boots OK.

At first I thought that the problem was with 'video=791', but after changing this it looks like it restarts right after trying to init processor 0. I ain't got rs232 in this machine, and I don't know what other way could catch that boot sequence (I think netconsole initializes way later)

--

Key fingerprint = 40D0 9FFB 9939 7320 8294 05E0 BCC7 02C4 75CC 50D9
Total Existence Failure

File Attachments

1) [config-2.6.24.gz](#), downloaded 522 times

Subject: Re: 2.6.24 (on amd64)

Posted by [Alexey Dobriyan](#) on Thu, 31 Jan 2008 12:43:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 1/31/08, Dariush Pietrzak <ml-openvz-eyck@ddiary.eu> wrote:

> > Can you please provide some more info such as .config file you used to
> build kernel?
> attached and also available at <http://kuszelas.eu/~eyck/config-2.6.24>
>
> > Maybe something else specific you have done/configured?
> can't recall anything exotic, with the same config and clean 2.6.24
> machine boots OK.

I must have messed up KERNEL_CS/DS descriptors during forward porting.
Let me recheck.

> At first I thought that the problem was with 'video=791',
> but after changing this it looks like it restarts right after trying to
> init processor 0. I ain't got rs232 in this machine, and I don't know what
> other way could catch that boot sequence (I think netconsole initializes
> way later)

Chances that you'll get anything on console in such situation are pretty slim.

Subject: Re: 2.6.24 (on amd64)

Posted by [Alexey Dobriyan](#) on Thu, 31 Jan 2008 14:24:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

[Box reboots with 2.6.24-openvz from git after
Initiating processor 0]

Doh! It was indeed descriptors moving in GDT.

The following should fix it:

```
git diff v2.6.24.. -- arch/x86/boot/compressed/head_64.S arch/x86/kernel/acpi/wakeup_64.S
arch/x86/kernel/head_64.S include/asm-x86/segment_64.h >../1.patch
patch -p1 -R <../1.patch
```

Subject: Re: 2.6.24 (on amd64)

Posted by [Dariush Pietrzak](#) on Thu, 31 Jan 2008 15:31:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
> Initiating processor 0]
> Doh! It was indeed descriptors moving in GDT.
> The following should fix it:
> git diff v2.6.24.. -- arch/x86/boot/compressed/head_64.S arch/x86/kernel/acpi/wakeup_64.S
arch/x86/kernel/head_64.S include/asm-x86/segment_64.h >../1.patch
> patch -p1 -R <../1.patch
Yes, thanks, now it boots, and starts spewing:
```

```
Driver 'sr' needs updating - please use bus_type methods
sysfs: duplicate filename ':0000288' can not be created
WARNING: at fs/sysfs/dir.c:424 sysfs_add_one()
Pid: 9, comm: events/0 Not tainted 2.6.24 #3
```

Call Trace:

```
[<ffffffff802e98a0>] sysfs_add_one+0x54/0xbd
[<ffffffff802e9ddb>] create_dir+0x4f/0x87
[<ffffffff802e9f95>] sysfs_create_dir+0x47/0x5c
[<ffffffff803069f1>] kobject_get+0x12/0x17
[<ffffffff80306f2b>] kobject_add+0xf3/0x1a7
[<ffffffff802a0d81>] sysfs_slab_add+0x122/0x16c
[<ffffffff802a0dcb>] sysfs_add_func+0x0/0x59
[<ffffffff802a0dfc>] sysfs_add_func+0x31/0x59
[<ffffffff80247141>] run_workqueue+0x7f/0x10b
[<ffffffff80247a5d>] worker_thread+0x0/0xe4
sr0: scsi3-mmc drive: 24x/24x writer dvd-ram cd/rw xa/form2 cdda tray
Uniform CD-ROM driver Revision: 3.20
[<ffffffff80247b37>] worker_thread+0xda/0xe4
[<ffffffff8024b4fa>] autoremove_wake_function+0x0/0x2e
[<ffffffff8024b3da>] kthread+0x47/0x75
[<ffffffff8020cd78>] child_rip+0xa/0x12
[<ffffffff8024b393>] kthread+0x0/0x75
[<ffffffff8020cd6e>] child_rip+0x0/0x12
```

kobject_add failed for :0000288 with -EEXIST, don't try to register things with the same name in

the same directory.

sr 3:0:0:0: Attached scsi CD-ROM sr0

Pid: 9, comm: events/0 Not tainted 2.6.24 #3

Call Trace:

```
[<ffffff80306faa>] kobject_add+0x172/0x1a7
[<ffffff802a0d81>] sysfs_slab_add+0x122/0x16c
[<ffffff802a0dcb>] sysfs_add_func+0x0/0x59
[<ffffff802a0dfc>] sysfs_add_func+0x31/0x59
[<ffffff80247141>] run_workqueue+0x7f/0x10b
[<ffffff80247a5d>] worker_thread+0x0/0xe4
[<ffffff80247b37>] worker_thread+0xda/0xe4
[<ffffff8024b4fa>] autoremove_wake_function+0x0/0x2e
[<ffffff8024b3da>] kthread+0x47/0x75
[<ffffff8020cd78>] child_rip+0xa/0x12
[<ffffff8024b393>] kthread+0x0/0x75
[<ffffff8020cd6e>] child_rip+0x0/0x12
```

sysfs: duplicate filename ':0004096' can not be created

WARNING: at fs/sysfs/dir.c:424 sysfs_add_one()

Pid: 9, comm: events/0 Not tainted 2.6.24 #3

....

```
[<ffffff802e98a0>] sysfs_add_one+0x54/0xbd
[<ffffff802e9ddb>] create_dir+0x4f/0x87
[<ffffff802e9f95>] sysfs_create_dir+0x47/0x5c
[<ffffff803069f1>] kobject_get+0x12/0x17
[<ffffff80306f2b>] kobject_add+0xf3/0x1a7
[<ffffff802a0d81>] sysfs_slab_add+0x122/0x16c
[<ffffff802a0dcb>] sysfs_add_func+0x0/0x59
[<ffffff802a0dfc>] sysfs_add_func+0x31/0x59
[<ffffff80247141>] run_workqueue+0x7f/0x10b
[<ffffff80247a5d>] worker_thread+0x0/0xe4
[<ffffff80247b37>] worker_thread+0xda/0xe4
[<ffffff8024b4fa>] autoremove_wake_function+0x0/0x2e
[<ffffff8024b3da>] kthread+0x47/0x75
[<ffffff8020cd78>] child_rip+0xa/0x12
[<ffffff8024b393>] kthread+0x0/0x75
[<ffffff8020cd6e>] child_rip+0x0/0x12
```

kobject_add failed for :0000016 with -EEXIST, don't try to register things with the same name in the same directory.

Pid: 9, comm: events/0 Not tainted 2.6.24 #3

Call Trace:

```
[<ffffff80306faa>] kobject_add+0x172/0x1a7
[<ffffff802a0d81>] sysfs_slab_add+0x122/0x16c
```

```
[<ffffff802a0dcb>] sysfs_add_func+0x0/0x59
[<ffffff802a0dfc>] sysfs_add_func+0x31/0x59
[<ffffff80247141>] run_workqueue+0x7f/0x10b
[<ffffff80247a5d>] worker_thread+0x0/0xe4
[<ffffff80247b37>] worker_thread+0xda/0xe4
[<ffffff8024b4fa>] autoremove_wake_function+0x0/0x2e
[<ffffff8024b3da>] kthread+0x47/0x75
[<ffffff8020cd78>] child_rip+0xa/0x12
[<ffffff8024b393>] kthread+0x0/0x75
[<ffffff8020cd6e>] child_rip+0x0/0x12
```

usb 6-4: configuration #1 chosen from 1 choice

but other than this sysfs issue everything else seems to work fine...

--

Key fingerprint = 40D0 9FFB 9939 7320 8294 05E0 BCC7 02C4 75CC 50D9
Total Existence Failure

Subject: Re: 2.6.24 (on amd64)
Posted by [Alexey Dobriyan](#) on Thu, 31 Jan 2008 15:39:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Thu, Jan 31, 2008 at 04:31:20PM +0100, Dariush Pietrzak wrote:

```
> > Initiating processor 0]
> > Doh! It was indeed descriptors moving in GDT.
> > The following should fix it:
> > git diff v2.6.24.. -- arch/x86/boot/compressed/head_64.S arch/x86/kernel/acpi/wakeup_64.S
arch/x86/kernel/head_64.S include/asm-x86/segment_64.h >../1.patch
> > patch -p1 -R <../1.patch
> Yes, thanks, now it boots, and starts spewing:
>
>
> Driver 'sr' needs updating - please use bus_type methods
```

This is fine (as in not a problem at all, just message from sysfs developers to scsi developers).

```
> sysfs: duplicate filename ':0000288' can not be created
> WARNING: at fs/sysfs/dir.c:424 sysfs_add_one()
```

OK, I haven't seen this.
